Trade name: Acid Shampoo A Product no.: 311999 Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

## Acid Shampoo A

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Cleaner **Uses advised against** No data available.

## 1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet sdb info@umco.de

## **1.4 Emergency telephone number** +353 1 809 2166 (National Poisons Information Centre)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aquatic Chronic 3; H412 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

## **Classification information**

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

## Hazard pictograms



Signal word Danger Hazardous component(s) to be indicated on label:

## Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

phosphoric acid methanesulphonic-acid dimethyl(tetradecyl)amii	ne oxide
Hazard statement(s)	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary stateme	ent(s)
P260	Do not breathe vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.

## 2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not applicable. The product is not a substance.

## 3.2 Mixtures

## Hazardous ingredients

No	Substance name		Addit	ional informatio	on	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	phosphoric acid					
	7664-38-2	Met. Corr. 1; H290	>=	10,00 - <	25,00	%-b.w.
	231-633-2	Skin Corr. 1B; H314				
	015-011-00-6	Acute Tox. 4; H302				
	01-2119485924-24	Eye Dam. 1; H318				
2	methanesulphonic-acid					
	75-75-2	Skin Corr. 1B; H314	>=	5,00 - <	10,00	%-b.w.
	200-898-6	Met. Corr. 1; H290				
	607-145-00-4	Acute Tox. 4; H302				
	01-2119491166-34	Acute Tox. 4; H312				
		STOT SE 3; H335				
3	dimethyl(tetradecy	I)amine oxide				
	3332-27-2	Acute Tox. 4; H302	>=	5,00 - <	10,00	%-b.w.
	222-059-3	Aquatic Acute 1; H400				
	-	Aquatic Chronic 2; H411				
	01-2119949262-37	Eye Dam. 1; H318				
		Skin Irrit. 2; H315				

## Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

4	2-butoxyethanol					
	111-76-2	Acute Tox. 4; H302	>=	5,00 - <	10,00	%-b.w.
	203-905-0	Acute Tox. 4; H312				
	603-014-00-0	Acute Tox. 4; H332				
	01-2119475108-36	Eye Irrit. 2; H319				
		Skin Irrit. 2; H315				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Skin Irrit. 2; H315: C >= 10%	-	-
		Eye Irrit. 2; H319: C >= 10%		
		Skin Corr. 1B; H314: C >= 25%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

#### After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

## **4.2 Most important symptoms and effects, both acute and delayed** No data available.

## **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

## Unsuitable extinguishing media

High power water jet

## 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Phosphorus oxides; Sulphur oxides (SxOy); Nitrogen oxides (NOx); Corrosive gases/vapours

## 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Run-off water from fire fighting must not be discharged into drains or enter surface water.

## Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

## For emergency responders

Personal protective equipment (PPE) - see section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dilute with plenty of water.

## 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

## General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

## 7.2 Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

## Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

## Incompatible products

Substances to be avoided, see section 10.

## 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **Occupational exposure limit values**

No	Substance name	CAS no.		EC no.		
1	phosphoric acid	7664-38-2		231-633-2		
	2000/39/EC					
	Orthophosphoric acid					
	WEL short-term (15 min reference period)	2	mg/m³			
	WEL long-term (8-hr TWA reference period)	1	mg/m³			
	List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)					
	Orthophosphoric acid					

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

## Replaced version: -, issued: -

Region: IE

<b></b>	M/EL about town (4E using reference maniard)	0			
	WEL short-term (15 min reference period)	2	mg/m³		
	WEL long-term (8-hr TWA reference period)	1	mg/m³		
	Comments	IOELV			
2	2-butoxyethanol	111-76-2		203-905-0	
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Prac	ctice)	
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Comments	Sk, IOELV			

## **DNEL, DMEL and PNEC values**

## DNEL values (worker)

No	Substance name			CAS / EC n	0
	Route of exposure	Exposure time	Effect	Value	
1	phosphoric acid			7664-38-2	
				231-633-2	
	inhalative	Long term (chronic)	local	1	mg/m³
	inhalative	Short term (acut)	local	2	mg/m³
	inhalative	Long term (chronic)	systemic	10,7	mg/m³
2	methanesulphonic-acid	· · · · · · · · · · · · · · · · · · ·		75-75-2	
				200-898-6	
	dermal	Long term (chronic)	systemic	19,44	mg/kg/day
	inhalative	Long term (chronic)	systemic	6,76	mg/m³
	inhalative	Long term (chronic)	local	0,7	mg/m³
3	dimethyl(tetradecyl)amine oxide			3332-27-2	
				222-059-3	
	dermal	Long term (chronic)	systemic	11	mg/kg/day
	inhalative	Long term (chronic)	systemic	6,2	mg/m³
4	2-butoxyethanol	· · · · · · · · · · · · · · · · · · ·		111-76-2	
				203-905-0	
	dermal	Long term (chronic)	systemic	125,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	98,00	mg/m³
	inhalative	Short term (acut)	systemic	1091,00	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	246,00	mg/m <sup>3</sup>

## DNEL value (consumer)

No	Substance name			CAS / EC I	าด
	Route of exposure	Exposure time	Effect	Value	
1	phosphoric acid	·		7664-38-2	
				231-633-2	
	oral	Long term (chronic)	systemic	0,1	mg/kg/day
	inhalative	Long term (chronic)	local	0,36	mg/m³
	inhalative	Long term (chronic)	systemic	4,57	mg/m³
2	methanesulphonic-acid			75-75-2	
				200-898-6	
	oral	Long term (chronic)	systemic	8,33	mg/kg/day
	dermal	Long term (chronic)	systemic	8,33	mg/kg/day
	inhalative	Long term (chronic)	systemic	1,44	mg/m³
	inhalative	Long term (chronic)	local	0,42	mg/m³
3	dimethyl(tetradecyl)amin	e oxide		3332-27-2	
				222-059-3	

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

#### Replaced version: -, issued: -

Region: IE

	oral	Long term (chronic)	systemic	0,44	mg/kg/day
	dermal	Long term (chronic)	systemic	5,5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1,53	mg/m³
4	2-butoxyethanol			111-76-2	
	-			203-905-0	
	oral	Long term (chronic)	systemic	6,30	mg/kg/day
	oral	Short term (acut)	systemic	26,70	mg/kg/day
	dermal	Long term (chronic)	systemic	75,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	59,00	mg/m³
	inhalative	Short term (acut)	systemic	426,00	mg/m³
	inhalative	Long term (chronic)	local	147,00	mg/m³

ю	Substance name		CAS / EC	no
	ecological compartment	Туре	Value	
1	methanesulphonic-acid		75-75-2 200-898-6	
	water	fresh water	0,012	mg/L
	water	marine water	0,001	mg/L
	water	Aqua intermittent	0,12	mg/L
	water	fresh water sediment	0,044	mg/kg
	water	marine water sediment	0,004	mg/kg
	soil	-	0,002	mg/kg
	sewage treatment plant	-	100	mg/L
2	dimethyl(tetradecyl)amine oxide	)	3332-27-2 222-059-3	
	water	fresh water	0,034	mg/L
	water	marine water	0,003	mg/L
	water	Aqua intermittent	0,034	mg/L
	water	fresh water sediment	5,24	mg/kg dry weight
	water	marine water sediment	0,524	mg/kg dry weight
	soil	-	1,02	mg/kg dry weight
	sewage treatment plant	-	24	mg/L
	secondary poisoning	-	11,1	mg/kg
	with reference to: food			
3	2-butoxyethanol		111-76-2 203-905-0	
	water	fresh water	8,80	mg/L
	water	marine water	0,88	mg/L
	water	fresh water sediment	34,60	mg/kg
	with reference to: dry weight		•	
	water	marine water sediment	3,46	mg/kg
	water	Aqua intermittent	26,4	mg/L
	soil	-	2,33	mg/kg dry weight
	sewage treatment plant	-	463,00	mg/L
	secondary poisoning	-	0,02	g/kg

## 8.2 Exposure controls

## Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

rade name: Acid Shampoo A				
roduct no.: 311999				
urrent version : 1.0.0, issued: 14.09.2020	Rep	laced version:	-, issued: -	Region:
Personal protective equip	ment			
Respiratory protection If workplace exposure limits are case of aerosol and mist forma threshold values are not specifi	tion, take appropriate			
<b>Eye / face protection</b> Tightly fitting safety glasses (El	N 166).			
Hand protection Sufficient protection is given we of skin contact with the product station suitability (i.e. mechanic manufacturer's instructions and Protective gloves shall be repla permanent use of protective glo Appropriate Material Appropriate Material Appropriate Material Material thickness Breakthrough time	t. Before use, the prot cal resistance, product d information relating t aced immediately whe	ective gloves t compatibility to the use, sto	should be tested in any and antistatic properties rage, care and replacen	case for its specific work- s). Adhere to the nent of protective gloves.
Other Chemical-resistant work clothe	S.	100		
Environmental exposure con No data available.	trols			
SECTION 9: Physical and che	mical properties			
9.1 Information on basic physi		properties		
Form/Colour		-		
liquid				
yellow				
Odour				
characteristic				
Odour threshold				
No data available				
pH value				
Value	<	1		
Deiling point / boiling range				
Doming point / point range				
Boiling point / boiling range No data available				

Decomposition point / decomposition range No data available Flash point

No data available

## Auto-ignition temperature

## No data available

**Oxidising properties** 

not oxidizing

# Explosive properties

The product does not have explosive properties.

# KochChemie<sup>®</sup> ExcellenceForExperts.

Trade name: Acid Shampoo A					
Product no.: 311999					
Current version : 1.0.0, issued: 14.09.2020	Replace	ed version: -, iss	ued: -		Region: IE
Flammability (solid, gas)					
No data available					
Lower flammability or explosive limits					
No data available					
Upper flammability or explosive limits					
No data available					
Vapour pressure					
No data available					
Vapour density					
No data available					
Evaporation rate					
No data available					
Relative density					
No data available					
Density	-				
Value		1,09	g/cm³ °C		
Reference temperature		20	U		
Solubility in water	· · · · ·				
Comments	miscible				
Solubility(ies)					
No data available					
Partition coefficient: n-octanol/water					
No         Substance name           1         2-butoxyethanol		CAS no. 111-76-2		EC no. 203-905-0	
log Pow		111-70-2	0,81	203-303-0	
Reference temperature			25	°C	
Source	ECHA				
Viscosity					
No data available					
9.2 Other information					
Other information					
No data available.					

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available.

- **10.2 Chemical stability** Stable under recommended storage and handling conditions (See section 7).
- **10.3 Possibility of hazardous reactions** Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

## **10.4 Conditions to avoid** None, if handled according to intended use.

- **10.5** Incompatible materials strong bases; strong oxidizing agents
- **10.6 Hazardous decomposition products** None, if handled according to intended use.

Trade name: Acid Shampoo A Product no.: 311999 Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

## **SECTION 11: Toxicological information**

## **11.1** Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No					
1	Acid Shampoo A				
Comments The resu Europea Part 3 of Iabelling			ulation (EC) 1	272/2008 (( he values the values of the values o	hod according to the CLP), Paragraph 3.1.3.6, hat imply a classification / e 3.1.1 defining the ng/kg).
Acu	ite oral toxicity				
No	Substance name	(	CAS no.		EC no.
1	phosphoric acid	7	664-38-2		231-633-2
LD5	0	300	-	2000	mg/kg bodyweight
Spe	cies	rat			
Met	hod	OECD 423			
Sou		ECHA			
2	methanesulphonic-acid	7	/5-75-2		200-898-6
LD5	50			649	mg/kg bodyweight
	cies	rat			
Met		OECD 401			
Sou		ECHA			
	Evaluation/classification Based on available data, the classification criteria are met.				
3	dimethyl(tetradecyl)amine oxide	3	332-27-2		222-059-3
LD5	50			1495	mg/kg bodyweight
C no	aiaa	rot			

		1-35	ing/kg bodyweight
rat			
OECD 401			
ECHA			
	111-76-2		203-905-0
		1746	mg/kg bodyweight
rat			
OECD 401			
	OECD 401 ECHA rat OECD 401	OECD 401 ECHA 111-76-2 rat OECD 401	OECD 401 ECHA 111-76-2 1746 rat

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	Acid Shampoo A	Acid Shampoo A		
Corr	iments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).		

Acu	te dermal toxicity			
No	Substance name	CAS	6 no.	EC no.
1	methanesulphonic-acid	75-7	′5-2	200-898-6
LD5	0	>=	1000	mg/kg bodyweight
Spee	cies	rabbit		
Meth	nod	OECD 402		
Sour	rce	ECHA		
Eval	uation/classification	Based on available	e data, the classificati	on criteria are met.
2	2-butoxyethanol	111-	76-2	203-905-0
LD5	0	>	2000	mg/kg bodyweight
Spee	cies	guinea pig		
Meth	nod	OECD 402		
Sour	rce	ECHA		

## Trade name: Acid Shampoo A Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

10	Product Name	of the ATE calculation for the mixture)	
1	Acid Shampoo A		
Cor	nments	The result of the applied calculation European Regulation (EC) 1272/20 Part 3 of Annex I is outside the val labelling of this mixture according to respective categories (ATE for inha 20 mg/l (vapours), > 5 mg/l (dusts/r	008 (CLP), Paragraph 3.1.3.6 ues that imply a classification o table 3.1.1 defining the lation: > 20.000 ppmV (gase
Αсι	te inhalational toxicity		
	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
ATE		1,5	mg/l
	ation of exposure	Dust/mist	h
	e of aggregation cies	rat	
-	n corrosion/irritation		
	data available		
	ious eye damage/irritation		EC no
<u>NO</u> 1	Substance name phosphoric acid	CAS no. 7664-38-2	EC no. 231-633-2
-	cies	rabbit	231-033-2
Sou		FCHA	
	luation	strongly corrosive	
2	methanesulphonic-acid	75-75-2	200-898-6
	cies	rabbit	
	hod	OECD 405	
Sou	rce	ECHA	
	luation	Irreversible effects on the eye	
	luation/classification	Based on available data, the classi	
3	2-butoxyethanol	111-76-2	203-905-0
	ation of exposure	24	h
	cies	rabbit	
Met Sou	hod	OECD 405 ECHA	
	rce luation	Irritating to eyes	
	piratory or skin sensitisation	040	F0
<u>NO</u> 1	Substance name 2-butoxyethanol	CAS no. 111-76-2	EC no. 203-905-0
	te of exposure	Skin	203-303-0
	cies	guinea pig	
	hod	OECD 406	
Sou		ECHA	
Eva	luation	non-sensitizing	
Ger	m cell mutagenicity		
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Sou		ECHA	
	luation/classification	Based on available data, the classi	
2	2-butoxyethanol	111-76-2	203-905-0
	hod	OECD 471	
Sou		ECHA Based on available data, the classi	Gastian anitania and a tar f
<b>—</b> .	luation/classification	I Kacad an available data the clace	

## Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Sou	rce	ECHA	
Eval	luation/classification	Based on available data, the clas	sification criteria are not met.
Card	cinogenicity		
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Spe	cies	rat	
Meth	hod	OECD 451	
Sou	rce	ECHA	
Eval	luation/classification	Based on available data, the clas	sification criteria are not met.
STO	)T - single exposure		
	data available		
STO	OT - repeated exposure		
No c	data available		
Asp	iration hazard		
	data available		

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxi	icity to fish (acute)			
No	Substance name	CAS no.		EC no.
1	methanesulphonic-acid	75-75-2		200-898-6
LC5	0		73	mg/l
Dura	ation of exposure		96	h
Spe	cies	Oncorhynchus mykiss		
Meth	nod	OECD 203		
Sou	rce	ECHA		
2	2-butoxyethanol	111-76-2		203-905-0
LC5	0	>	1474	mg/l
Dura	ation of exposure		96	h
Spe	cies	Oncorhynchus mykiss		
Meth	nod	OECD 203		
Sou	rce	ECHA		

Tox	Toxicity to fish (chronic)					
No	Substance name	CAS	S no.	EC no.		
1	2-butoxyethanol	111-	-76-2	203-905-0		
NOE	EC	>	100	mg/l		
Dura	ation of exposure		21	day(s)		
Species		Danio rerio				
Method		OECD 204				
Sou	rce	ECHA				

Toxi	city to Daphnia (acute)			
No	Substance name	CAS no.		EC no.
1	phosphoric acid	7664-38-2		231-633-2
EC5	0	>	100	mg/l
Dura	ation of exposure		48	h
Spee	cies	Daphnia magna		
Meth	nod	OECD 202		
Sou	ce	ECHA		
2	methanesulphonic-acid	75-75-2		200-898-6
EC5	0		260	mg/l
Dura	ation of exposure		48	h

#### Product no.: 311999 Current version : 1.0.0, issued: 14.09.2020 Replaced version: -, issued: -Region: IE Species Daphnia magna Method OECD 202 Source ECHA 111-76-2 203-905-0 3 2-butoxyethanol EC50 1550 mg/l Duration of exposure 48 h Daphnia magna Species OECD 202 Method Source ECHA Toxicity to Daphnia (chronic) No Substance name CAS no. EC no. 2-butoxyethanol 111-76-2 203-905-0 1 100 NOEC mg/l Duration of exposure 21 day(s) Species Daphnia magna Method **OECD 211** Source ECHA Toxicity to algae (acute) No Substance name CAS no. EC no. 231-633-2 phosphoric acid 7664-38-2 1 EC50 100 > mg/l 72 Duration of exposure h Desmodesmus subspicatus Species Method **OECD 201 ECHA** Source methanesulphonic-acid 200-898-6 2 75-75-2 12 24 **EC50** mg/l Duration of exposure 72 h Species Pseudokirchneriella subcapitata Method **OECD 201** Source ECHA 111-76-2 203-905-0 3 2-butoxyethanol 911 EC50 mg/l Duration of exposure 72 h Species Pseudokirchneriella subcapitata **OECD 201** Method Source ECHA Toxicity to algae (chronic) No data available **Bacteria toxicity** No Substance name CAS no. EC no. phosphoric acid 7664-38-2 231-633-2 1 EC50 1000 mg/l > Duration of exposure 3 h Species activated sludge Method **OECD 209** ECHA Source

## 12.2 Persistence and degradability

Biod	Biodegradability				
No	Substance name	CAS no.	EC no.		
1	2-butoxyethanol	111-76-2	203-905-0		
Туре	9	aerobic biodegradation			
Valu	e		90,4 %		
Dura	ation		28 day(s)		
Meth	od	OECD 301 B			

# Source ECHA ECHA Production Replaced version: -, issued: Region: IE

## 12.3 Bioaccumulative potential

Part	Partition coefficient: n-octanol/water					
No	Substance name	CAS no.		EC no.		
1	2-butoxyethanol	111-76-2		203-905-0		
log Pow			0,81			
Reference temperature			25	°C		
Sou	rce	ECHA				

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

## 12.6 Other adverse effects

No data available.

## 12.7 Other information

Other information

Do not let enter the product into drains or waterways and do not store on public depositories.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

## Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

Class	8
Classification code	C9
Packing group	II
Hazard identification no.	80
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	phosphoric acid
	methanesulphonic-acid
Tunnel restriction code	E

# KochChemie<sup>®</sup> ExcellenceForExperts.

#### Trade name: Acid Shampoo A Product no.: 311999 Current version : 1.0.0, issued: 14.09.2020 Region: IE Replaced version: -, issued: -Label 8 14.2 Transport IMDG 8 Class Packing group П **UN** number UN1760 Proper shipping name CORROSIVE LIQUID, N.O.S. Technical name phosphoric acid methanesulphonic-acid EmS F-A, S-B I abel 8 14.3 Transport ICAO-TI / IATA 8 Class Packing group П UN1760 **UN** number Proper shipping name Corrosive liquid, n.o.s. Technical name phosphoric acid methanesulphonic-acid I abel 8 14.4 Other information No data available. 14.5 Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3. 14.6 Special precautions for user No data available. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## **REACH candidate list of substances of very high concern (SVHC) for authorisation** According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES			
The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3		
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances			

This product is not subject to Part 1 or 2 of Annex I.

## Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC. Trade name: Acid Shampoo A Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: IE

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

B

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

## Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767942