Trade name: Acid Shampoo A Product no.: 311999 Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

Acid Shampoo A

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Cleaner Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aquatic Chronic 3; H412 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Hazardous component(s) to be indicated on label:

phosphoric acid methanesulphonic-acid Trade name: Acid Shampoo A Product no.: 311999 Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

dimethyl(tetradecyl)amine oxide

Hazard statement(s) H290 H314 H412	May be corrosive to metals. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
Precautionary statement	(s)
P260	Do not breathe vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	nazardous ingredie					
No	Substance name		Additi	ional information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	phosphoric acid					
	7664-38-2	Met. Corr. 1; H290	>=	10,00 - <	25,00	%-b.w.
	231-633-2	Skin Corr. 1B; H314				
	015-011-00-6	Acute Tox. 4; H302				
	01-2119485924-24	Eye Dam. 1; H318				
2	methanesulphonic	-acid				
	75-75-2	Skin Corr. 1B; H314	>=	5,00 - <	10,00	%-b.w.
	200-898-6	Met. Corr. 1; H290				
	607-145-00-4	Acute Tox. 4; H302				
	01-2119491166-34	Acute Tox. 4; H312				
		STOT SE 3; H335				
3	dimethyl(tetradecy	l)amine oxide				
	3332-27-2	Acute Tox. 4; H302	>=	5,00 - <	10,00	%-b.w.
	222-059-3	Aquatic Acute 1; H400				
	-	Aquatic Chronic 2; H411				
	01-2119949262-37	Eye Dam. 1; H318				
1		Skin Irrit. 2; H315				
4	2-butoxyethanol					
	111-76-2	Acute Tox. 4; H302	>=	5,00 - <	10,00	%-b.w.

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

203-905-0	Acute Tox. 4; H312	
603-014-00-0	Acute Tox. 4; H332	
01-2119475108-36	Eye Irrit. 2; H319	
	Skin Irrit. 2; H315	

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Skin Irrit. 2; H315: C >= 10%	-	-
		Eye Irrit. 2; H319: C >= 10%		
		Skin Corr. 1B; H314: C >= 25%		
Eull	toxt for the notes:	nls, see section 16 "Notes relating to the identification, clas	sification and labol	ing of substances

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas. Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Phosphorus oxides; Sulphur oxides (SxOy); Nitrogen oxides (NOx); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dilute with plenty of water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	phosphoric acid	7664-38-2		231-633-2
	Occupational Exposure Limit Values (Schedule V, Oc	cupational He	alth and Safe	ety Authority Act)
	Orthophosphoricacid			
	WEL short-term (15 min reference period)	2	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	
	Occupational Exposure Limit Values (Schedule V, Oc	cupational He	alth and Safe	ety Authority Act)
	Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m³	

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

		•			
	WEL long-term (8-hr TWA reference period)	1	mg/m³		
	2000/39/EC				
	Orthophosphoric acid				
	WEL short-term (15 min reference period)	2	mg/m³		
	WEL long-term (8-hr TWA reference period)	1	mg/m³		
2	2-butoxyethanol	111-76-2		203-905-	0
	Occupational Exposure Limit Values (Schedule V, Oc	cupational	Health and S	afety Author	rity Act)
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ml/m³
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ml/m³
	Occupational Exposure Limit Values (Schedule V, Oc	cupational	Health and S	afety Author	rity Act)
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Comments	Skin			
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			

DNEL, DMEL and PNEC values

No	Substance name			CAS / EC I	10
	Route of exposure	Exposure time	Effect	Value	
1	phosphoric acid		·	7664-38-2 231-633-2	
	inhalative	Long term (chronic)	local	1	mg/m³
	inhalative	Short term (acut)	local	2	mg/m³
	inhalative	Long term (chronic)	systemic	10,7	mg/m³
2	methanesulphonic-aci	d		75-75-2 200-898-6	
	dermal	Long term (chronic)	systemic	19,44	mg/kg/day
	inhalative	Long term (chronic)	systemic	6,76	mg/m³
	inhalative	Long term (chronic)	local	0,7	mg/m³
3	dimethyl(tetradecyl)an	nine oxide		3332-27-2 222-059-3	
	dermal	Long term (chronic)	systemic	11	mg/kg/day
	inhalative	Long term (chronic)	systemic	6,2	mg/m³
4	2-butoxyethanol			111-76-2 203-905-0	
	dermal	Long term (chronic)	systemic	125,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	98,00	mg/m³
	inhalative	Short term (acut)	systemic	1091,00	mg/m³
	inhalative	Long term (chronic)	local	246,00	mg/m³

DNEL value (consumer)

No	Substance name	Substance name)
	Route of exposure	Exposure time	Effect	Value	
1	phosphoric acid			7664-38-2	
				231-633-2	
	oral	Long term (chronic)	systemic	0,1	mg/kg/day
	inhalative	Long term (chronic)	local	0,36	mg/m³
	inhalative	Long term (chronic)	systemic	4,57	mg/m³
2	methanesulphonic-acid			75-75-2	
		_		200-898-6	

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

	oral	Long term (chro	onic)	systemic	8,33	mg/kg/day
	dermal	Long term (chro		systemic	8,33	mg/kg/day
	inhalative	Long term (chro		systemic	1,44	mg/m ³
	inhalative	Long term (chro		local	0,42	mg/m ³
	dimethyl(tetradecyl)amine oxide		3332-27-2			
				222-059-3		
	oral	Long term (chro	onic)	systemic	0,44	mg/kg/day
	dermal	Long term (chro	,	systemic	5,5	mg/kg/day
	inhalative	Long term (chro		systemic	1,53	mg/m ³
ŀ				111-76-2	iiig/iii	
r	2-butoxyethanol	2-butoxyethanol			203-905-0	
	oral	Long term (chro	onic)	systemic	6,30	mg/kg/day
	oral	Short term (acu		systemic	26,70	mg/kg/day
	dermal	Long term (chro		systemic	75,00	mg/kg/day
	dermal	Short term (acu		systemic	89,00	mg/kg/day
	inhalative	Long term (chro	,	systemic	59,00	mg/m ³
	inhalative	Short term (acu		systemic	426,00	mg/m ³
	inhalative		,	-	147,00	
			onic)	local	147,00	mg/m³
	PNEC values					
٧o	Substance name				CAS / EC r	10
	ecological compartmen	nt T	уре		Value	
1	methanesulphonic-acid				75-75-2	
	• • • • • • •				200-898-6	
	water		resh wate	r	0,012	mg/L
	water	n	narine wat	ter	0,001	mg/L
	water	A	Aqua intermittent		0,12	mg/L
	water			r sediment	0,044	mg/kg
	water	n	narine wa	ter sediment	0,004	mg/kg
	soil	-			0,002	mg/kg
	sewage treatment plant -				100	mg/L
2		dimethyl(tetradecyl)amine oxide			3332-27-2	
_					222-059-3	
	water	fr	resh wate	r	0,034	mg/L
	water		narine wat		0,003	mg/L
	water					mg/L
	water		Aqua intermittent fresh water sediment		5,24	mg/kg dry
	Water	¹¹	con wate	i seuiment	5,24	weight
	water	n	marine water sediment		0,524	mg/kg dry
	Water	¹¹			0,024	weight
	soil	-			1,02	mg/kg dry
	301	-			1,02	weight
	sewage treatment plant	-			24	mg/L
	secondary poisoning	-			11,1	mg/kg
	with reference to: food	-			11,1	iiig/kg
2					444 70 0	
3	2-butoxyethanol				111-76-2 203-905-0	
	water	f.	coch wet-	r		mc/l
	water		resh wate		8,80 0,88	mg/L
	water		narine wat		,	mg/L
	water		esn wate	r sediment	34,60	mg/kg
		with reference to: dry weight				
	water			ter sediment	3,46	mg/kg
	water		Aqua interi	mittent	26,4	mg/L
					2,33	mg/kg dry
	soil	-				
	soil	-				weight
		-			463,00	

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Appropriate Material Appropriate Material	butyl rubber neoprene Polychloroprene		
Material thickness	>	0,5	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour
liquid
yellow
Odour
characteristic
Odour threshold
No data available
pH value
Value < 1
Bailing point / bailing range
Boiling point / boiling range
No data available
Melting point / melting range
No data available
Decomposition point / decomposition range
No data available
Flash point
No data available
Auto-ignition temperature

ent version : 1.0.0, issued: 14.09.2020	Replac	ed version: -, iss	ued: -		Region:
No data available					
Oxidising properties					
not oxidizing					
Explosive properties					
The product does not have explosive pr	operties.				
Flammability (solid, gas)					
No data available					
Lower flammability or explosive limit	S				
No data available					
Upper flammability or explosive limit	S				
No data available					
Vapour pressure					
No data available					
Vapour density					
No data available					
Evaporation rate					
No data available					
Relative density					
No data available					
Density					
Value Reference temperature		1,09 20	g/cm³ °C		
		20	C		
Solubility in water Comments	missible				
Comments	miscible				
Solubility(ies)					
No data available					
Partition coefficient: n-octanol/water					
No Substance name 1 2-butoxyethanol		CAS no. 111-76-2		EC no. 203-905-0	
log Pow		111-70-2	0,81	203-303-0	
Reference temperature			25	°C	
Source	ECHA				
Viscosity					
No data available					

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

None, if handled according to intended use.

10.5 Incompatible materials strong bases; strong oxidizing agents

10.6 Hazardous decomposition products None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	Acid Shampoo A					
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).				

Acute oral toxicity							
No Substance name		CAS no.		EC no.			
1 phosphoric acid		7664-38-2		231-633-2			
LD50	300	-	2000	mg/kg bodyweight			
Species	rat						
Method	OECD 423						
Source	ECHA						
2 methanesulphonic-acid		75-75-2		200-898-6			
LD50			649	mg/kg bodyweight			
Species	rat						
Method	OECD 401						
Source	ECHA						
Evaluation/classification	Based on av	ailable data, the	e classificatio	n criteria are met.			
3 dimethyl(tetradecyl)amine oxide		3332-27-2		222-059-3			
LD50			1495	mg/kg bodyweight			
Species	rat						
Method	OECD 401						
Source	ECHA						
4 2-butoxyethanol		111-76-2		203-905-0			
LD50			1746	mg/kg bodyweight			
Species	rat						
Method	OECD 401						
Source	ECHA						
A suite dermal toxisity (result of the ATE sales	ulation for th	o mixturo)					
Acute dermal toxicity (result of the ATE calculation for the mixture)							
No Product Name							

1	Acid Shampoo A				
Comments		The result of the applied calculation method according to the			
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,			
		Part 3 of Annex I is outside the values that imply a classification /			
		labelling of this mixture according to table 3.1.1 defining the			
		respective categories (ATE dermal > 2000 mg/kg).			

Acu	Acute dermal toxicity							
No	Substance name		CAS no.		EC no.			
1	methanesulphonic-acid		75-75-2		200-898-6			
LD5	0	>=		1000	mg/kg bodyweight			
Spe	cies	rabbit						
Meth	hod	OECD 402						

	ame: Acid Shampoo A		
	t no.: 311999 ersion : 1.0.0, issued: 14.09.2020	Replaced version: -, issued: -	Region:
lent v	11001 110.0, 1000001 14.00.2020	Replaced Version, issued.	
Sour	rce	ECHA	
Eval	uation/classification	Based on available data, the classified	cation criteria are met.
2	2-butoxyethanol	111-76-2	203-905-0
LD5		> 2000	mg/kg bodyweight
Spec	cies	guinea pig	5.5.7.5
Meth		ÖECD 402	
Sour	rce	ECHA	
	te inhalational toxicity (result of th	e ATE calculation for the mixture)	
	Product Name		
1	Acid Shampoo A		
Com	iments	The result of the applied calculation European Regulation (EC) 1272/200 Part 3 of Annex I is outside the valu labelling of this mixture according to respective categories (ATE for inhala 20 mg/l (vapours), > 5 mg/l (dusts/m	08 (CLP), Paragraph 3.1.3.6, les that imply a classification / table 3.1.1 defining the ation: > 20.000 ppmV (gases), >
A	4. 1.1.1.4	· · · · · · · · · · · · · · · · · · ·	
	te inhalational toxicity	<u></u>	FA
-	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
ATE		1,5	mg/l
	ation of exposure	4	h
	e of aggregation	Dust/mist	
Spee	cies	rat	
	ous eye damage/irritation Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Spec	cies	rabbit	
Sour	rce	ECHA	
Eval	uation	strongly corrosive	
2	methanesulphonic-acid	75-75-2	200-898-6
Spec		rabbit	
Neth		OECD 405	
Sour		ECHA	
	uation	Irreversible effects on the eye	
	uation/classification	Based on available data, the classifi	cation criteria are met
	2-butoxyethanol	111-76-2	203-905-0
	ation of exposure	24	203-305-0 h
Spec		rabbit	11
Meth		OECD 405	
Sour		ECHA	
	uation	Irritating to eyes	
⊏val	ualion	Initiating to eyes	
Res	piratory or skin sensitisation		
	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Rout	te of exposure	Skin	
Spec		guinea pig	
Meth		OECD 406	
Sour		ECHA	
	uation	non-sensitizing	
	m cell mutagenicity		
-	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2

Product no.: 311999

Current version	:	100	issued.	14 09 2020
		1.0.0,	loouou.	11.00.2020

Replaced version: -, issued: -

Region: MT

Sou	rce	ECHA			
Eval	uation/classification	Based on available data, the classi	fication criteria are not met.		
2	2-butoxyethanol	111-76-2	203-905-0		
Met	nod	OECD 471			
Sou	rce	ECHA			
Eva	uation/classification	Based on available data, the classi	fication criteria are not met.		
Rep	roduction toxicity				
No	Substance name	CAS no.	EC no.		
1	phosphoric acid	7664-38-2	231-633-2		
Sou	rce	ECHA			
Evaluation/classification Based on available da			fication criteria are not met.		
Carcinogenicity					
No	Substance name	CAS no.	EC no.		
1	2-butoxyethanol	111-76-2	203-905-0		
Spe	cies	rat			
Metl	nod	OECD 451			
Sou	rce	ECHA			
Eva	uation/classification	Based on available data, the classi	fication criteria are not met.		
STC	T - single exposure				
	lata available				
STC	T - repeated exposure				
No data available					
140 0					
	iration hazard				

SECTION 12: Ecological information

12.1 Toxicity

Toxic	ity to fish (acute)			
No S	Substance name	CAS no.		EC no.
1 r	methanesulphonic-acid	75-75-2		200-898-6
LC50			73	mg/l
Durati	ion of exposure		96	h
Specie	es	Oncorhynchus mykiss		
Metho		OECD 203		
Sourc	e	ECHA		
	2-butoxyethanol	111-76-2		203-905-0
LC50		>	1474	mg/l
Durati	ion of exposure		96	h
Speci		Oncorhynchus mykiss		
Metho	bd	OECD 203		
Sourc	e	ECHA		
Toxic	ity to fish (chronic)			
No S	Substance name	CAS no.		EC no.
1 2	2-butoxyethanol	111-76-2		203-905-0
NOEC	2	>	100	mg/l
Durati	ion of exposure		21	day(s)
Speci	es	Danio rerio		
Metho	bd	OECD 204		
Sourc	e	ECHA		
Taxia	ity to Dophnia (aguta)			
	ity to Daphnia (acute)	CAS ==		EC no
	Substance name	CAS no.		EC no.
1 F	phosphoric acid	7664-38-2		231-633-2

Region: MT

Trade name: Acid Shampoo A

Product no.: 311999

Current version : 1.0.0,	issued: 14.09.2020

Daphnia magna DECD 202 ECHA 75-75-2 Daphnia magna DECD 202 ECHA	100 48 260 48	mg/l h 200-898-6 mg/l h
Daphnia magna DECD 202 ECHA 75-75-2 Daphnia magna DECD 202 ECHA	48 	h 200-898-6 mg/l
DECD 202 ECHA 75-75-2 Daphnia magna DECD 202 ECHA	260	200-898-6 mg/l
DECD 202 ECHA 75-75-2 Daphnia magna DECD 202 ECHA		mg/l
CHA 75-75-2 Daphnia magna DECD 202 ECHA		mg/l
75-75-2 Daphnia magna DECD 202 ECHA		mg/l
Daphnia magna DECD 202 ECHA		mg/l
DECD 202 ECHA		-
DECD 202 ECHA	48	h
DECD 202 ECHA		11
СНА		
111-76-2		203-905-0
	1550	mg/l
	48	h
Daphnia magna		
CHA		
CAS no.		EC no.
		203-905-0
	100	mg/l
		day(s)
)aphnia magna	21	
ECHA		
		EC no.
		231-633-2
•		mg/l
No sub sub sub sub sub sub sub sub sub sub		h
	JS	
		200.000
		200-898-6
12		mg/l
agudakirahnarialla suhas		h
	ipitata	
		203-905-0
111-70-2	011	
		mg/l h
Reudokirchnorialla aubor		П
	ipitata	
ECHA		
	CAS no. 7664-38-2 Desmodesmus subspicate DECD 201 CHA 75-75-2 12 Pseudokirchneriella subca DECD 201 CHA 111-76-2	Daphnia magna DECD 202 CHA CAS no. 111-76-2 100 21 Daphnia magna DECD 211 CCHA CAS no. 7664-38-2 CAS no. 7664-38-2 100 72 Desmodesmus subspicatus DECD 201 CCHA 75-75-2 12 - 24 72 Pseudokirchneriella subcapitata DECD 201 CCHA 111-76-2 911 72 Pseudokirchneriella subcapitata

Replaced version: -, issued: -

Bac	Bacteria toxicity						
No	Substance name	CAS	no.	EC no.			
1	phosphoric acid	7664-	-38-2	231-633-2			
EC5	50	>	1000	mg/l			
Dura	ation of exposure		3	h			
Spe	cies	activated sludge					
Met	hod	OECD 209					
Sou	rce	ECHA					

Trade name: Acid Shampoo A Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

12.2 Persistence and degradability

Biod	degradability				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
Туре	9	aerobic biodegradation			
Valu	e		90,4	%	
Dura	ation		28	day(s)	
Met	hod	OECD 301 B			
Sou	rce	ECHA			
Eva	luation	readily biodegradable			

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water					
No	Substance name	CA	S no.	EC no.	
1	2-butoxyethanol	11'	1-76-2	203-905-0	
log Pow			0,81		
Reference temperature			25	°C	
Sou	rce	ECHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment				
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.			
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.			

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not let enter the product into drains or waterways and do not store on public depositories.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

KochChemie[®] ExcellenceForExperts.

ode cation no. g name on code DG g name	Replaced version: -, issued: - Region: 8 C9 II 80 UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid F 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8 8	
cation no. g name on code DG	C9 II 80 UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
cation no. g name on code DG	II 80 UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
g name on code DG g name	80 UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
g name on code DG g name	UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
on code DG g name	CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
on code DG g name	phosphoric acid methanesulphonic-acid E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
DG g name	E 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
DG g name	8 8 II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
g name	II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
g name	II UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
2	UN1760 CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
2	CORROSIVE LIQUID, N.O.S. phosphoric acid methanesulphonic-acid F-A, S-B 8	
2	phosphoric acid methanesulphonic-acid F-A, S-B 8	
	methanesulphonic-acid F-A, S-B 8	
ао-ті / IATA	F-A, S-B 8	
AO-TI / IATA		
AO-TI / IATA	8	
	8	
	II UN1760	
g name	Corrosive liquid, n.o.s.	
9 1141110	phosphoric acid	
	methanesulphonic-acid	
	8	
ation ble.		
Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.		
Special precautions for user No data available.		
bulk according	to Annex II of Marpol and the IBC Code	
ulatory inform	nation	
	nental regulations/legislation specific for the substance or mixture	
	ACH) Annex XIV (List of substances subject to authorisation)	
	or specifications supplied by upstream suppliers, this product does not contain tances requiring authorisation as listed on Annex XIV of the REACH regulation	
list of substants	an of your high concern (CV/UC) for outbouisting	
	es of very high concern (SVHC) for authorisation information provided by preliminary suppliers, the product does not contain	
	autions for use ble. bulk according gulatory inform n and environm ons lo 1907/2006 (RE ata available and/ nsidered as subs e list of substance	

substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES				
The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3			

Product no.: 311999

Current version : 1.0.0, issued: 14.09.2020

Replaced version: -, issued: -

Region: MT

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

, H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767942

В