Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Active Foam

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Cleaner

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26 Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Trade name: Active Foam Product no.: 282999 Current version : 2.0.0, issued: 06.12.2021 Replaced version: 1.1.0, issued: 14.06.2021 Region: GB Hazardous component(s) to be indicated on label: Alcohols, C12-14, ethoxylated, sulfates, sodium salts 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one 4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde Coumarin Hazard statement(s) H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. Precautionary statement(s) P261 Avoid breathing vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container to a facility in accordance with local and national regulations. Supplemental label elements Regulation (EC) No 648/2004 on detergents (Annex VII): >=30% anionic surfactants Perfumings HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE COUMARIN LINALOOL LIMONENE ALPHA-ISOMETHYL IONONE BUTYLPHENYL METHYLPROPIONAL GERANIOL EUGENOL

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	onal information	on	
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP)		Concentration			%
	REACH no					
1	Sulfonic acids, C14-17-sec-alkane, sodium salts					
	97489-15-1	Acute Tox. 4; H302	>=	10.00 - <	25.00	wt%
	307-055-2	Eye Dam. 1; H318				

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

	-	Skin Irrit. 2; H315			
	01-2119489924-20	Aquatic Chronic 3; H412			
2		ethoxylated, sulfates, sodium salts			
	68891-38-3	Eye Dam. 1; H318	>=	5.00 - < 10.00	wt%
	500-234-8	Skin Irrit. 2; H315			
	-	Aquatic Chronic 3; H412			
	01-2119488639-16				
3	sodium p-cumenes	sulphonate			
	15763-76-5	Eye Irrit. 2; H319	<	2.50	wt%
	239-854-6				
	-				
	01-2119489411-37				
4	1-(1,2,3,4,5,6,7,8-00	ctahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1			
	one				
	54464-57-2	Aquatic Chronic 1; H410	<	0.50	wt%
	259-174-3	Skin Sens. 1; H317			
	-	Skin Irrit. 2; H315			
	-				
5	4-(4-hydroxy-4-met	hylpentyl)cyclohex-3-enecarbaldehyde			
	31906-04-4	Skin Sens. 1A; H317	<	0.50	wt%
	250-863-4				
	605-040-00-8				
	-				
6	Coumarin				
	91-64-5	Acute Tox. 4; H302	<	0.50	wt%
	202-086-7	Skin Sens. 1B; H317			
	-	Aquatic Chronic 3; H412			
	-				
7	1,3,4,6,7,8-hexahyo	Iro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran			
	1222-05-5	Aquatic Acute 1; H400	<	0.50	wt%
	214-946-9	Aquatic Chronic 1; H410			
	603-212-00-7				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 10.01% Skin Irrit. 2; H315: C >= 10.01% Eye Dam. 1; H318: C >= 15.01% Acute Tox. 4; H302: C >= 60.01%	-	-
2	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-

Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative		
1	501 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Sulphur oxides (SxOy)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	; no
	Route of exposure	Exposure time	Effect	Value	
1	Sulfonic acids, C14-17-9	sec-alkane, sodium salts		97489-15	5-1
				307-055-	2
	dermal	Long term (chronic)	systemic	5	mg/kg/day
	dermal	Long term (chronic)	local	2.8	mg/cm²
	dermal	Short term (acut)	local	2.8	mg/cm²
	inhalative	Long term (chronic)	systemic	35	mg/m³
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38	-3
		•		500-234-	8
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm²
	inhalative	Long term (chronic)	systemic	175	mg/m³
3	sodium p-cumenesulph	onate		15763-76	5-5
				239-854-	6
	dermal	Long term (chronic)	systemic	7.6	mg/kg/day
	inhalative	Long term (chronic)	systemic	53.6	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Sulfonic acids, C14-17-se	c-alkane, sodium salts		97489-15-1	
				307-055-2	
	oral	Long term (chronic)	systemic	7.1	mg/kg/day
	dermal	Long term (chronic)	systemic	3.57	mg/kg/day
	dermal	Long term (chronic)	local	2.8	mg/cm ²
	dermal	Short term (acut)	local	2.8	mg/cm ²
	inhalative	Long term (chronic)	systemic	12.4	mg/m³
2	Alcohols, C12-14, ethoxy	ated, sulfates, sodium sal	ts	68891-38-3	
				500-234-8	
	oral	Long term (chronic)	systemic	15	mg/kg/day
	dermal	Long term (chronic)	systemic	1650	mg/kg/day
	dermal	Long term (chronic)	local	79	µg/cm²
	inhalative	Long term (chronic)	systemic	52	mg/m³
3	sodium p-cumenesulphor	nate		15763-76-5	

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

	239-854-6			
oral	Long term (chronic)	systemic	3.8	mg/kg/day
dermal	Long term (chronic)	systemic	3.8	mg/kg/day
inhalative	Long term (chronic)	systemic	13.2	mg/m ³

No	Substance name	CAS / EC no		
	ecological compartment	Туре	Value	
1	Sulfonic acids, C14-17-sec-alkane, sodium salts		97489-15-1 307-055-2	
	water	fresh water	0.04	mg/L
	water	marine water	0.004	mg/L
	water	Aqua intermittent	0.06	mg/L
	water	fresh water sediment	9.4	mg/kg dry weight
	water	marine water sediment	0.94	mg/kg dry weight
	soil	-	9.4	mg/kg dry weight
	sewage treatment plant	-	600	mg/L
	secondary poisoning	-	53.3	mg/kg food
2	Alcohols, C12-14, ethoxylated,	68891-38-3 500-234-8		
	water	fresh water	0.24	mg/L
	water	marine water	0.024	mg/L
	water	Aqua intermittent	0.071	mg/L
	water	fresh water sediment	0.917	mg/kg dry weight
	water	marine water sediment	0.092	mg/kg dry weight
	soil	-	7.5	mg/kg dry weight
	sewage treatment plant	-	10	g/L
3	sodium p-cumenesulphonate		15763-76-5 239-854-6	
	water	fresh water	0.23	mg/L
	water	Aqua intermittent	2.3	mg/L
	sewage treatment plant		100	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid

oduct no.: 282999		
Irrent version : 2.0.0, issued: 06.12.2021	Replaced version: 1.1.0, issued: 14.06.2021	Region: G
permanent use of protective gloves. Appropriate Material butyl Material thickness > Breakthrough time > Other	0.7 mm 480 min	
Chemical-resistant work clothes. Environmental exposure controls No data available.		
ECTION 9: Physical and chemical p		
.1 Information on basic physical and State of aggregation	chemical properties	
liquid		
Form/Colour		
liquid yellow		
Odour		
characteristic; perfumed-like		
pH value		
Value	9	
Boiling point / boiling range No data available		
Melting point/freezing point		
No data available		
Decomposition temperature No data available		
Flash point		
No data available		
Ignition temperature No data available		
Flammability		
No data available		
Lower explosion limit No data available		
Upper explosion limit		
No data available		
No data available Vapour pressure		
No data available Vapour pressure No data available		
No data available Vapour pressure		
No data available Vapour pressure No data available Relative vapour density No data available Relative density		
No data available Vapour pressure No data available Relative vapour density No data available Relative density No data available		
No data available Vapour pressure No data available Relative vapour density No data available Relative density	1.04 g/cm ³ 20 °C	

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

No	ition coefficient n-octanol/water (log va Substance name	,	CAS no.		EC no.	
1	Sulfonic acids, C14-17-sec-alkane, sod	ium salts	97489-15-1		307-055-2	
og F	Pow			0.2		
Refe	erence temperature			20	°C	
Neth	nod	92/69/EEC	, A.8			
Soui	ce	ECHA				
Vier	osity					
	lata available					

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

- 10.2 Chemical stability
 - Stable under recommended storage and handling conditions (See section 7).
- 10.3 Possibility of hazardous reactions Dangerous reactions are not to be expected when handling product according to its intended use.
- **10.4 Conditions to avoid** None, if handled according to intended use.
- **10.5** Incompatible materials strong acids; Alkalis; Oxidizing agents
- **10.6 Hazardous decomposition products** None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	Active Foam					
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).				

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2
LD5	0	500	-	2000	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Sour	rce	ECHA			
Eval	Evaluation/classification		ailable data, the	classificatio	n criteria are met.
2	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

	salts				
LD5				4100	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Sou	rce	ECHA			
3	sodium p-cumenesulphonate		15763-76-5		239-854-6
LD5	0	>		7000	mg/kg bodyweight
Spe	cies	rat			
with	reference to	CAS 28348-	53-0		
Meth	hod	OECD 401			
Sou	rce	ECHA			
Acu	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	Alcohols, C12-14, ethoxylated, sulfates	. sodium	68891-38-3		500-234-8
	salts	,			
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			5 5 7 5
Meth	nod	OECD 402			
Sou	rce	ECHA			
2	sodium p-cumenesulphonate		15763-76-5		239-854-6
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rabbit			
with	reference to	CAS 28348-	53-0		
Meth	nod	OECD 402			
Sou	rce	ECHA			
A	te inhalational toxicity				
			CAS no		EC no
No	Substance name		CAS no.		EC no.
No 1	Substance name sodium p-cumenesulphonate		CAS no. 15763-76-5	6.41	239-854-6
No 1 LC5	Substance name sodium p-cumenesulphonate	>		6.41 4	239-854-6 mg/l
No 1 LC5 Dura	Substance name sodium p-cumenesulphonate 0 ation of exposure			6.41 4	239-854-6
No 1 LC5 Dura State	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation	Dust/mist			239-854-6 mg/l
No 1 LC5 Dura State Spee	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies	Dust/mist rat	15763-76-5		239-854-6 mg/l
No 1 LC5 Dura State Spee with	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to	Dust/mist rat CAS 28348-	15763-76-5		239-854-6 mg/l
No 1 LC5 Dura State Spee with Sour	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce	Dust/mist rat	15763-76-5		239-854-6 mg/l
No 1 LC5 Dura State Spee with Sour	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce corrosion/irritation	Dust/mist rat CAS 28348-	15763-76-5 53-0		239-854-6 mg/l h
No 1 LC5 Dura State Spee with Sour Skir No	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce ncce a corrosion/irritation Substance name	Dust/mist rat CAS 28348- ECHA	15763-76-5 53-0 CAS no.		239-854-6 mg/l h EC no.
No 1 LC5 Dura State Spee with Sour	Substance name sodium p-cumenesulphonate o ation of exposure e of aggregation cies reference to rce corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates	Dust/mist rat CAS 28348- ECHA	15763-76-5 53-0		239-854-6 mg/l h
No 1 LC5 Dura State Spee with Sour Skir No 1	Substance name sodium p-cumenesulphonate o ation of exposure e of aggregation cies reference to rce corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts	Dust/mist rat CAS 28348- ECHA , sodium	15763-76-5 53-0 CAS no.		239-854-6 mg/l h EC no.
No 1 LC5 Dura State Spee with Sour Skir No 1 Spee	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies	Dust/mist rat CAS 28348- ECHA , sodium	15763-76-5 53-0 CAS no.		239-854-6 mg/l h EC no.
No 1 LC5 Dura State Spee with Sour Skir No 1 Spee Met	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404	15763-76-5 53-0 CAS no.		239-854-6 mg/l h EC no.
No 1 LC5 Dura State Spee with Sour Skir No 1 Spee Meth Sour	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA	15763-76-5 53-0 CAS no.		239-854-6 mg/l h EC no.
No 1 LC5 Dura State Spee with Sour Skir No 1 Spee Meth Sour Eval	Substance name sodium p-cumenesulphonate o ation of exposure e of aggregation cies reference to rce corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies nod rce uation	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404	15763-76-5 53-0 CAS no. 68891-38-3		239-854-6 mg/l h EC no. 500-234-8
No 1 LC5 Duras State State Source Skir No 1 Spee Mett Source Spee Mett Source Spee Mett Source Spee Spee Mett Source Spee Spee Mett Spee Spee Spee Spee State Spee State Spee State Spee State Spee	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rcce atonols, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant	15763-76-5 53-0 CAS no.		239-854-6 mg/l h EC no.
No 1 LC55 Duras State Speewith Souries Skir No 1 Spee Eval Eval 2 Spee	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rce atonolis, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate cies	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant	15763-76-5 53-0 CAS no. 68891-38-3 15763-76-5		239-854-6 mg/l h EC no. 500-234-8
No 1 LC55 Duras State Speewith Souries Skir No 1 Spee Eval Eval 2 Spee	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to rcc ation of corrosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate cies reference to	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant	15763-76-5 53-0 CAS no. 68891-38-3 15763-76-5		239-854-6 mg/l h EC no. 500-234-8
No 1 LC5 Duras State State Souries State Souries State Souries State Souries Sou	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to ccerce ationols, C12-14, ethoxylated, sulfates salts cies nod rce ation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate cies reference to nod ond	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant rabbit CAS 28348- OECD 404	15763-76-5 53-0 CAS no. 68891-38-3 15763-76-5		239-854-6 mg/l h EC no. 500-234-8
No 1 LC5 Duras State Speevith Sound Skir No 1 Speevith Speevith Speevith Meth Sound Speevith Speevit	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to ccerce ationols, C12-14, ethoxylated, sulfates salts cies nod rce ation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate cies reference to nod ond	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant rabbit CAS 28348-	15763-76-5 53-0 CAS no. 68891-38-3 15763-76-5		239-854-6 mg/l h EC no. 500-234-8
No 1 LC5 Duras State State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State Souries State State Souries State Souries State	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to ccerce Acorosion/irritation Substance name Alcohols, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate cies reference to nod rce uation sodium p-cumenesulphonate cies reference to nod rce	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant rabbit CAS 28348- OECD 404 ECHA low-irritant	15763-76-5 53-0 CAS no. 68891-38-3 15763-76-5 53-0	4	239-854-6 mg/l h EC no. 500-234-8 239-854-6
No 1 LC5 Dura Stat Spec with Sour Sour Skir No 1 Spec Mett Sour Eval Sour Eval Eval Eval Eval Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec Mett Sour Spec No Spec Spec Mett Sour Spec Spec Spec Mett Sour Spec Spec Mett Sour Spec Spec Mett Sour Spec Spec Mett Sour Spec S	Substance name sodium p-cumenesulphonate 0 ation of exposure e of aggregation cies reference to ccerce ationols, C12-14, ethoxylated, sulfates salts cies nod rce uation sodium p-cumenesulphonate cies rce uation sodium p-cumenesulphonate cies reference to nod rce uation substance name	Dust/mist rat CAS 28348- ECHA , sodium rabbit OECD 404 ECHA irritant rabbit CAS 28348- OECD 404 ECHA low-irritant	15763-76-5 53-0 CAS no. 68891-38-3 15763-76-5 53-0	4	239-854-6 mg/l h EC no. 500-234-8

-	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1	307-055-2		
Spee	cies	rabbit				
Meth	nod	OECD 405				
Sou	rce	ECHA				
Eval	uation	irritant				

ent version : 2.0.0, issued: 06.12.2021	Replace	ed version: 1.1.0, issued: 1	14.06.2021 Regic
Evaluation/classification	Based on a	available data. the class	ification criteria are met.
2 Alcohols, C12-14, ethoxylated, sulfa salts		68891-38-3	500-234-8
Species	rabbit		
Method	OECD 405		
Source Evaluation	ECHA strongly irr	tant	
3 sodium p-cumenesulphonate	Strongly III	15763-76-5	239-854-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Respiratory or skin sensitisation			
No Substance name		CAS no.	EC no.
1 Alcohols, C12-14, ethoxylated, sulfa salts	ites, sodium	68891-38-3	500-234-8
Route of exposure	Skin		
Species	guinea pig		
Method Source	OECD 406 ECHA		
Evaluation	non-sensiti	zina	
2 sodium p-cumenesulphonate	1.0.1.00.10	15763-76-5	239-854-6
Route of exposure	Skin		
Species	guinea pig		
with reference to	CAS 28348		
Method Source	OECD 406 ECHA		
Evaluation	non-sensiti	zina	
		2	
Germ cell mutagenicity No Substance name		CAS no.	EC no.
Alcohols, C12-14, ethoxylated, sulfa	ites sodium	68891-38-3	500-234-8
salts	•		000 204 0
Source Evaluation/classification	ECHA Boood on a	wailable data the class	ification criteria are not met.
2 sodium p-cumenesulphonate	Daseu on a	15763-76-5	239-854-6
Type of examination	Chromoso	me aberration test	200-004-0
with reference to	CAS 28348		
Method	OECD 474		
Source	ECHA		····
Evaluation/classification	Based on a	available data, the class	ification criteria are not met.
Reproduction toxicity			
No Substance name		CAS no.	EC no.
1 Alcohols, C12-14, ethoxylated, sulfa salts	ites, sodium	68891-38-3	500-234-8
Source	ECHA		····
Evaluation/classification	Based on a	available data, the class	ification criteria are not met.
Carcinogenicity No data available			
STOT - single exposure No data available			
STOT - repeated exposure			
No data available			

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

	city to fish (acute)				
No	Substance name		CAS no.		EC no.
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2
LC5	-			8.4	mg/l
	ation of exposure			96	h
Spee			us melanotus		
Meth	nod	440/2008/EC	C C.1.		
Sou		ECHA			
2	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8
LC5	0			7.1	mg/l
Dura	ation of exposure			96	h
Spee		Danio rerio			
Metł		OECD 203			
Sou	rce	ECHA			
_					
	city to fish (chronic)				
	Substance name		CAS no.		EC no.
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2
NOE				1.4	mg/l
Spee		Oncorhynch	us mykiss		
Meth	nod	OECD 204			
Sou	ce	ECHA			
Toxi	city to Daphnia (acute)				
No	Substance name		CAS no.		EC no.
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2
EC5	0			7.26	mg/l
Dura	ation of exposure			48	h
Spee	cies	Daphnia mag	gna		
Meth	nod	OECD 202	-		
Sou	rce	ECHA			
2	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8
	salts				
EC5	0			7.4	mg/l
	ation of exposure			48	h
Spe		Daphnia ma	gna		
Meth		OECD 202	0		
Sou		ECHA			
	city to Daphnia (chronic)				
No	Substance name		CAS no.		EC no.
4	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2
1					

1	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1		307-055-2	
NOE	EC			1.0	mg/l	
Spee	cies	Daphnia ma	agna			
Meth	nod	OECD 202				
Sou	rce	ECHA				

Product no.: 282999

Current version : 2.0.0, issued: 06.12.2021

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

Toxi	Toxicity to algae (acute)						
No	Substance name		CAS no.		EC no.		
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2		
EC5	0	>		100	mg/l		
Dura	ation of exposure			72	h		
Spee	cies	Scenedesmu	s subspicatus				
Meth	nod	OECD 201					
Sou	rce	ECHA					
2	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8		
	salts						
ErC	50			27.7	mg/l		
Dura	ation of exposure			72	h		
Species		Desmodesm	us subspicatus				
Method		OECD 201					
Sou	rce	ECHA					

Toxi	Toxicity to algae (chronic)					
No	Substance name		CAS no.		EC no.	
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8	
	salts					
NOE	EC			0.95	mg/	
Dura	ation of exposure			72	h	
Spee	Species		nus subspicatus			
Meth	nod	OECD 201				
Sou	rce	ECHA				

Bacteria toxicity						
Substance name		CAS no.		EC no.		
Alcohols, C12-14, ethoxylated, sulfates	, sodium	68891-38-3		500-23	4-8	
salts						
0	>		10000		mg/l	
ation of exposure			16		h	
cies	Pseudomon	as putida				
Method		Г.8				
rce	ECHA					
	Substance name Alcohols, C12-14, ethoxylated, sulfates salts 0 ation of exposure cies nod	Substance name Alcohols, C12-14, ethoxylated, sulfates, sodium salts > 0 > ation of exposure > cies Pseudomonion nod DIN 38412	Substance nameCAS no.Alcohols, C12-14, ethoxylated, sulfates, sodium68891-38-3salts68891-38-30>ation of exposure>ciesPseudomonas putidanodDIN 38412 T.8	Substance nameCAS no.Alcohols, C12-14, ethoxylated, sulfates, sodium68891-38-3salts68891-38-30>010000ation of exposure16ciesPseudomonas putidanodDIN 38412 T.8	Substance nameCAS no.EC no.Alcohols, C12-14, ethoxylated, sulfates, sodium68891-38-3500-23salts0>10000ation of exposure16ciesPseudomonas putidanodDIN 38412 T.8	

12.2 Persistence and degradability

Biodegradability						
No	Substance name		CAS no.		EC no.	
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8	
	salts					
Туре)	DOC decrease	se			
Valu	e			100	%	
Dura	ation			14	day(s)	
Sou	rce	ECHA				
Eval	uation	readily biode	gradable			

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CA	S no.	EC no.		
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts 974	489-15-1	307-055-2		
log F	Pow		0.2			
Refe	erence temperature		20	°C		
Meth	nod	92/69/EEC, A.8				
Sour	rce	ECHA				

12.4 Mobility in soil

No data available.

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

12.5 Results of PBT and vPvB assessme	ent
Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

14.5 Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUF	ACTURE, PLACING ON
THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND	ARTICLES
The product is considered being subject to REACH regulation (EC) 1907/2006 annex	No 3
XVII.	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)	
VOC content	1.20 %

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.	
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth	
health and safety regulations, serving to protect against hazardous materials, should be observed.	
The surfactants contained in this product comply with the DetVO 648/2004/EC.	

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Replaced version: 1.1.0, issued: 14.06.2021

Region: GB

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 763560