Trade name: Active Foam X-Mas Product no.: 293999 Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

Active Foam X-Mas

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture heavyduty detergent

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Irrit. 2; H315 Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Trad	e name: Active Foam X	-Mas					
Prod	luct no.: 293999						
Curre	nt version : 2.0.0, issued: 18.0	2.2022	Replaced version: 1.0.0, issued: 27.08.2020	Region: GB			
	Hazardous componen Sulfonic acids, C14-17- cinnamaldehyde Eugenol 2-octyl-2H-isothiazol-3-	sec-alkane, sodium s					
1	Hazard statement(s) H315 H317 H318 H412	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting effects.					
	Precautionary statement(s) P261 Avoid breathing vapours/spray. P280 Wear protective gloves/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.						
	Supplemental label elements Regulation (EC) No 648/2004 on detergents (Annex VII): 15-30% anionic surfactants Perfumings CINNAMAL EUGENOL BENZYL BENZOATE COUMARIN LINALOOL LIMONENE CINNAMYL ALCOHOL BENZYL SALICYLATE						

2-BROMO-2-NITROPROPANE-1,3-DIOL OCTYLISOTHIAZOLINONE

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

N	0	Substance name		Additional information			
		CAS / EC / Index / Classification (EC) 1272/2008 (CLP)		Concentration			%
		REACH no					
1		Sulfonic acids, C14	I-17-sec-alkane, sodium salts				
		97489-15-1	Acute Tox. 4; H302	>=	10.00 - <	25.00	wt%
		307-055-2	Eye Dam. 1; H318				

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

			-		1
	-	Skin Irrit. 2; H315			
•	01-2119489924-20	Aquatic Chronic 3; H412			
2		ethoxylated, sulfates, sodium salts			10/
	68891-38-3	Eye Dam. 1; H318	>=	5.00 - < 10.00	wt%
	500-234-8	Skin Irrit. 2; H315			
	-	Aquatic Chronic 3; H412			
0	01-2119488639-16				
3	sodium p-cumenes		-	0.50	10/
	15763-76-5	Eye Irrit. 2; H319	<	2.50	wt%
	239-854-6				
4	01-2119489411-37 cinnamaldehyde				
4		Aguta Tay, 4: LI212	<	2.50	wt%
	104-55-2 203-213-9	Acute Tox. 4; H312 Skin Irrit. 2; H315		2.50	WL70
	203-213-9	Skin Sens. 1A; H317			
	-	Eye Irrit. 2; H319			
5	Eugenol	Lye IIII. 2, 11319			
5	97-53-0	Eye Irrit. 2; H319	<	2.50	wt%
	202-589-1	Skin Sens. 1B; H317	`	2.50	WL 70
	202-309-1				
	-				
6	benzyl benzoate		nis re	fer to footnote (1)	
0	120-51-4	Acute Tox. 4; H302	<	0.50	wt%
	204-402-9	Aquatic Acute 1; H400		0.00	
	607-085-00-9	Aquatic Chronic 2; H411			
	-				
7	bronopol		pls. re	fer to footnote (1)	
	52-51-7	Acute Tox. 4*; H302	<	0.10	wt%
	200-143-0	Acute Tox. 4*; H312			
	603-085-00-8	Aquatic Acute 1; H400			
	-	Eye Dam. 1; H318			
		Skin Irrit. 2; H315			
		STOT SE 3; H335			
		Aquatic Chronic 2; H411			
8	2-octyl-2H-isothiaz				
	26530-20-1	Acute Tox. 3; H301	<	0.10	wt%
	247-761-7	Acute Tox. 3; H311			
	613-112-00-5	Skin Corr. 1; H314			
	-	Skin Sens. 1A; H317			
		Eye Dam. 1; H318			
		Acute Tox. 2; H330			
		Aquatic Chronic 1; H410			
		Aquatic Acute 1; H400			
		EUH071			

Full Text for all H-phrases and EUH-phrases: pls. see section 16 (*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2 (1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 10.01% Skin Irrit. 2; H315: C >= 10.01% Eye Dam. 1; H318: C >= 15.01% Acute Tox. 4; H302: C >= 60.01%	-	-
2	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-
7	-	-	M = 10	-

Product no.: 293999

Current version	: 2.0.0.	issued:	18.02.2022
		loouou.	10.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

8 - Skin Sens. 1A; H317: C >= 0.0015% M = 100 M = 100						
Acute toxicity estimate (ATE) values						
No	oral	dermal	inhalative			

1 501 mg/kg bodyweight

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Sulphur oxides (SxOy); Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	c no
	Route of exposure	Exposure time	Effect	Value	
1	Sulfonic acids, C14-17	-sec-alkane, sodium salts		97489-15 307-055-	
	dermal	Long term (chronic)	systemic	5	mg/kg/day
	dermal	Long term (chronic)	local	2.8	mg/cm ²
	dermal	Short term (acut)	local	2.8	mg/cm²
	inhalative	Long term (chronic)	systemic	35	mg/m³
2	Alcohols, C12-14, ethoxylated, sulfates, sodium sal		salts	68891-38 500-234-	
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm²
	inhalative	Long term (chronic)	systemic	175	mg/m³
3	sodium p-cumenesulphonate			15763-76 239-854-	-
	dermal	Long term (chronic)	systemic	7.6	mg/kg/day
	inhalative	Long term (chronic)	systemic	53.6	mg/m ³

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

	DNEL value (consumer)						
No	Substance name			CAS / EC	C no		
	Route of exposure	Exposure time	Effect	Value			
1	Sulfonic acids, C14-1	7-sec-alkane, sodium salts	·	97489-15-1 307-055-2			
	oral	Long term (chronic)	systemic	7.1	mg/kg/day		
	dermal	Long term (chronic)	systemic	3.57	mg/kg/day		
	dermal	Long term (chronic)	local	2.8	mg/cm ²		
	dermal	Short term (acut)	local	2.8	mg/cm ²		
	inhalative	Long term (chronic)	systemic	12.4	mg/m³		
2	Alcohols, C12-14, eth	oxylated, sulfates, sodium	salts	68891-38 500-234-	-		
	oral	Long term (chronic)	systemic	15	mg/kg/day		
	dermal	Long term (chronic)	systemic	1650	mg/kg/day		
	dermal	Long term (chronic)	local	79	µg/cm²		
	inhalative	Long term (chronic)	systemic	52	mg/m ³		
3	sodium p-cumenesulphonate			15763-76 239-854-	-		
	oral	Long term (chronic)	systemic	3.8	mg/kg/day		
	dermal	Long term (chronic)	systemic	3.8	mg/kg/day		
	inhalative	Long term (chronic)	systemic	13.2	mg/m ³		

PNEC values

No	Substance name		CAS / EC no		
	ecological compartment	Туре	Value		
1	Sulfonic acids, C14-17-sec-alkane, sodium salts		97489-15-1 307-055-2		
	water	fresh water	0.04	mg/L	
	water	marine water	0.004	mg/L	
	water	Aqua intermittent	0.06	mg/L	
	water	fresh water sediment	9.4	mg/kg dry weight	
	water	marine water sediment	0.94	mg/kg dry weight	
	soil	-	9.4	mg/kg dry weight	
	sewage treatment plant	-	600	mg/L	
	secondary poisoning	-	53.3	mg/kg food	
2	Alcohols, C12-14, ethoxylated, sulfate	s, sodium salts	68891-38-3 500-234-8		
	water	fresh water	0.24	mg/L	
	water	marine water	0.024	mg/L	
	water	Aqua intermittent	0.071	mg/L	
	water	fresh water sediment	0.917	mg/kg dry weight	
	water	marine water sediment	0.092	mg/kg dry weight	
	soil	-	7.5	mg/kg dry weight	
	sewage treatment plant	-	10	g/L	
3	sodium p-cumenesulphonate		15763-76-5 239-854-6		
	water	fresh water	0.23	mg/L	
	water	Aqua intermittent	2.3	mg/L	
	sewage treatment plant	-	100	mg/L	

8.2 Exposure controls

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material nitrile

Appropriate Material	nitrile		
Material thickness	>	0.4	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
liquid	
yellow; brown	
Odour	
characteristic	
pH value	
Value	8.5
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
No data available	
Ignition temperature	
No data available	
Oxidising properties	
not oxidizing	

KochChemie[®] ExcellenceForExperts.

Trade name: Active Foam X-Mas Product no.: 293999					
Current version : 2.0.0, issued: 18.02.2022	Replac	ed version: 1.0.0,	issued: 27.08	.2020	Region: GE
					•
Explosive properties					
The product does not have explosive propertie	es.				
Flammability					
No data available					
Lower explosion limit					
No data available					
Upper explosion limit					
No data available					
Vapour pressure					
No data available					
Relative vapour density					
No data available					
Relative density					
No data available					
Density		4.00			
Value Reference temperature		1.03 20	g/cm³ °C		
		20	0		
Solubility in water Comments	soluble				
Solubility No data available					
Partition coefficient n-octanol/water (log va No Substance name	ilue)	CAS no.		EC no.	
1 Sulfonic acids, C14-17-sec-alkane, soc	dium salts	97489-15-1		307-055-2	
log Pow			0.2	•••	
Reference temperature Method	92/69/EEC	C A 8	20	C°	
Source	ECHA	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Viscosity					
No data available					
Particle characteristics					
No data available					
9.2 Other information					_
Other information					
No data available					

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

strong acids; Alkalis; Oxidizing agents

10.6 Hazardous decomposition products None, if handled according to intended use.

None, il handled according to intended use

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)						
No	Product Name					
1	Active Foam X-Mas					
Com	ments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).				

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1		307-055-2		
LD5	0	500	-	2000	mg/kg bodyweight		
Spee	cies	rat					
Meth	nod	OECD 401					
Sou	Source						
Eval	uation/classification	Based on ava	ailable data, the	e classificatior	n criteria are met.		
2	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8		
	salts						
LD5	0			4100	mg/kg bodyweight		
Spee	cies	rat					
Meth	nod	OECD 401					
Sour	rce	ECHA					
3	sodium p-cumenesulphonate		15763-76-5		239-854-6		
LD5	0	>		7000	mg/kg bodyweight		
Spee	cies	rat					
with	reference to	CAS 28348-5	53-0				
Meth	nod	OECD 401					
Sour	rce	ECHA					

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)							
No	Product Name							
1	Active Foam X-Mas							
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).						

Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8		
LD5		>		2000	mg/kg bodyweight		
Spee	cies	rat					
Meth	nod	OECD 402					
Sou	ce	ECHA					
2	sodium p-cumenesulphonate		15763-76-5		239-854-6		
LD5)	>		2000	mg/kg bodyweight		
Spee	cies	rabbit					
with	reference to	CAS 28348-	53-0				

No Summary line 1 so 2.50 Duration Duration State of State of Species with reference Source Skin cc No Skin cc Summary Species Summary Vertex Summary Species Summary Summary Summary Species Summary Species Summary Species Summary Species Summary	inhalational toxicity ubstance name odium p-cumenesulphonate n of exposure f aggregation s erence to prrosion/irritation ubstance name lcohols, C12-14, ethoxylated, sulfates alts s tion podium p-cumenesulphonate	OECD 402 ECHA > Dust/mist rat CAS 28348- ECHA s, sodium rabbit OECD 404 ECHA	CAS no. 15763-76-5 6.41 4 53-0 CAS no. 68891-38-3	EC no. 239-854-6 mg/l h EC no. 500-234-8
Acute i No Su C50 Duration State of Species with refe Source Skin cc No Su Al Species Method Source Evaluat 2 So Species with refe	inhalational toxicity ubstance name odium p-cumenesulphonate n of exposure f aggregation s erence to prrosion/irritation ubstance name lcohols, C12-14, ethoxylated, sulfates alts s l tion podium p-cumenesulphonate	 > Dust/mist rat CAS 28348-ECHA s, sodium rabbit OECD 404 	15763-76-5 6.41 4 53-0 CAS no.	239-854-6 mg/l h EC no.
No Summary line 1 so 2.50 Duration Duration State of State of Species with reference Source Skin cc No Skin cc Summary Species Summary Vertex Summary Species Summary Summary Summary Species Summary Species Summary Species Summary Species Summary	ubstance name odium p-cumenesulphonate n of exposure f aggregation s rerence to orrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates s ion odium p-cumenesulphonate	Dust/mist rat CAS 28348- ECHA s, sodium rabbit OECD 404	15763-76-5 6.41 4 53-0 CAS no.	239-854-6 mg/l h EC no.
1 so C50 Ouration State of Species with references Source Skin cc State of Skin cc Su Species State of Verthod Su Species Species Verthod Source Evaluat So Species Species Wethod Source Species Species	n of exposure f aggregation s erence to prrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s l tion podium p-cumenesulphonate	Dust/mist rat CAS 28348- ECHA s, sodium rabbit OECD 404	15763-76-5 6.41 4 53-0 CAS no.	239-854-6 mg/l h EC no.
C50 Duration State of Species with refe Source Skin cc No Su 1 Al Species Method Source Evaluat 2 so Species with refe	n of exposure f aggregation s erence to prrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s tion pdium p-cumenesulphonate	Dust/mist rat CAS 28348- ECHA s, sodium rabbit OECD 404	6.41 4 53-0 CAS no.	mg/l h EC no.
Duration State of Species with reference Source Skin cc Skin cc Skin cc State of State of	f aggregation s rerence to prrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s tion polium p-cumenesulphonate	Dust/mist rat CAS 28348- ECHA s, sodium rabbit OECD 404	4 53-0 CAS no.	h EC no.
State of Species with refe Source Skin cc No Su 1 Al Species Method Source Evaluat 2 so Species with refe	f aggregation s rerence to prrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s tion polium p-cumenesulphonate	rat CAS 28348- ECHA s, sodium rabbit OECD 404	53-0 CAS no.	EC no.
Species with refi- Source Skin cc No Su 1 Al Species Method Source Evaluat 2 so Species with refi	s ference to prrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s tion polium p-cumenesulphonate	CAS 28348- ECHA s, sodium rabbit OECD 404	CAS no.	
Source Skin cc No Su 1 Al Species Method Source Evaluat 2 So Species with refe	orrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s i tion odium p-cumenesulphonate	ECHA s, sodium rabbit OECD 404	CAS no.	
SkinccNoSu1AIsaSpeciesMethodSourceEvaluat2soSpecieswith reference	orrosion/irritation ubstance name icohols, C12-14, ethoxylated, sulfates alts s i tion odium p-cumenesulphonate	s, sodium rabbit OECD 404		
NoSu1AIsaSpeciesMethodSourceEvaluat2soSpecieswith references	ubstance name loohols, C12-14, ethoxylated, sulfates alts s l l tion odium p-cumenesulphonate	rabbit OECD 404		
AISpeciesMethodSourceEvaluat2Specieswith ref	icohols, C12-14, ethoxylated, sulfates alts s l tion pdium p-cumenesulphonate	rabbit OECD 404		
sa Species Method Source Evaluat 2 so Species with ref	alts S I tion odium p-cumenesulphonate	rabbit OECD 404	68891-38-3	500-234-8
Species Method Source Evaluat 2 so Species with ref	s I tion odium p-cumenesulphonate	OECD 404		
Vethod Source Evaluat 2 so Species with ref	l tion odium p-cumenesulphonate	OECD 404		
Evaluat 2 so Species with ref	tion odium p-cumenesulphonate			
2 so Species with ref	odium p-cumenesulphonate			
Species with ref		irritant		
with ref		T	15763-76-5	239-854-6
		rabbit CAS 28348-	F2 0	
Method		OECD 404	55-0	
Source		ECHA		
Evaluat	tion	low-irritant		
Evaluat	tion/classification	Based on av	ailable data, the classi	ification criteria are not met.
Serious	s eye damage/irritation			
	ubstance name		CAS no.	EC no.
	ulfonic acids, C14-17-sec-alkane, sod	ium salts	97489-15-1	307-055-2
Species		rabbit		
Method Source		OECD 405 ECHA		
Source Evaluat		irritant		
	tion/classification		vailable data. the classi	ification criteria are met.
	Icohols, C12-14, ethoxylated, sulfates		68891-38-3	500-234-8
	alts			
Species		rabbit		
Method Source		OECD 405 ECHA		
Source Evaluat		Strongly irrit	ant	
	odium p-cumenesulphonate		15763-76-5	239-854-6
Species		rabbit		
Vethod	1	OECD 405		
Source		ECHA		
Evaluat	lion	irritant		
Respira	atory or skin sensitisation			
Νο Sι	ubstance name		CAS no.	EC no.
	icohols, C12-14, ethoxylated, sulfates alts	s, sodium	68891-38-3	500-234-8
	of exposure	Skin		
Species	S	guinea pig		
Method		OECD 406		
Source		ECHA		
Evaluat 2 so	tion bdium p-cumenesulphonate	non-sensitiz	ing 15763-76-5	239-854-6

Product no.: 293999

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

Species	guinea pig				
with reference to	CAS 28348-	53-0			
Method	OECD 406				
Source	ECHA				
Evaluation	non-sensitizi	ng			
		•			
Germ cell mutagenicity					
No Substance name		CAS no.	EC no.		
Alcohols, C12-14, ethoxylated, sulfates salts	, sodium	68891-38-3	500-234-8		
Source	ECHA				
Evaluation/classification	Based on av	ailable data, the cla	ssification criteria are not met.		
2 sodium p-cumenesulphonate		15763-76-5	239-854-6		
Type of examination	Chromosome	e aberration test			
with reference to	CAS 28348-	53-0			
Method	OECD 474				
Source	ECHA				
Evaluation/classification	Based on av	ailable data, the cla	ssification criteria are not met.		
Denne desetten testette					
Reproduction toxicity		040	FO		
No Substance name	!!	CAS no.	EC no.		
Alcohols, C12-14, ethoxylated, sulfates salts		68891-38-3	500-234-8		
Source	ECHA				
Evaluation/classification	Based on av	ailable data, the cla	ssification criteria are not met.		
Carcinogenicity					
No data available					
STOT - single exposure					
STOT - Single exposure					
No data available					
No data available STOT - repeated exposure					
No data available					
No data available STOT - repeated exposure					

Endocrine disrupting properties No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)							
No	Substance name		CAS no.		EC no.			
1	Sulfonic acids, C14-17-sec-alkane, sodiu	um salts	97489-15-1		307-055-2			
LC5	0			8.4	mg/l			
Dura	ation of exposure			96	h			
Spe	cies	Leuciscus id	lus melanotus					
Meth	nod	440/2008/E0	C C.1.					
Sou	rce	ECHA						
2	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8			
	salts							
LC5	0			7.1	mg/l			
Dura	ation of exposure			96	h			

ide name: Active Foam X-Mas					
oduct no.: 293999 rent version : 2.0.0, issued: 18.02.2022	Replac	ed version: 1.0.0, is:	sued: 27.08	3.2020	Region
Species	Danio rerio				
Method	OECD 203				
Source	ECHA				
Toxicity to fish (chronic)					
No Substance name		CAS no.		EC no.	
1 Sulfonic acids, C14-17-sec-all	kane, sodium salts	97489-15-1		307-055-2	
NOEC	Our e subsum	have we deter	1.4	mg/l	
Species	OECD 204	hus mykiss			
Method Source	ECHA				
Source	LOUNA				
Toxicity to Daphnia (acute)					
No Substance name		CAS no.		EC no.	
1 Sulfonic acids, C14-17-sec-all	kane, sodium salts	97489-15-1	7.00	307-055-2	
EC50			7.26 48	mg/l	
Duration of exposure Species	Daphnia m	adha	40	h	
Method	OECD 202				
Source	ECHA				
2 Alcohols, C12-14, ethoxylated	- • • • • •	68891-38-3		500-234-8	
EC50			7.4	mg/l	
Duration of exposure			48	h	
Species	Daphnia m	agna			
Method	OECD 202				
Source	ECHA				
Toxicity to Daphnia (chronic)					
No Substance name		CAS no.		EC no.	
1 Sulfonic acids, C14-17-sec-all	kane, sodium salts	97489-15-1		307-055-2	
NOEC			1.0	mg/l	
Species	Daphnia m				
Method	OECD 202				
Source	ECHA				
Toxicity to algae (acute)					
No Substance name		CAS no.		EC no.	
1 Sulfonic acids, C14-17-sec-all	kane, sodium salts	97489-15-1		307-055-2	
EC50	>		100	mg/l	
Duration of exposure	Connoder	nue aubanicatur	72	h	
Species Method	OECD 201	nus subspicatus			
Source	ECHA				
2 Alcohols, C12-14, ethoxylated		68891-38-3		500-234-8	
salts	, ounated, oounann			000 204 0	
ErC50			27.7	mg/l	
Duration of exposure			72	h	
Species		mus subspicatus			
Method	OECD 201				
Source	ECHA				
Toxicity to algae (chronic)					
No Substance name		CAS no.		EC no.	
1 Alcohols, C12-14, ethoxylated salts	l, sulfates, sodium	68891-38-3		500-234-8	
NOEC			0.95	mg/l	
Duration of exposure			72	h	
Species		mus subspicatus			
Method	OECD 201				

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

Sou	rce	ECHA						
Bac	Bacteria toxicity							
No	Substance name		CAS no.		EC no.			
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8			
EC5	0	>		10000	mg/l			
Dura	ation of exposure			16	h			
Met	Species		as putida ſ.8					

12.2 Persistence and degradability

Biod	Biodegradability						
No	Substance name		CAS no.		EC no.		
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8		
	salts						
Туре	9	DOC decrease	se				
Valu	e			100	%		
Dura	ation			14	day(s)		
Sou	rce	ECHA					
Eval	uation	readily biode	gradable				

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)							
No	Substance name		CAS no.		EC no.			
1	Sulfonic acids, C14-17-sec-alkane, sodi	um salts	97489-15-1		307-055-2			
log F	Pow			0.2				
Refe	erence temperature			20	°C			
Meth	nod	92/69/EEC,	A.8					
Sour	rce	ECHA						

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessmen PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022

Replaced version: 1.0.0, issued: 27.08.2020

Region: GB

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- 14.6 Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES						
	The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3					
	XVII.					
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006						
	· · · · · · · · · · · · · · · · · · ·	orod boing oubjeet	to ItE/torriegulat			
anne	ex XVII.					
anne	· · · · · · · · · · · · · · · · · · ·	CAS no.	EC no.	No		
anne	ex XVII. Substance name 1H-Indene-1,3(2H)-dione, 2-(2-quinolinyI)-,			. ,		
anne	ex XVII. Substance name	CAS no.	EC no.	No		
anne	ex XVII. Substance name 1H-Indene-1,3(2H)-dione, 2-(2-quinolinyI)-,	CAS no.	EC no.	No		

Product no.: 293999

Current version : 2.0.0, issued: 18.02.2022		version : 2.0.0, issued: 18.02.2022	Replaced version: 1.0.0, issued: 27.08.2020		Region: GB	
ī.	4	dipentene	138-86-3	205-341-0	75	
	5	linalool	78-70-6	201-134-4	75	
	Dir	potive 2012/19/ELL on the control of n	noior appident bazarda involving	dangaraya aybatan	200	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 **Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

•••••	
EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

767941 Prod-ID