

Trade name: Alkali Wheel Cleaner

Product no.: 411999

Current version : 1.0.0, issued: 12.11.2020

Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Alkali Wheel Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS05

Signal word

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB

Danger

Hazardous component(s) to be indicated on label:potassium hydroxide
hexyl D-glucoside
2-propylheptane-1-ol, ethoxylated**Hazard statement(s)**H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.**Precautionary statement(s)**P260 Do not breathe vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P390 Absorb spillage to prevent material damage.**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	potassium hydroxide			
	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	>= 10.00 - < 25.00	wt%
2	hexyl D-glucoside			
	54549-24-5 259-217-6 - 01-2119492545-29	Eye Dam. 1; H318	>= 5.00 - < 10.00	wt%
3	2-propylheptane-1-ol, ethoxylated			
	160875-66-1 - - -	Eye Dam. 1; H318 Acute Tox. 4; H302	< 5.00	wt%
4	trisodium-nitilotriacetate			

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB

5064-31-3 225-768-6 607-620-00-6 01-2119519239-36	Acute Tox. 4*; H302 Carc. 2; H351 Eye Irrit. 2; H319	< 5.00	wt%
--	--	--------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 0.5% Skin Irrit. 2; H315: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
4	-	Carc. 2; H351: C >= 5%	-	-

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB**For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed. Store in a dry place.

Recommended storage temperature

Value

Room temperature

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
List of approved workplace exposure limits (WELs) / EH40			
Potassium hydroxide (as Cyanide)			
	WEL short-term (15 min reference period)	5	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³

Trade name: Alkali Wheel Cleaner

Product no.: 411999

Current version : 1.0.0, issued: 12.11.2020

Replaced version: -, issued: -

Region: GB

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	potassium hydroxide			1310-58-3 215-181-3
	inhalative	Long term (chronic)	local	1 mg/m ³
2	hexyl D-glucoside			54549-24-5 259-217-6
	dermal	Long term (chronic)	systemic	595000 mg/kg/day
	inhalative	Long term (chronic)	systemic	420 mg/m ³
3	trisodium-nitritotriacetate			5064-31-3 225-768-6
	inhalative	Short term (acute)	systemic	2.4 mg/cm ²
	inhalative	Long term (chronic)	systemic	0.8 mg/cm ²

DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	potassium hydroxide			1310-58-3 215-181-3
	inhalative	Long term (chronic)	local	1 mg/m ³
2	hexyl D-glucoside			54549-24-5 259-217-6
	oral	Long term (chronic)	systemic	35.7 mg/kg/day
	dermal	Long term (chronic)	systemic	357000 mg/kg/day
	inhalative	Long term (chronic)	systemic	124 mg/m ³
3	trisodium-nitritotriacetate			5064-31-3 225-768-6
	oral	Short term (acute)	systemic	0.9 mg/kg
	oral	Long term (chronic)	systemic	0.3 mg/kg
	dermal	Short term (acute)	systemic	
	inhalative	Short term (acute)	systemic	9.6 mg/cm ²
	inhalative	Long term (chronic)	systemic	3.2 mg/cm ²

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	hexyl D-glucoside		54549-24-5 259-217-6
	water	fresh water	0.176 mg/L
	water	marine water	0.018 mg/L
	water	Aqua intermittent	4.2 mg/L
	water	fresh water sediment	0.722 mg/kg dry weight
	water	marine water sediment	0.072 mg/kg dry weight
	soil	-	0.654 mg/kg dry weight
	sewage treatment plant	-	100 mg/L
	secondary poisoning with reference to: food	-	111.11 mg/kg
2	trisodium-nitritotriacetate		5064-31-3 225-768-6
	water	fresh water	0.93 mg/L
	water	marine water	0.093 mg/L
	sewage treatment plant	-	270 mg/L

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Appropriate Material	nitrile		
Appropriate Material	PVC		
Appropriate Material	Polychloroprene		
Appropriate Material	neoprene		
Material thickness	>	0.5	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
brown	
Odour	
characteristic	
Odour threshold	
No data available	
pH value	
Value	14
Boiling point / boiling range	
No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	

Trade name: Alkali Wheel Cleaner

Product no.: 411999

Current version : 1.0.0, issued: 12.11.2020

Replaced version: -, issued: -

Region: GB

No data available	
Auto-ignition temperature	
No data available	
Oxidising properties	
not oxidizing	
Explosive properties	
Product does not present an explosion hazard.	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	1.28 g/cm ³
Reference temperature	20 °C
Solubility in water	
Comments	miscible
Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None known

Trade name: Alkali Wheel Cleaner

Product no.: 411999

Current version : 1.0.0, issued: 12.11.2020

Replaced version: -, issued: -

Region: GB

10.5 Incompatible materials

strong acids; strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Alkali Wheel Cleaner
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
LD50		333	mg/kg bodyweight
Species	rat		
Method	OECD 425		
Source	ECHA		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
LD50		1740	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity	
No data available	

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
LC50		>	5 mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Source	ECHA		

Skin corrosion/irritation	
No data available	

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	corrosive		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		

Trade name: Alkali Wheel Cleaner

Product no.: 411999

Current version : 1.0.0, issued: 12.11.2020

Replaced version: -, issued: -

Region: GB

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
Route of exposure		Skin	
Species		guinea pig	
Source		ECHA	
Evaluation		non-sensitizing	
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
Type of examination		Ames-Test	
Species		Bacteria - Salmonella typhimurium	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Species		rat	
Method		OECD 416	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No data available			

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Route of exposure		dermal	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		oral	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard			
No data available			

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			

Trade name: Alkali Wheel Cleaner

Product no.: 411999

Current version : 1.0.0, issued: 12.11.2020

Replaced version: -, issued: -

Region: GB

No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
LC50		80	mg/l
Duration of exposure		96	h
Species	Gambusia affinis		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
LC50		114	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Source	ECHA		

Toxicity to fish (chronic)

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC	>	54	mg/l
Duration of exposure		224	day(s)
Species	Pimephales promelas		
Source	ECHA		

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC		9.3	mg/l
Duration of exposure		147	day(s)
Species	Daphnia magna		
Source	ECHA		

Toxicity to algae (acute)

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
ErC50	>	91.5	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)

No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC		1.43	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity

No data available

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
Value		100	%
Duration		14	d
Method	OECD 301 E		

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB

Source Evaluation	ECHA readily biodegradable
-------------------	----------------------------

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C5
Packing group	II
Hazard identification no.	80
UN number	UN1814
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1814
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB

EmS Label	F-A, S-B 8
-----------	---------------

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1814
Proper shipping name	Potassium hydroxide solution
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.
The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Trade name: Alkali Wheel Cleaner**Product no.:** 411999**Current version :** 1.0.0, issued: 12.11.2020**Replaced version:** -, issued: -**Region:** GB

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767944