

Page 1 of 16  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 02.08.2024 / 0004  
Replacing version dated / version: 11.03.2024 / 0003  
Valid from: 02.08.2024  
PDF print date: 02.08.2024  
Alkali Wheel Cleaner  
Art.: 328999

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Alkali Wheel Cleaner**  
**Art.: 328999**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture:**

Cleaner

**Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH  
Einsteinstrasse 42  
59423 Unna  
Telefon: +49 (0) 2303 / 9 86 70 - 0  
Fax: +49 (0) 2303 / 9 86 70 - 26  
info@koch-chemie.com  
www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

**Emergency information services / official advisory body:**

IRL

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:  
+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)  
+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

**Telephone number of the company in case of emergencies:**

+1 872 5888271 (KCC)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) 1272/2008 (CLP)**

| Hazard class | Hazard category | Hazard statement                              |
|--------------|-----------------|---|
| Eye Dam.     | 1               | H318-Causes serious eye damage.               |
| Met. Corr.   | 1               | H290-May be corrosive to metals.              |
| Skin Corr.   | 1               | H314-Causes severe skin burns and eye damage. |

#### 2.2 Label elements

**Labeling according to Regulation (EC) 1272/2008 (CLP)**

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 02.08.2024 / 0004

Replacing version dated / version: 11.03.2024 / 0003

Valid from: 02.08.2024

PDF print date: 02.08.2024

Alkali Wheel Cleaner

Art.: 328999



**Danger**

H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage.

P260-Do not breathe vapours or spray. P280-Wear protective gloves / protective clothing / eye protection / face protection.  
 P301+P330+P331-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor. P390-Absorb spillage to prevent material damage.

Potassium hydroxide  
 Hexyl D-glucoside  
 2-Propylheptanol, ethoxylated

### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

| Hexyl D-glucoside  |                       |
|--|-----------------------|
| Registration number (REACH)  | 01-2119492545-29-XXXX |
| Index  | ---                   |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 259-217-6             |
| CAS  | 54549-24-5            |
| content %  | 5-<10                 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Eye Dam. 1, H318      |

| Potassium hydroxide  |   |
|--|---|
| Registration number (REACH)  | 01-2119487136-33-XXXX   |
| Index  | 019-002-00-8  |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                 | 215-181-3   |
| CAS  | 1310-58-3   |
| content %  | 1-<5  |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Met. Corr. 1, H290<br>Acute Tox. 4, H302<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318 |

Page 3 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

|   |  |
|---|--|
| <b>Specific Concentration Limits and ATE</b>                                  | Skin Corr. 1A, H314: >=5 %<br>Skin Corr. 1B, H314: >=2 %<br>Skin Irrit. 2, H315: >=0,5 %<br>Eye Irrit. 2, H319: >=0,5 %<br>ATE (oral): 333 mg/kg |
| <b>2-Propylheptanol, ethoxylated</b>  |  |
| <b>Registration number (REACH)</b>  | ---  |
| <b>Index</b>  | ---  |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | ---  |
| <b>CAS</b>  | 160875-66-1  |
| <b>content %</b>  | 1-<3   |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Acute Tox. 4, H302<br>Eye Dam. 1, H318   |
| <b>Specific Concentration Limits and ATE</b>                                  | Eye Dam. 1, H318: >10 %<br>ATE (oral): 700 mg/kg   |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.  
 The substances named in this section are given with their actual, appropriate classification!  
 For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.  
 The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!  
 Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.  
 Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.  
 Cauterizations not treated lead to wounds difficult to heal.

#### Eye contact

Remove contact lenses.  
 Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.  
 Protect uninjured eye.  
 Follow-up examination by an ophthalmologist.

#### Ingestion

Rinse the mouth thoroughly with water.  
 Do not induce vomiting - give copious water to drink. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.  
 In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.  
 Corrosive burns on skin as well as mucous membrane possible.

Necrosis  
 Risk of serious damage to eyes.  
 Corneal damage.  
 Danger of blindness.

Ingestion:  
 Pain in the mouth and throat  
 Gastrointestinal disturbances  
 Oesophageal perforation  
 Gastric perforation

### 4.3 Indication of any immediate medical attention and special treatment needed

Page 4 of 16  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 02.08.2024 / 0004  
Replacing version dated / version: 11.03.2024 / 0003  
Valid from: 02.08.2024  
PDF print date: 02.08.2024  
Alkali Wheel Cleaner  
Art.: 328999

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO<sub>2</sub>/dry extinguisher

#### Unsuitable extinguishing media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Do not take any measures that are associated with personal risk or have not been sufficiently trained.

Keep unprotected persons away.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Fill the absorbed material into lockable containers.

Neutralising is possible (only from a specialist).

Diluting with water is possible.

Flush residue using copious water.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

**7.1.1 General recommendations**

Ensure good ventilation.  
 Avoid contact with eyes or skin.  
 Handle and open container with care.  
 There should be an eyewash station and safety shower located near the area of use.  
 Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.  
 Observe directions on label and instructions for use.  
 Use working methods according to operating instructions.

**7.1.2 Notes on general hygiene measures at the workplace**

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep out of access to unauthorised individuals.  
 Store product closed and only in original packing.  
 Not to be stored in gangways or stair wells.  
 Do not store with acids.  
 Do not use alkali sensitive materials.  
 Store at room temperature.  
 Store in a dry place.

**7.3 Specific end use(s)**

No information available at present.  
 Observe the instructions for good working practice and the recommendations for risk assessment.  
 Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,  
 depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

| GB | Chemical Name          | Potassium hydroxide   |
|----|------------------------|---|
|    | WEL-TWA: ---           | WEL-STEL: 2 mg/m3   |
|    | Monitoring procedures: | ISO 15202 (Workplace air - Determination of metals and metalloids in airborne particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3)<br>- NIOSH 7401 (Alkaline dusts) - 1994<br>OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 44-5<br>- (2004) |
|    | BMGV: ---              | Other information: ---  |

| IRL | Chemical Name          | Potassium hydroxide   |
|-----|------------------------|---|
|     | OELV-8h: ---           | OELV-15min: 2 mg/m3   |
|     | Monitoring procedures: | ISO 15202 (Workplace air - Determination of metals and metalloids in airborne particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3)<br>- NIOSH 7401 (Alkaline dusts) - 1994<br>OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 44-5<br>- (2004) |
|     | BLV: ---               | Other information: ---  |

**Hexyl D-glucoside**

Page 6 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

| Area of application | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value  | Unit                  | Note |
|---------------------|--|-----------------------------|------------|--------|-----------------------|------|
|                     | Environment - freshwater                   |                             | PNEC       | 0,176  | mg/l                  |      |
|                     | Environment - marine                       |                             | PNEC       | 0,018  | mg/l                  |      |
|                     | Environment - sewage treatment plant       |                             | PNEC       | 100    | mg/l                  |      |
|                     | Environment - sediment, marine             |                             | PNEC       | 0,722  | mg/kg dry weight      |      |
|                     | Environment - sediment, marine             |                             | PNEC       | 0,072  | mg/kg dry weight      |      |
|                     | Environment - soil                         |                             | PNEC       | 0,654  | mg/kg dry weight      |      |
| Consumer            | Human - dermal                             | Long term, systemic effects | DNEL       | 357000 | mg/kg body weight/day |      |
| Consumer            | Human - inhalation                         | Long term, systemic effects | DNEL       | 124    | mg/m3                 |      |
| Consumer            | Human - oral                               | Long term, systemic effects | DNEL       | 35,7   | mg/kg body weight/day |      |
| Workers / employees | Human - dermal                             | Long term, systemic effects | DNEL       | 595000 | mg/kg body weight/day |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects | DNEL       | 420    | mg/m3                 |      |

| Potassium hydroxide |  |                          |            |       |       |      |
|---------------------|--|--------------------------|------------|-------|-------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health         | Descriptor | Value | Unit  | Note |
| Consumer            | Human - inhalation                         | Long term, local effects | DNEL       | 1     | mg/m3 |      |
| Workers / employees | Human - inhalation                         | Long term, local effects | DNEL       | 1     | mg/m3 |      |

GB - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
 (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |  
 | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
 (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |  
 | BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
 (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |  
 | Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). |

IRL - Ireland/Éire | OELV-8h = Occupational Exposure Limit Value - 8-hour reference period (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.  
 (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |  
| OELV-15min = Occupational Exposure Limit Value - 15-minute reference period (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

| BMGV = Biological Monitoring Guidance Value (Biological Monitoring Guidelines 2011, HSA (Health and Safety Authority)): ACGIH-BEI = BMGV have been sourced from Biological Exposure Indices (BEI) as issued by the American Conference of Governmental Industrial Hygienists (ACGIH). SCOEL = BMGV have been sourced from the Scientific Committee on Occupational Exposure Limit Values (SCOEL) which was set up by a Commission Decision (95/320/EC) with the mandate to advise the European Commission on occupational exposure limits for chemicals in the workplace. HSE = BMGV have been sourced from the Health and Safety Executive (HSE), UK.

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). |

**M** - Malta | OELV-8h = Occupational Exposure Limit Value - 8 h (8-hour reference period as a time-weighted average) [S.L.424.24, last amended by L.N. 356 of 2021]: [9] = Inhalable fraction, [10] = Respirable fraction.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |

| OELV-ST = Occupational Exposure Limit Value - Short-term (15-minute reference period) [S.L.424.24, last amended by L.N. 356 of 2021]: [8] = Short-term exposure limit value in relation to a reference period of 1 minute, [9] = Inhalable fraction, [10] = Respirable fraction.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020), United Kingdom).

(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information [S.L.424.24, last amended by L.N. 356 of 2021]: Skin = Possibility of a significant uptake through the skin. [11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. [12] = The mist is defined as the thoracic fraction. [13] = Established in accordance with the Annex to Directive 91/322/EEC. [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV.

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (EU14) = The substance can cause sensitisation of the skin (2004/37/CE). |

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

Page 8 of 16  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 02.08.2024 / 0004  
Replacing version dated / version: 11.03.2024 / 0003  
Valid from: 02.08.2024  
PDF print date: 02.08.2024  
Alkali Wheel Cleaner  
Art.: 328999

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

If applicable

Face protection (EN 166).

Skin protection - Hand protection:

Use alkali resistant protective gloves (EN ISO 374).

If applicable

Protective gloves in butyl rubber (EN ISO 374).

Protective Neoprene® / polychloroprene gloves (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Protective PVC gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state:   | Liquid   |
| Colour:   | Brown  |
| Odour:  | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:   | There is no information available on this parameter. |
| Lower explosion limit:                                    | There is no information available on this parameter. |



Page 9 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

|  |  |
|--|--|
| Upper explosion limit:                             | There is no information available on this parameter. |
| Flash point:                                       | There is no information available on this parameter. |
| Auto-ignition temperature:                         | There is no information available on this parameter. |
| Decomposition temperature:                         | There is no information available on this parameter. |
| pH:  | 14,5   |
| Kinematic viscosity:                               | There is no information available on this parameter. |
| Solubility:  | There is no information available on this parameter. |
| Partition coefficient n-octanol/water (log value): | Does not apply to mixtures.                          |
| Vapour pressure:                                   | There is no information available on this parameter. |
| Density and/or relative density:                   | 1,29 g/cm <sup>3</sup>                               |
| Relative vapour density:                           | There is no information available on this parameter. |
| Particle characteristics:                          | Does not apply to liquids.                           |

**9.2 Other information**

Corrosive to metals: Corrosive to aluminium and steel

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Product corrodes metals.

**10.2 Chemical stability**

Stable with proper storage and handling.

**10.3 Possibility of hazardous reactions**

Avoid contact with strong acids (exothermic reaction possible).  
 Avoid contact with certain metals e.g. aluminium (development of hydrogen gas possible).

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

Avoid contact with strong acids.  
 Avoid contact with alkali sensitive materials.  
 Avoid contact with certain metals e.g. aluminium.

**10.6 Hazardous decomposition products**

No decomposition when used as directed.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Possibly more information on health effects, see Section 2.1 (classification).

| Alkali Wheel Cleaner<br>Art.: 328999                          |          |       |       |          |             |                  |
|---|----------|-------|-------|----------|-------------|------------------|
| Toxicity / effect   | Endpoint | Value | Unit  | Organism | Test method | Notes            |
| Acute toxicity, by oral route:                                | ATE      | >2000 | mg/kg |          |             | calculated value |
| Acute toxicity, by dermal route:                              |          |       |       |          |             | n.d.a.           |
| Acute toxicity, by inhalation:                                |          |       |       |          |             | n.d.a.           |
| Skin corrosion/irritation:                                    |          |       |       |          |             | n.d.a.           |
| Serious eye damage/irritation:                                |          |       |       |          |             | n.d.a.           |
| Respiratory or skin sensitisation:                            |          |       |       |          |             | n.d.a.           |
| Germ cell mutagenicity:                                       |          |       |       |          |             | n.d.a.           |
| Carcinogenicity:  |          |       |       |          |             | n.d.a.           |
| Reproductive toxicity:  |          |       |       |          |             | n.d.a.           |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |       |          |             | n.d.a.           |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |       |          |             | n.d.a.           |

Page 10 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

|                    |  |  |  |  |  |        |
|--------------------|--|--|--|--|--|--------|
| Aspiration hazard: |  |  |  |  |  | n.d.a. |
| Symptoms:          |  |  |  |  |  | n.d.a. |

| <b>Hexyl D-glucoside</b>           |                 |              |             |                        |   |                      |
|------------------------------------|-----------------|--------------|-------------|------------------------|---|----------------------|
| <b>Toxicity / effect</b>           | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b>        | <b>Test method</b>  | <b>Notes</b>         |
| Acute toxicity, by oral route:     | LD50            | >2000        | mg/kg       | Rat                    | OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method) | Analogous conclusion |
| Acute toxicity, by dermal route:   | LD50            | >2000        | mg/kg       | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                          | Analogous conclusion |
| Skin corrosion/irritation:         |                 |              |             | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)              | Not irritant         |
| Respiratory or skin sensitisation: |                 |              |             | Guinea pig             | OECD 406 (Skin Sensitisation)                             | No (skin contact)    |
| Germ cell mutagenicity:            |                 |              |             | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                | Negative             |

| <b>Potassium hydroxide</b>         |                 |              |             |                        |  |                    |
|------------------------------------|-----------------|--------------|-------------|------------------------|--|--------------------|
| <b>Toxicity / effect</b>           | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b>        | <b>Test method</b>   | <b>Notes</b>       |
| Acute toxicity, by oral route:     | LD50            | 333-388      | mg/kg       | Rat                    | OECD 425 (Acute Oral Toxicity - Up-and-Down Procedure)     | 1 week observation |
| Acute toxicity, by oral route:     | ATE             | 333          | mg/kg       |                        |  |                    |
| Skin corrosion/irritation:         |                 |              |             |                        | OECD 431 (In Vitro Skin Corrosion - Human Skin Model Test) | Corrosive          |
| Skin corrosion/irritation:         |                 |              |             |                        |  | Skin Corr. 1A      |
| Serious eye damage/irritation:     |                 |              |             |                        |  | Eye Dam. 1         |
| Serious eye damage/irritation:     |                 |              |             | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                  | Corrosive          |
| Respiratory or skin sensitisation: |                 |              |             | Guinea pig             |  | Not sensitizing    |
| Germ cell mutagenicity:            |                 |              |             |                        | in vivo  | Negative           |
| Germ cell mutagenicity:            |                 |              |             |                        | (Ames-Test)  | Negative           |
| Germ cell mutagenicity:            |                 |              |             | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                 | Negative           |

| <b>2-Propylheptanol, ethoxylated</b> |                 |              |             |                 |                    |                            |
|--------------------------------------|-----------------|--------------|-------------|-----------------|--------------------|----------------------------|
| <b>Toxicity / effect</b>             | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b> | <b>Test method</b> | <b>Notes</b>               |
| Acute toxicity, by oral route:       | LD50            | >700-1700    | mg/kg       | Rat             |                    |                            |
| Acute toxicity, by oral route:       | ATE             | 700          | mg/kg       |                 |                    |                            |
| Acute toxicity, by dermal route:     | LD50            | >2000        | mg/kg       | Rabbit          |                    |                            |
| Symptoms:                            |                 |              |             |                 |                    | mucous membrane irritation |

## 11.2. Information on other hazards

| <b>Alkali Wheel Cleaner</b><br>Art.: 328999 |                 |              |             |                 |                    |                             |
|---|-----------------|--------------|-------------|-----------------|--------------------|-----------------------------|
| <b>Toxicity / effect</b>                    | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b> | <b>Test method</b> | <b>Notes</b>                |
| Endocrine disrupting properties:            |                 |              |             |                 |                    | Does not apply to mixtures. |

Page 11 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

|                    |  |  |  |  |  |   |
|--------------------|--|--|--|--|--|---|
| Other information: |  |  |  |  |  | No other relevant information available on adverse effects on health. |
|--------------------|--|--|--|--|--|---|

### SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

**Alkali Wheel Cleaner**  
**Art.: 328999**

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes  |
|--|----------|------|-------|------|----------|-------------|--|
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.   |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.   |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.   |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | The surfactant(s) contained in this mixture complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.   |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.   |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.   |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.  |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment.  |

Page 12 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

|                    |     |  |  |   |  |  |   |
|--------------------|-----|--|--|---|--|--|---|
| Other information: |     |  |  |   |  |  | DOC-elimination degree (complexing organic substance) $\geq$ 80%/28d: Yes |
| Other information: | AOX |  |  | % |  |  | According to the recipe, contains no AOX.                                 |

| Hexyl D-glucoside                        |          |      |           |      |                         |  |                                     |
|--|----------|------|-----------|------|-------------------------|--|-------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value     | Unit | Organism                | Test method  | Notes                               |
| 12.1. Toxicity to fish:                  | LC50     | 96h  | >100      | mg/l | Oncorhynchus mykiss     | OECD 203 (Fish, Acute Toxicity Test)                     |                                     |
| 12.1. Toxicity to daphnia:               | EC50     | 48h  | >100      | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)         |                                     |
| 12.1. Toxicity to algae:                 | EC50     | 72h  | 180       | mg/l | Scenedesmus subspicatus |  |                                     |
| 12.2. Persistence and degradability:     |          | 28d  | 71        | %    | activated sludge        | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable               |
| 12.3. Bioaccumulative potential:         | Log Pow  |      | 1,72-1,77 |      |                         |  | Not to be expected                  |
| 12.5. Results of PBT and vPvB assessment |          |      |           |      |                         |  | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | EC50     | 4h   | >1000     | mg/l | activated sludge        |  |                                     |

| Potassium hydroxide                  |          |       |       |      |                            |             |  |
|--------------------------------------|----------|-------|-------|------|----------------------------|-------------|--|
| Toxicity / effect                    | Endpoint | Time  | Value | Unit | Organism                   | Test method | Notes                                  |
| 12.1. Toxicity to fish:              | LC50     | 96h   | 80    | mg/l | Gambusia affinis           |             |  |
| 12.1. Toxicity to fish:              | LC50     | 24h   | 165   | mg/l | Poecilia reticulata        |             |  |
| 12.1. Toxicity to daphnia:           | EC50     | 48h   | 40,4  | mg/l | Ceriodaphnia spec.         |             |  |
| 12.2. Persistence and degradability: |          |       |       |      |                            |             | Not relevant for inorganic substances. |
| 12.3. Bioaccumulative potential:     |          |       |       |      |                            |             | Not to be expected                     |
| 12.4. Mobility in soil:              |          |       |       |      |                            |             | Not to be expected                     |
| Toxicity to bacteria:                | EC50     | 15min | 22    | mg/l | Photobacterium phosphoreum |             |  |

| 2-Propylheptanol, ethoxylated |          |      |         |      |                          |             |                      |
|-------------------------------|----------|------|---------|------|--------------------------|-------------|----------------------|
| Toxicity / effect             | Endpoint | Time | Value   | Unit | Organism                 | Test method | Notes                |
| 12.1. Toxicity to fish:       | LC50     | 96h  | >10-100 | mg/l | Oncorhynchus tshawytscha |             | Analogous conclusion |
| 12.1. Toxicity to daphnia:    | EC50     | 48h  | >10-100 | mg/l | Daphnia magna            |             | Analogous conclusion |
| 12.1. Toxicity to algae:      | EC50     | 72h  | 10-100  | mg/l | Scenedesmus subspicatus  |             | Analogous conclusion |

Page 13 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

|  |     |     |     |   |  |  |                                     |
|--|-----|-----|-----|---|--|--|-------------------------------------|
| 12.2. Persistence and degradability:     | BOD | 28d | >60 | % |  | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable               |
| 12.5. Results of PBT and vPvB assessment |     |     |     |   |  |  | No PBT substance, No vPvB substance |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.


Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.


## SECTION 14: Transport information

### General statements


#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: 1814  
 14.2. UN proper shipping name:  
 UN 1814 POTASSIUM HYDROXIDE SOLUTION, MIXTURE  
 14.3. Transport hazard class(es): 8   
 14.4. Packing group: II  
 14.5. Environmental hazards: Not applicable  
 Tunnel restriction code: E  
 Classification code: C5  
 LQ: 1 L  
 Transport category: 2

#### Transport by sea (IMDG-code)

14.1. UN number or ID number: 1814  
 14.2. UN proper shipping name:  
 UN 1814 POTASSIUM HYDROXIDE SOLUTION, MIXTURE  
 14.3. Transport hazard class(es): 8   
 14.4. Packing group: II  
 14.5. Environmental hazards: Not applicable  
 Marine Pollutant: Not applicable  
 EmS: F-A, S-B

#### Transport by air (IATA)

14.1. UN number or ID number: 1814  
 14.2. UN proper shipping name:  
 UN 1814 Potassium hydroxide solution mixture  
 14.3. Transport hazard class(es): 8 

Page 14 of 16  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 02.08.2024 / 0004  
 Replacing version dated / version: 11.03.2024 / 0003  
 Valid from: 02.08.2024  
 PDF print date: 02.08.2024  
 Alkali Wheel Cleaner  
 Art.: 328999

14.4. Packing group: II  
 14.5. Environmental hazards: Not applicable

**14.6. Special precautions for user**

Persons employed in transporting dangerous goods must be trained.  
 All persons involved in transporting must observe safety regulations.  
 Precautions must be taken to prevent damage.

**14.7. Maritime transport in bulk according to IMO instruments**

Freighted as packaged goods rather than in bulk, therefore not applicable.  
 Minimum amount regulations have not been taken into account.  
 Danger code and packing code on request.  
 Comply with special provisions.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Observe restrictions:  
 Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!  
 Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 0 %

**REGULATION (EC) No 648/2004**

5 % or over but less than 15 %  
 phosphonates  
 non-ionic surfactants

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

National requirements/regulations on safety and health protection must be applied when using work equipment.

**15.2 Chemical safety assessment**

A chemical safety assessment is not provided for mixtures.

**SECTION 16: Other information**

Revised sections: 3, 9  
 Employee training in handling dangerous goods is required.  
 These details refer to the product as it is delivered.  
 Employee instruction/training in handling hazardous materials is required.

**Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):**

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                |
|---|---------------------------------------|
| Eye Dam. 1, H318  | Classification based on the pH value. |
| Met. Corr. 1, H290  | Classification based on test data.    |
| Skin Corr. 1, H314  | Classification based on the pH value. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.  
 H314 Causes severe skin burns and eye damage.  
 H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H318 Causes serious eye damage.

Page 15 of 16  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 02.08.2024 / 0004  
Replacing version dated / version: 11.03.2024 / 0003  
Valid from: 02.08.2024  
PDF print date: 02.08.2024  
Alkali Wheel Cleaner  
Art.: 328999

Eye Dam. — Serious eye damage  
Met. Corr. — Substance or mixture corrosive to metals  
Skin Corr. — Skin corrosion  
Acute Tox. — Acute toxicity - oral

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
Guidelines for the preparation of safety data sheets as amended (ECHA).  
Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
Safety data sheets for the constituent substances.  
ECHA Homepage - Information about chemicals.  
GESTIS Substance Database (Germany).  
German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
National Lists of Occupational Exposure Limits for each country as amended.  
Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
AOX Adsorbable organic halogen compounds  
approx. approximately  
Art., Art. no. Article number  
ASTM ASTM International (American Society for Testing and Materials)  
ATE Acute Toxicity Estimate  
BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)  
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
BCF Bioconcentration factor  
BSEF The International Bromine Council  
CAS Chemical Abstracts Service  
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
CMR carcinogenic, mutagenic, reproductive toxic  
DMEL Derived Minimum Effect Level  
DNEL Derived No Effect Level  
DOC Dissolved organic carbon  
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)  
EC European Community  
ECHA European Chemicals Agency  
ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect  
EEC European Economic Community  
EINECS European Inventory of Existing Commercial Chemical Substances  
ELINCS European List of Notified Chemical Substances  
EN European Norms  
EPA United States Environmental Protection Agency (United States of America)  
ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
etc. et cetera  
EU European Union  
EVAL Ethylene-vinyl alcohol copolymer  
Fax. Fax number  
gen. general  
GHS Globally Harmonized System of Classification and Labelling of Chemicals  
GWP Global warming potential  
Koc Adsorption coefficient of organic carbon in the soil  
Kow octanol-water partition coefficient

Page 16 of 16  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 02.08.2024 / 0004  
Replacing version dated / version: 11.03.2024 / 0003  
Valid from: 02.08.2024  
PDF print date: 02.08.2024  
Alkali Wheel Cleaner  
Art.: 328999

IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC (Code) International Bulk Chemical (Code)  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive  
IUCLID International Uniform Chemical Information Database  
IUPAC International Union for Pure Applied Chemistry  
LC50 Lethal Concentration to 50 % of a test population  
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
mg/kg bw mg/kg body weight  
mg/kg bw/d, mg/kg bw/day mg/kg body weight/day  
mg/kg dw mg/kg dry weight  
mg/kg wwt mg/kg wet weight  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
NIOSH National Institute for Occupational Safety and Health (USA)  
NLP No-longer-Polymer  
NOEC, NOEL No Observed Effect Concentration/Level  
OECD Organisation for Economic Co-operation and Development  
org. organic  
OSHA Occupational Safety and Health Administration (USA)  
PBT persistent, bioaccumulative and toxic  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
ppm parts per million  
PVC Polyvinylchloride  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SVHC Substances of Very High Concern  
Tel. Telephone  
TOC Total organic carbon  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.