

Trade name: Autoshampoo**Product no.:** 13999**Current version :** 1.0.0, issued: 20.08.2020**Replaced version: -, issued: -****Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Autoshampoo****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

vehicle cleansing

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05

Signal word

Danger

Hazardous component(s) to be indicated on label:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Trade name: Autoshampoo**Product no.:** 13999**Current version :** 1.0.0, issued: 20.08.2020**Replaced version: -**, issued: -**Region:** GB

Isotridecanol, ethoxylated

Hazard statement(s)

H318 Causes serious eye damage.

Hazard statements (EU)

EUH208 Contains Orange, sweet, ext.. May produce an allergic reaction.

Precautionary statement(s)

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Supplemental label elements

Regulation (EC) No 648/2004 on detergents (Annex VII):

5-15% anionic surfactants

<5% non-ionic surfactants

Perfumings

LIMONENE

OCTYLISOTHIAZOLINONE

2-BROMO-2-NITROPROPANE-1,3-DIOL

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts			
	68411-30-3 270-115-0 - 01-2119489428-22	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	>= 5.00 - < 10.00	%-b.w.
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			
	68891-38-3 500-234-8 - 01-2119488639-16	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	< 2.50	%-b.w.
3	Isotridecanol, ethoxylated			
	9043-30-5 - - -	Acute Tox. 4; H302 Eye Dam. 1; H318	< 2.50	%-b.w.
4	Orange, sweet, ext.			

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

	8028-48-6 232-433-8 - 01-2119493353-35	Asp. Tox. 1; H304 Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411	< 0.50	%-b.w.
5	bronopol		pls. refer to footnote (1)	
	52-51-7 200-143-0 603-085-00-8 -	Acute Tox. 4*; H302 Acute Tox. 4*; H312 Aquatic Acute 1; H400 Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335 Aquatic Chronic 2; H411	< 0.10	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Acute Tox. 4; H302: C >= 65%	-	-
2	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-
5	-	-	M = 10	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

Trade name: Autoshampoo**Product no.:** 13999**Current version :** 1.0.0, issued: 20.08.2020**Replaced version:** -, issued: -**Region:** GB

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Sulphur oxides (S_xO_y); Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts			68411-30-3 270-115-0	
	dermal	Long term (chronic)	systemic	85	mg/kg/day
	inhalative	Long term (chronic)	systemic	6	mg/m ³
	inhalative	Long term (chronic)	local	6	mg/m ³
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8	
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm ²
	inhalative	Long term (chronic)	systemic	175	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts			68411-30-3 270-115-0	
	oral	Long term (chronic)	systemic	0.425	mg/kg/day
	dermal	Long term (chronic)	systemic	42.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.5	mg/m ³
	inhalative	Long term (chronic)	local	1.5	mg/m ³
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8	
	oral	Long term (chronic)	systemic	15	mg/kg/day
	dermal	Long term (chronic)	systemic	1650	mg/kg/day
	dermal	Long term (chronic)	local	79	µg/cm ²
	inhalative	Long term (chronic)	systemic	52	mg/m ³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts		68411-30-3 270-115-0	
	water	fresh water	0.268	mg/L
	water	marine water	0.0268	mg/L
	water	Aqua intermittent	0.0167	mg/L
	water	fresh water sediment	8.1	mg/kg dry weight
	water	marine water sediment	6.8	mg/kg dry weight
	soil	-	35	mg/kg dry weight
	sewage treatment plant	-	3.43	mg/L
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3 500-234-8	
	water	fresh water	0.24	mg/L
	water	marine water	0.024	mg/L
	water	Aqua intermittent	0.071	mg/L
	water	fresh water sediment	0.917	mg/kg dry weight
	water	marine water sediment	0.092	mg/kg dry weight
	soil	-	7.5	mg/kg dry weight
	sewage treatment plant	-	10	g/L

8.2 Exposure controls

Trade name: Autoshampoo**Product no.:** 13999**Current version :** 1.0.0, issued: 20.08.2020**Replaced version:** -, issued: -**Region:** GB**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl		
Material thickness	>	0.7	mm
Breakthrough time	>	120	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour	
liquid	
yellow	
Odour	
of lemon	
Odour threshold	
No data available	
pH value	
Value	9
Boiling point / boiling range	
Value	> 100 °C
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Not applicable	
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

Explosive properties			
No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			
No data available			
Vapour pressure			
No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
Value	1.03	g/cm ³	
Reference temperature	20	°C	
Solubility in water			
Comments	miscible		
Solubility(ies)			
No data available			
Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
log Pow		1.4	
Reference temperature		23	°C
with reference to	pH 6,1		
Method	OECD 123		
Source	ECHA		
Viscosity			
Value	>	80	mPa*s
Reference temperature		20	°C
Type	dynamic		

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Autoshampoo
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
LD50		1080	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50		4100	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50		> 2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
Method	OECD 404		
Source	ECHA		
Evaluation	irritant		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Species	rabbit		
Method	OECD 404		

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

Source Evaluation	ECHA irritant
Serious eye damage/irritation	
No	Substance name CAS no. EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 270-115-0
Species	rabbit
Method	OECD 405
Source	ECHA
Evaluation	Irreversible effects on the eye
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 500-234-8
Species	rabbit
Method	OECD 405
Source	ECHA
Evaluation	strongly irritant
Respiratory or skin sensitisation	
No	Substance name CAS no. EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 270-115-0
Route of exposure	Skin
Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 500-234-8
Route of exposure	Skin
Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing
Germ cell mutagenicity	
No	Substance name CAS no. EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 270-115-0
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 500-234-8
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Reproduction toxicity	
No	Substance name CAS no. EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3 270-115-0
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3 500-234-8
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Carcinogenicity	
No data available	

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

STOT - single exposure	
No data available	
STOT - repeated exposure	
No	Substance name
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts
	CAS no. 68411-30-3
	EC no. 270-115-0
Species	rat
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Aspiration hazard	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
LC50		1.67	mg/l
Duration of exposure		96	h
Species	Lepomis macrochirus		
Method	USA EPA, 1975		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LC50		7.1	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
NOEC		0.23	mg/l
Duration of exposure		72	day(s)
Species	Oncorhynchus mykiss		
Source	ECHA		
Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
EC50		2.9	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		7.4	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
NOEC		1.18	mg/l
Duration of exposure		21	
Species		Daphnia magna	
Method		OECD 211	
Source		ECHA	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
ErC50		127.9	mg/l
Duration of exposure		72	h
Species		Scenedesmus subspicatus	
Method		88/302/EEC, C.11	
Source		ECHA	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
ErC50		27.7	mg/l
Duration of exposure		72	h
Species		Desmodesmus subspicatus	
Method		OECD 201	
Source		ECHA	

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
NOEC		2.4	mg/l
Duration of exposure		72	day(s)
Species		Scenedesmus subspicatus	
Method		88/302/EEC	
Source		ECHA	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
NOEC		0.95	mg/l
Duration of exposure		72	h
Species		Desmodesmus subspicatus	
Method		OECD 201	
Source		ECHA	

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		>	10000 mg/l
Duration of exposure		16	h
Species		Pseudomonas putida	
Method		DIN 38412 T.8	
Source		ECHA	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0

Trade name: Autoshampoo**Product no.:** 13999**Current version :** 1.0.0, issued: 20.08.2020**Replaced version: -**, issued: -**Region:** GB

Value	85	%
Duration	29	day(s)
Method	OECD 301 B	
Source	ECHA	
Evaluation	readily biodegradable	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8
Type	DOC decrease	
Value	100	%
Duration	14	day(s)
Source	ECHA	
Evaluation	readily biodegradable	

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	270-115-0
log Pow		1.4	
Reference temperature with reference to		23	°C
Method	pH 6,1 OECD 123		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Trade name: Autoshampoo

Product no.: 13999

Current version : 1.0.0, issued: 20.08.2020

Replaced version: -, issued: -

Region: GB

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3
---	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.
The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Trade name: Autoshampoo**Product no.:** 13999**Current version :** 1.0.0, issued: 20.08.2020**Replaced version:** -, issued: -**Region:** GB

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767930