

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version: -**, issued: -**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Copo Star BMP-G****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05

Signal word

Danger

Hazardous component(s) to be indicated on label:2-propylheptane-1-ol, ethoxylated
sodium metasilicate, pentahydrate**Hazard statement(s)**

H314

Causes severe skin burns and eye damage.

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version:** -, issued: -**Region:** MT**Precautionary statement(s)**

P260	Do not breathe vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	2-propylheptane-1-ol, ethoxylated			
	160875-66-1 - - -	Eye Dam. 1; H318 Acute Tox. 4; H302	>= 5,00 - < 10,00	wt%
2	(2-METHOXYMETHYLETHOXY)PROPANOL			
	34590-94-8 252-104-2 - 01-2119450011-60	-	< 5,00	wt%
3	sodium p-cumenesulphonate			
	15763-76-5 239-854-6 - 01-2119489411-37	Eye Irrit. 2; H319	< 5,00	wt%
4	sodium metasilicate, pentahydrate		pls. refer to footnote (2)	
	10213-79-3 600-279-4 - 01-2119449811-37	Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335 Eye Dam. 1; H318	< 5,00	wt%
5	1-methoxy-2-propanol			
	107-98-2 203-539-1 603-064-00-3 01-2119457435-35	Flam. Liq. 3; H226 STOT SE 3; H336	< 5,00	wt%
6	sodium hydroxide			

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version:** -, issued: -**Region:** MT

1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	< 2,50	wt%
--	---	--------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
6	-	Skin Irrit. 2; H315: C >= 0,5% Eye Irrit. 2; H319: C >= 0,5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Sulphur oxides (SxO_y); Nitrogen oxides (NO_x); Corrosive gases/vapours**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version: -**, issued: -**Region:** MT**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed. Store in a dry place. Keep from freezing.

Recommended storage temperature

Value Room temperature

Storage stability

Value 36 months

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	(2-METHOXYMETHYLETHOXY)PROPANOL	34590-94-8	252-104-2
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
	(2-Methoxymethylethoxy)-propanol		

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

	WEL long-term (8-hr TWA reference period)	308	mg/m ³	50	ml/m ³
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)					
(2-Methoxymethylethoxy)-propanol					
	WEL long-term (8-hr TWA reference period)	308	mg/m ³	50	ppm
	Comments	Skin			
2000/39/EC					
(2-Methoxymethylethoxy)-propanol					
	WEL long-term (8-hr TWA reference period)	308	mg/m ³	50	ppm
	Skin resorption / sensibilisation	Skin			
2	1-methoxy-2-propanol	107-98-2		203-539-1	
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)					
1-Methoxypropanol-2					
	WEL short-term (15 min reference period)	568	mg/m ³	150	ml/m ³
	WEL long-term (8-hr TWA reference period)	375	mg/m ³	100	ml/m ³
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)					
1-Methoxypropanol-2					
	WEL short-term (15 min reference period)	568	mg/m ³	150	ppm
	WEL long-term (8-hr TWA reference period)	375	mg/m ³	100	ppm
	Comments	Skin			
2000/39/EC					
1-Methoxypropanol-2					
	WEL short-term (15 min reference period)	568	mg/m ³	150	ppm
	WEL long-term (8-hr TWA reference period)	375	mg/m ³	100	ppm
	Skin resorption / sensibilisation	Skin			

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium p-cumenesulphonate			15763-76-5 239-854-6	
	dermal	Long term (chronic)	systemic	7,6	mg/kg/day
	inhalative	Long term (chronic)	systemic	53,6	mg/m ³
2	sodium metasilicate, pentahydrate			10213-79-3 600-279-4	
	dermal	Long term (chronic)	systemic	1,49	mg/kg/day
	inhalative	Long term (chronic)	systemic	6,22	mg/m ³
3	1-methoxy-2-propanol			107-98-2 203-539-1	
	dermal	Long term (chronic)	systemic	50,6	mg/kg/day
	inhalative	Long term (chronic)	systemic	369	mg/m ³
	inhalative	Short term (acute)	local	553,5	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium p-cumenesulphonate			15763-76-5 239-854-6	
	oral	Long term (chronic)	systemic	3,8	mg/kg/day
	dermal	Long term (chronic)	systemic	3,8	mg/kg/day
	inhalative	Long term (chronic)	systemic	13,2	mg/m ³
2	sodium metasilicate, pentahydrate			10213-79-3 600-279-4	
	oral	Long term (chronic)	systemic	0,74	mg/kg/day
	dermal	Long term (chronic)	systemic	0,74	mg/kg/day
	inhalative	Long term (chronic)	systemic	1,55	mg/m ³
3	1-methoxy-2-propanol			107-98-2	

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

				203-539-1
oral	Long term (chronic)	systemic	3,3	mg/kg/day
dermal	Long term (chronic)	systemic	18,1	mg/kg/day
inhalative	Long term (chronic)	systemic	43,9	mg/m ³

PNEC values

No	Substance name	CAS / EC no
	ecological compartment	Type
		Value
1	sodium p-cumenesulphonate	15763-76-5 239-854-6
	water	fresh water
	water	Aqua intermittent
	sewage treatment plant	-
		0,23 mg/L
		2,3 mg/L
		100 mg/L
2	sodium metasilicate, pentahydrate	10213-79-3 600-279-4
	water	fresh water
	water	Aqua intermittent
	water	marine water
	sewage treatment plant	-
		7,5 mg/L
		7,5 mg/L
		1 mg/L
		1000 mg/L
3	1-methoxy-2-propanol	107-98-2 203-539-1
	water	fresh water
	water	marine water
	water	Aqua intermittent
	water	fresh water sediment
	with reference to: dry weight	
	water	marine water sediment
	with reference to: dry weight	
	soil	-
	with reference to: dry weight	
	sewage treatment plant	-
		10 mg/L
		1 mg/L
		100 mg/L
		52,3 mg/kg
		5,2 mg/kg
		5,49 mg/kg
		100 mg/L

8.2 Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection mask with combination filter.

Respirator A2 F2

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber
Material thickness > 0,5 mm
Breakthrough time > 120 min

Other

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version:** -, issued: -**Region:** MT

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour	
liquid	
green	
Odour	
characteristic	
Odour threshold	
No data available	
pH value	
Value	12,9
Boiling point / boiling range	
No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
No data available	
Auto-ignition temperature	
No data available	
Oxidising properties	
not oxidizing	
Explosive properties	
Product does not present an explosion hazard.	
Flammability (solid, gas)	
No data available	
Lower flammability or explosive limits	
No data available	
Upper flammability or explosive limits	
No data available	
Vapour pressure	
No data available	
Vapour density	
No data available	
Evaporation rate	
No data available	
Relative density	
No data available	
Density	
Value	1,05 g/cm ³
Reference temperature	20 °C

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

Solubility in water

No data available

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

strong acids; strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute oral toxicity (result of the ATE calculation for the mixture)****No Product Name****1 Copo Star BMP-G**

Comments

The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity**No Substance name****CAS no.****EC no.****1 sodium p-cumenesulphonate****15763-76-5****239-854-6**

LD50

>

7000

mg/kg bodyweight

Species

rat

with reference to

CAS 28348-53-0

Method

OECD 401

Source

ECHA

2 1-methoxy-2-propanol**107-98-2****203-539-1**

LD50

4016

mg/kg bodyweight

Species

rat

Method

EC 440/2008, B.1

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

Source	ECHA
--------	------

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 402		
Source	ECHA		
2	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	EPA OPPTS 870.1200		
Source	ECHA		
3	1-methoxy-2-propanol	107-98-2	203-539-1
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	440/2008/EC B.3.		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
LC50	>	6,41	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
with reference to	CAS 28348-53-0		
Source	ECHA		
2	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
LC50	>	2,06	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	EPA OPPTS 830.1300		
Source	ECHA		

Skin corrosion/irritation	
No data available	

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
2	1-methoxy-2-propanol	107-98-2	203-539-1
Species	rabbit		
Method	2004/73/EEC, B.5		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
Route of exposure	Skin		
Species	guinea pig		
with reference to	CAS 28348-53-0		

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing
2	sodium metasilicate, pentahydrate 10213-79-3 600-279-4
Route of exposure	Skin
Species	mouse
Method	OECD 429
Source	ECHA
Evaluation	non-sensitizing
Evaluation/classification	Based on available data, the classification criteria are not met.
3	1-methoxy-2-propanol 107-98-2 203-539-1
Route of exposure	Skin
Species	guinea pig
Method	440/2008/EC B.6
Source	ECHA
Evaluation	non-sensitizing

Germ cell mutagenicity

No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
Type of examination with reference to	Chromosome aberration test		
Method	CAS 28348-53-0		
Source	OECD 474		
Evaluation/classification	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium / Escherichia coli		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	oral		
Type of examination	Mammalian bone marrow micronucleus (in vivo)		
Species	mouse		
Method	OECD 475		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity

No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
Route of exposure	oral		
Species	rat		
Method	OECD 408		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Aspiration hazard

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

No data available

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
LC50		210	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	ISO 7346-1		
Source	ECHA		

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
EC50		1700	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU Method C.2		
Source	ECHA		

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
EC50		207	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	DIN 38412		
Source	ECHA		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	1-methoxy-2-propanol	107-98-2	203-539-1
Type	aerobic biodegradation		
Value		96	%
Duration		28	day(s)
Method	OECD 301 E		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

Trade name: Copo Star BMP-G

Product no.: 138999

Current version : 1.0.0, issued: 13.11.2020

Replaced version: -, issued: -

Region: MT

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C9
Packing group	II
Hazard identification no.	80
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	sodium metasilicate, pentahydrate
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	sodium metasilicate, pentahydrate
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1760

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version:** -, issued: -**Region:** MT

Proper shipping name	Corrosive liquid, n.o.s.
Technical name	sodium metasilicate, pentahydrate
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.

Trade name: Copo Star BMP-G**Product no.:** 138999**Current version :** 1.0.0, issued: 13.11.2020**Replaced version:** -, issued: -**Region:** MT

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767929