Trade name: Copo Star BMP V Product no.: 272999 Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier Trade name Copo Star BMP V
- **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture General purpose cleaner

**Uses advised against** No data available.

#### 1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet sdb info@umco.de

**1.4 Emergency telephone number** +353 1 809 2166 (National Poisons Information Centre)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Dam. 1; H318 Skin Irrit. 2: H315

#### **Classification information**

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



Signal word Danger Hazardous component(s) to be indicated on label: 2-propylheptane-1-ol, ethoxylated

Hazard statement(s)

#### Product no.: 272999

Current	version : 1.0.0, issued: 03.0	9.2020	Replaced version: -, issued: -	Region: IE
	H315	Causes ski	in irritation.	
	H318	Causes ser	rious eye damage.	
	Precautionary stateme	ent(s)		
	P280	• •	ective gloves/eye protection/face protection.	
	P305+P351+P338	IF IN ÉYES	S: Rinse cautiously with water for several minutes. Rem d easy to do. Continue rinsing.	nove contact lenses, if
	P310	İmmediatel	ly call a POISON CENTER/doctor.	
	Supplemental label eld Regulation (EC) No 648 5-15% non-ionic surfact <5% anionic surfactants <5% Phosphonates	/2004 on deterg ants	gents (Annex VII):	
<b>•</b> • •	Other hererde			

#### 2.3 Other hazards

#### PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

#### vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name			onal information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)		ntration		%
	REACH no		Concer	ination		70
1		othanal				
-	2-(2-butoxyethoxy)			<b>5</b> 00	40.00	0( )
	112-34-5	Eye Irrit. 2; H319	>=	5,00 - <	10,00	%-b.w.
	203-961-6					
	603-096-00-8					
	01-2119475104-44					
2	2-propylheptane-1-	ol, ethoxylated				
	160875-66-1	Eye Dam. 1; H318	>=	5,00 - <	10,00	%-b.w.
	-	Acute Tox. 4; H302				
	-					
	-					
3	Alcohols, C12-14, e	ethoxylated, sulfates, sodium salts				
	68891-38-3	Eye Dam. 1; H318	<	2,50		%-b.w.
	500-234-8	Skin Irrit. 2; H315				
	-	Aquatic Chronic 3; H412				
	01-2119488639-16					
4	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	<	2,50		%-b.w.
	215-185-5	Met. Corr. 1; H290				
	011-002-00-6	Eye Dam. 1; H318				
	01-2119457892-27					
5	2,2',2"-nitrilotrietha	anol				
	102-71-6	-	>=	5,00 - <	10,00	%-b.w.

#### Product no.: 272999

Current version : 1.0.0, issued: 03.09.2020

Region: IE

203-049-8		
-		
-		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	-	Eye Irrit. 2; H319: C >= 5%	-	-
		Eye Dam. 1; H318: C >= 10%		
4	-	Skin Irrit. 2; H315: C >= 0,5%	-	-
		Eye Irrit. 2; H319: C >= 0,5%		
		Skin Corr. 1B; H314: C >= 2%		
		Skin Corr. 1A; H314: C >= 5%		

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

#### After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

#### Most important symptoms and effects, both acute and delayed 4.2 No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides (NOx); Sulphur oxides (SxOy)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

#### Product no.: 272999

Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limit values**

No	Substance name	CAS no.		EC no.	
1	2,2',2"-nitrilotriethanol	102-71-6		203-049-8	
	List of Chemical Agents and Occupational Exposure	<b>Limit Values</b>	(Code of Pra	ctice)	
	Triethanolamine				
	WEL long-term (8-hr TWA reference period)	5	mg/m³		
2	2-(2-butoxyethoxy)ethanol	112-34-5		203-961-6	
	2006/15/EC				
	2-(2-Butoxyethoxy)ethanol				
	WEL short-term (15 min reference period)	101,2	mg/m³	15	ppm
	WEL long-term (8-hr TWA reference period)	67,5	mg/m³	10	ppm
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Pra	ctice)	
	2-(2-Butoxyethoxy)ethanol				
	WEL short-term (15 min reference period)	101,2	mg/m³	15	ppm

#### Product no.: 272999

Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

	WEL long-term (8-hr TWA reference period)	67,5	mg/m³	10	ppm
	Comments	IOELV			
3	sodium hydroxide	1310-73-2		215-185-5	
	List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)				
	Sodium hydroxide				
	WEL short-term (15 min reference period)	2	mg/m³		

#### **DNEL, DMEL and PNEC values**

#### DNEL values (worker)

	DITEL Values (Worker)				
No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-(2-butoxyethoxy)ethanol			112-34-5	
				203-961-6	
	dermal	Long term (chronic)	systemic	20	mg/kg/day
	inhalative	Long term (chronic)	systemic	67,5	mg/m³
	inhalative	Long term (chronic)	local	67,5	mg/m³
	inhalative	Short term (acut)	local	101,2	mg/m³
2	Alcohols, C12-14, ethoxy	lated, sulfates, sodium sal	ts	68891-38-3	
				500-234-8	
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm²
	inhalative	Long term (chronic)	systemic	175	mg/m³
3	sodium hydroxide			1310-73-2	
				215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³

#### DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-(2-butoxyethoxy)ethance	bl	-	112-34-5	
				203-961-6	
	oral	Long term (chronic)	systemic	1,25	mg/kg/day
	dermal	Long term (chronic)	systemic	10	mg/kg/day
	inhalative	Long term (chronic)	local	34	mg/m³
	inhalative	Long term (chronic)	systemic	34	mg/m³
	inhalative	Short term (acut)	local	50,6	mg/m³
2	Alcohols, C12-14, ethoxy	lated, sulfates, sodium sa	lts	68891-38-3	
				500-234-8	
	oral	Long term (chronic)	systemic	15	mg/kg/day
	dermal	Long term (chronic)	systemic	1650	mg/kg/day
	dermal	Long term (chronic)	local	79	µg/cm²
	inhalative	Long term (chronic)	systemic	52	mg/m³
3	sodium hydroxide	•	-	1310-73-2	
	-			215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³

#### **PNEC** values

No	Substance name	CAS / E	C no	
	ecological compartment	Туре	Value	
1	2-(2-butoxyethoxy)ethanol		112-34-5	
			203-961	-6
	water	fresh water	1,0	mg/L
	water	fresh water sediment	4,0	mg/kg
	with reference to: dry weight			
	water	marine water	0,1	mg/L
	water	marine water sediment	0,4	mg/kg
	with reference to: dry weight			

#### Product no.: 272999

Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

	water	Aqua intermittent	3,9	mg/L
	soil	-	0,4	mg/kg
	sewage treatment plant	-	200	mg/L
2	Alcohols, C12-14, ethoxylated, sulfates	s, sodium salts	68891-38-3 500-234-8	
	water	fresh water	0,24	mg/L
	water	marine water	0,024	mg/L
	water	Aqua intermittent	0,071	mg/L
	water	fresh water sediment	0,917	mg/kg dry weight
	water	marine water sediment	0,092	mg/kg dry weight
	soil	-	7,5	mg/kg dry weight
	sewage treatment plant	-	10	g/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter Respirator A P2

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0,7	mm
Breakthrough time	>	120	min

#### Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form/Colour		
liquid		
colourless		
Odour		
characteristic		
Odour threshold		
No data available		

Trade name: Copo Star BMP V		
Product no.: 272999 Current version : 1.0.0, issued: 03.09.2020	Replaced version: -, issu	ed: - Region:
Current Version 110.0, 150404. 00.00.2020		
pH value		
Value	13	
Boiling point / boiling range		
No data available		
Melting point / melting range		
No data available		
Decomposition point / decomposition range		
No data available		
Flash point		
Not applicable		
Auto-ignition temperature		
No data available		
Oxidising properties		
not oxidizing		
Explosive properties		
No data available		
Flammability (solid, gas)		
No data available		
Lower flammability or explosive limits		
No data available		
Upper flammability or explosive limits		
No data available		
Vapour pressure		
No data available		
Vapour density		
No data available		
Evaporation rate		
No data available		
Relative density		
No data available		
Density		
Value	1,04	g/cm <sup>3</sup>
Reference temperature	20	°C
Solubility in water		
Comments	miscible	
Solubility(ies)		
No data available		
Partition coefficient: n-octanol/water		
No data available		
Viscosity No data available		
9.2 Other information		
Other information No data available.		

#### SECTION 10: Stability and reactivity

#### Trade name: Copo Star BMP V Product no.: 272999

Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

#### 10.1 Reactivity

No data available.

#### **10.2 Chemical stability** Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium); Strong exothermic reactions with acids

#### **10.4 Conditions to avoid** None, if handled according to intended use.

#### 10.5 Incompatible materials

Oxidizing agents; strong acids

**10.6 Hazardous decomposition products** None, if handled according to intended use.

#### SECTION 11: Toxicological information 11.1 Information on toxicological effects

Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name			
1	Copo Star BMP V			
Com	ments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).		

Acute oral toxicity					
No	Substance name		CAS no.		EC no.
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8
	salts				
LD5	0			4100	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Sou	rce	ECHA			

Acut	te dermal toxicity				
No	Substance name		CAS no.		EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8
LD50	)	>		2000	mg/kg bodyweight
Spec Meth		rat OECD 402			
Sour	ce	ECHA			
No d Skin	te inhalational toxicity ata available corrosion/irritation				
No	Product Name				
1	Copo Star BMP V				
Meth	Method OECD 431				
Comments Analogous to		a product with	a similar co	omposition.	
Eval	Evaluation non-corrosiv		e		
Seri	ous eye damage/irritation				

#### Trade name: Copo Star BMP V Product no.: 272999 Current version : 1.0.0, issued: 03.09.2020 Region: IE Replaced version: -, issued: -Substance name CAS no. EC no. No Alcohols, C12-14, ethoxylated, sulfates, sodium 68891-38-3 500-234-8 1 salts Species rabbit Method **OECD 405** Source **ECHA** Evaluation strongly irritant Respiratory or skin sensitisation No Substance name CAS no. EC no. 1 Alcohols, C12-14, ethoxylated, sulfates, sodium 68891-38-3 500-234-8 salts Route of exposure Skin Species guinea pig Method **OECD 406** Source ECHA Evaluation non-sensitizing sodium hydroxide 1310-73-2 215-185-5 2 Route of exposure Skin Species Human ECHA Source Evaluation non-sensitizing Evaluation/classification Based on available data, the classification criteria are not met. Germ cell mutagenicity No Substance name CAS no. EC no. Alcohols, C12-14, ethoxylated, sulfates, sodium 68891-38-3 500-234-8 1 salts Source ECHA Evaluation/classification Based on available data, the classification criteria are not met. **Reproduction toxicity** CAS no. EC no. No Substance name Alcohols, C12-14, ethoxylated, sulfates, sodium 68891-38-3 500-234-8 1 salts Source **ECHA** Evaluation/classification Based on available data, the classification criteria are not met. Carcinogenicity No data available STOT - single exposure No data available STOT - repeated exposure No data available Aspiration hazard No data available

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish (acute)						
No	Substance name		CAS no.		EC no.	
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8	
	salts					
LC5	0			7,1	mg/l	
Dura	ation of exposure			96	h	
Spee	cies	Danio rerio				

	name: Copo Star BMP V					
	<b>:t no.:</b> 272999 <b>version :</b> 1.0.0, issued: 03.09.2020	Replace	ed version: -, issued	l: -		Region
Metl	had	OECD 203				
Sou		ECHA				
Tavi	ister to fish (shrowis)	-				
	icity to fish (chronic) data available					
Toxi	icity to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	Alcohols, C12-14, ethoxylated, sulfates salts	s, sodium	68891-38-3		500-234-8	
EC5	0			7,4	mg/l	
	ation of exposure			48	h	
Spe		Daphnia ma				
Meth		OECD 202				
Sour 2	rce sodium hydroxide	ECHA	1310-73-2		215-185-5	
Z EC5			1310-73-2	40,4	215-185-5 mg/l	
	ation of exposure			40,4 48	h	
Spe		Ceriodaphr	nia spec	-10		
Sou		ECHA				
Toxi	icity to Daphnia (chronic)					
	data available					
Τοχί	icity to algae (acute)					
	Substance name		CAS no.		EC no.	
1	Alcohols, C12-14, ethoxylated, sulfate	s, sodium	68891-38-3		500-234-8	
1	Alcohols, C12-14, ethoxylated, sulfates salts	s, sodium	68891-38-3			
ErC	salts 50	s, sodium	68891-38-3	27,7		
ErC: Dura	salts 50 ation of exposure			27,7 72	500-234-8	
ErC Dura Spe	salts 50 ation of exposure cies	Desmodesr	68891-38-3 mus subspicatus		<b>500-234-8</b> mg/l	
ErC Dura Spec Meth	salts 50 ation of exposure cies hod	Desmodesr OECD 201			<b>500-234-8</b> mg/l	
ErC Dura Spe	salts 50 ation of exposure cies hod	Desmodesr			<b>500-234-8</b> mg/l	
ErC: Dura Spec Meth Sour	salts 50 ation of exposure cies hod rce icity to algae (chronic)	Desmodesr OECD 201	mus subspicatus		<b>500-234-8</b> mg/l h	
ErC Dura Spec Meth Sour Toxi No	salts 50 50 ation of exposure cies hod rce ciety to algae (chronic) Substance name	Desmodesr OECD 201 ECHA	mus subspicatus CAS no.		500-234-8 mg/l h EC no.	
ErC: Dura Spec Meth Sour	salts 50 ation of exposure cies hod rce icity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfates	Desmodesr OECD 201 ECHA	mus subspicatus		<b>500-234-8</b> mg/l h	
ErC Dura Spec Meth Sour Toxi No 1	salts 50 ation of exposure cies hod rce icity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfates salts	Desmodesr OECD 201 ECHA	mus subspicatus CAS no.	72	500-234-8 mg/l h EC no. 500-234-8	
ErC: Dura Spec Meth Sout <b>Toxi</b> <b>No</b> 1	salts 50 ation of exposure cies hod rce icity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfates salts EC	Desmodesr OECD 201 ECHA	mus subspicatus CAS no.		500-234-8 mg/l h EC no.	
ErC: Dura Spec Meth Sout <b>Toxi</b> <b>No</b> 1	salts 50 ation of exposure cies hod rce icity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfates salts EC ation of exposure	Desmodesr OECD 201 ECHA s, sodium	mus subspicatus CAS no.	0,95	500-234-8 mg/l h EC no. 500-234-8 mg/l	
ErC! Dura Spec Meth Sour Toxi No 1 NOE Dura Spec Meth	salts 50 50 50 ation of exposure cies hod free ficity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfate salts EC ation of exposure cies hod	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201	mus subspicatus CAS no. 68891-38-3	0,95	500-234-8 mg/l h EC no. 500-234-8 mg/l	
ErC: Dura Spec Meth Soun <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spec	salts 50 50 50 ation of exposure cies hod free ficity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfate salts EC ation of exposure cies hod	Desmodesr OECD 201 ECHA s, sodium	mus subspicatus CAS no. 68891-38-3	0,95	500-234-8 mg/l h EC no. 500-234-8 mg/l	
ErC: Dura Spec Meth Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spec Meth Sour	salts 50 50 50 ation of exposure cies hod free ficity to algae (chronic) Substance name Alcohols, C12-14, ethoxylated, sulfate salts EC ation of exposure cies hod	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201	mus subspicatus CAS no. 68891-38-3	0,95	500-234-8 mg/l h EC no. 500-234-8 mg/l	
ErC3 Dura Spe Mett Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spe Mett Sour <b>Bac</b>	salts 50 50 50 50 50 50 50 50 50 50 50 50 50	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201 ECHA	mus subspicatus CAS no. 68891-38-3	0,95	500-234-8 mg/l h EC no. 500-234-8 mg/l	
ErC3 Dura Spe Mett Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spe Mett Sour <b>Bac</b>	salts         50         ation of exposure         cies         hod         rce         icity to algae (chronic)         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         EC         ation of exposure         cies         hod         rce         teria toxicity         Substance name         Alcohols, C12-14, ethoxylated, sulfates	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201 ECHA	mus subspicatus CAS no. 68891-38-3 mus subspicatus	0,95	500-234-8 mg/l h EC no. 500-234-8 mg/l h	
ErC3 Dura Spe Meti Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spec Meti Sour <b>Bac</b> <b>No</b>	salts         50         ation of exposure         cies         hod         rce         icity to algae (chronic)         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         EC         ation of exposure         cies         hod         rce         teria toxicity         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201 ECHA	mus subspicatus CAS no. 68891-38-3 mus subspicatus CAS no.	0,95	500-234-8 mg/l h 500-234-8 mg/l h EC no. 500-234-8	
ErC3 Dura Spec Mett Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spec Mett Sour <b>Bac</b> <b>No</b> <b>1</b> EC5	salts         50         ation of exposure         cies         hod         rce         icity to algae (chronic)         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         EC         ation of exposure         cies         hod         rce         teria toxicity         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201 ECHA s, sodium	mus subspicatus CAS no. 68891-38-3 mus subspicatus CAS no.	72 0,95 72	500-234-8 mg/l h EC no. 500-234-8 mg/l h	
ErC3 Dura Spec Mett Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spec Mett Sour <b>Bac</b> <b>No</b> <b>1</b> EC5 Dura Spec	salts         50         ation of exposure         cies         hod         rce         icity to algae (chronic)         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         EC         ation of exposure         cies         hod         rce         teria toxicity         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         Go         ation of exposure         cies         ation of exposure         cies         ation of exposure         cies         ation of exposure         cies	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201 ECHA s, sodium s, sodium	mus subspicatus CAS no. 68891-38-3 mus subspicatus CAS no. 68891-38-3 nas putida	72 0,95 72 10000	500-234-8 mg/l h EC no. 500-234-8 mg/l h EC no. 500-234-8 mg/l	
ErC3 Dura Spec Mett Sour <b>Toxi</b> <b>No</b> <b>1</b> NOE Dura Spec Mett Sour <b>Bac</b> <b>No</b> <b>1</b> EC5 Dura	salts         50         ation of exposure         cies         hod         rce         icity to algae (chronic)         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         EC         ation of exposure         cies         hod         rce         teria toxicity         Substance name         Alcohols, C12-14, ethoxylated, sulfates         salts         50         ation of exposure         salts         50         ation of exposure         cies         hod         ation of exposure         cies         hod	Desmodesr OECD 201 ECHA s, sodium Desmodesr OECD 201 ECHA s, sodium	mus subspicatus CAS no. 68891-38-3 mus subspicatus CAS no. 68891-38-3 nas putida	72 0,95 72 10000	500-234-8 mg/l h EC no. 500-234-8 mg/l h EC no. 500-234-8 mg/l	

# Biodegradability No Substance name CAS no. EC no. 1 Alcohols, C12-14, ethoxylated, sulfates, sodium 68891-38-3 500-234-8 salts Type DOC decrease Value 100 %

# Duration 14 day(s) Source ECHA readily biodegradable

#### **12.3 Bioaccumulative potential** No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB asses	sment
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

#### 12.6 Other adverse effects

No data available.

#### 12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### Trade name: Copo Star BMP V Product no.: 272999 Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

# **14.6** Special precautions for user No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES					
The	product is considered being subject to REACH reg	gulation (EC) 1907/2006	annexe	No 3	
XVII					
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006					
anne	ex XVII.				
No	Substance name	CAS no.	EC no.	No	
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	55	

**Directive 2012/18/EU** on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Product no.: 272999

Current version : 1.0.0, issued: 03.09.2020

Replaced version: -, issued: -

Region: IE

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767940