^{GB} (RL M

Page 1 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Cosmo-Clean Art.: 193999

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Floor cleaner

Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna Telefon: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26 info@koch-chemie.com www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.: +353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week) +353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies: +1 872 5888271 (KCC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementEye Irrit.2H319-Causes serious eye irritation.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

GB (RL M

Page 2 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999



H319-Causes serious eye irritation.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P280-Wear eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. **3 2 Mixtures**

| 3.2 WIXtures | |
|---|-------------------------|
| Tetrapotassium pyrophosphate | |
| Registration number (REACH) | 01-2119489369-18-XXXX |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 230-785-7 |
| CAS | 7320-34-5 |
| content % | 5-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Eye Irrit. 2, H319 |
| factors | |
| | |
| 2-Propylheptanol, ethoxylated | |
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | |
| CAS | 160875-66-1 |
| content % | 5-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Acute Tox. 4, H302 |
| factors | Eye Dam. 1, H318 |
| Specific Concentration Limits and ATE | Eye Dam. 1, H318: >10 % |
| | |
| Sodium p-cumenesulphonate | |
| Registration number (REACH) | 01-2119489411-37-XXXX |
| Index | |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 239-854-6 |
| | |

GBIRI

Page 3 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

| CAS | 15763-76-5 |
|---|--------------------|
| content % | 5-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Eye Irrit. 2, H319 |
| factors | |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Indestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. eyes, reddened

watering eyes

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Oxides of phosphorus Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

(BR) M

Page 4 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing. Not to be stored in gangways or stair wells.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

©B (RL) (M)

Page 5 of 16

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

| Tetrapotassium pyrophosphate | | | | | | | | | | |
|------------------------------|--------------------------|---------------------|-----------|-------|--------|------|--|--|--|--|
| Area of application | Exposure route / | Effect on health | Descripto | Value | Unit | Note | | | | |
| | Environmental | | r | | | | | | | |
| | compartment | | | | | | | | | |
| | Environment - freshwater | | PNEC | 0,05 | mg/l | | | | | |
| | Environment - marine | | PNEC | 0,005 | mg/l | | | | | |
| | Environment - sewage | | PNEC | 50 | mg/l | | | | | |
| | treatment plant | | | | | | | | | |
| | Environment - sporadic | | PNEC | 0,5 | mg/l | | | | | |
| | (intermittent) release | | | | | | | | | |
| Consumer | Human - oral | | DNEL | 70 | mg/kg | | | | | |
| | | | | | bw/day | | | | | |
| Consumer | Human - inhalation | | DNEL | 0,68 | mg/l | | | | | |
| Consumer | Human - inhalation | Long term, systemic | DNEL | 4,35 | mg/m3 | | | | | |
| | | effects | | | | | | | | |
| Workers / employees | Human - inhalation | | DNEL | 2,79 | mg/m3 | | | | | |
| Workers / employees | Human - inhalation | Long term, systemic | DNEL | 17,63 | mg/m3 | | | | | |
| | | effects | | | | | | | | |

| Area of application | Exposure route / Environmental | Effect on health | Descripto r | Value | Unit | Note |
|---------------------|--|-----------------------------|----------------|-------|-----------------|------|
| | compartment | | PNEC | 0.1 | | |
| | Environment - freshwater | | | 0,1 | mg/l | |
| | Environment - sporadic (intermittent) release | | PNEC | 1 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 100 | mg/l | |
| | Environment - marine | | PNEC | 0,023 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,862 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,086 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,037 | mg/kg dw | |
| Consumer | Human - dermal | Long term, local effects | DNEL | 0,048 | mg/cm2 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 3,8 | mg/kg | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 3,8 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 6,6 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 3,8 | mg/kg bw/day | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 7,6 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 37,4 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,096 | mg/cm2 | |

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

GB (RL M

Page 6 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Not required in contained systems, as no exposure normally occurs here.

If operational exposure (e.g. repair or maintenance work) cannot be avoided, corresponding protective measures need to be taken.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Protective gloves in butyl rubber (EN ISO 374). Protective Neoprene® / polychloroprene gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | • . • |
|---|--|
| Physical state: | Liquid |
| Colour: | Yellow, Green |
| Odour: | Characteristic |
| Melting point/freezing point: | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability: | There is no information available on this parameter. |
| Lower explosion limit: | There is no information available on this parameter. |
| Upper explosion limit: | There is no information available on this parameter. |
| | |

GB (RL M

Page 7 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

Flash point:

Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

9.2 Other information

No information available at present.

There is no information available on this parameter. There is no information available on this parameter. There is no information available on this parameter. 9,8 There is no information available on this parameter. Mixable Does not apply to mixtures. There is no information available on this parameter. 1,08 g/ml There is no information available on this parameter. Does not apply to liquids.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

Avoid contact with strong acids.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| Cosmo-Clean | | | | | | |
|----------------------------------|----------|-------|-------|----------|-------------|------------------|
| Art.: 193999 | | | | | | |
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | ATE | >2000 | mg/kg | | | calculated value |
| Acute toxicity, by dermal | | | | | | n.d.a. |
| route: | | | | | | |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye | | | | | | n.d.a. |
| damage/irritation: | | | | | | |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT- | | | | | | |
| RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

(B) (RI) (M)

Page 8 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

| Tetrapotassium pyrophosphate | | | | | | | | |
|------------------------------------|----------|-------|---------|----------|--|----------------------------------|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | | |
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | | | | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | | | |
| Acute toxicity, by inhalation: | LD50 | >1,1 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | | | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant | | |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 | | |
| Respiratory or skin sensitisation: | | | | Mouse | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | No (skin contact) | | |
| Symptoms: | | | | | | mucous membrane irritation | | |

| 2-Propylheptanol, ethoxylated | | | | | | | | | |
|--------------------------------|----------|-----------|-------|----------|-------------|------------|--|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | | | |
| Acute toxicity, by oral route: | LD50 | >700-1700 | mg/kg | Rat | | | | | |
| Acute toxicity, by dermal | LD50 | >2000 | mg/kg | Rabbit | | | | | |
| route: | | | | | | | | | |
| Symptoms: | | | | | | mucous | | | |
| | | | | | | membrane | | | |
| | | | | | | irritation | | | |

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|------------------------------------|----------|-------|---------|---------------------------|--|-------------------|
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | >5 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Carcinogenicity: | | | | Rat | OECD 453 (Combined Chronic Toxicity/Carcinogenicit y Studies) | Negative |
| Reproductive toxicity: | NOAEL | >936 | mg/kg | Rat | , | |

GB (RL M

Page 9 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

| Reproductive toxicity (Effects on fertility): | NOAEL | 300-1000 | mg/kg bw/d | Rat | OECD 421 (Reproduction/Develop mental Toxicity Screening Test) | |
|--|-------|----------|---------------|-------|---|--|
| Aspiration hazard: | | | | | | n.a. |
| Specific target organ toxicity - repeated exposure (STOT- RE), oral: | NOAEL | 763-3534 | mg/kg | | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | |
| Specific target organ toxicity - repeated exposure (STOT- RE), oral: | NOAEL | 763 | mg/kg | Rat | | Target organ(s): heart, References |
| Specific target organ toxicity - repeated exposure (STOT- RE), dermal: | LOAEL | 1300 | mg/kg bw/d | Mouse | OECD 411 (Subchronic Dermal Toxicity - 90-day Study) | |
| Specific target organ toxicity - repeated exposure (STOT- RE), dermal: | NOAEL | >440 | mg/kg | | OECD 411 (Subchronic Dermal Toxicity - 90-day Study) | |

11.2. Information on other hazards

| Cosmo-Clean Art.: 193999 | | | | | | |
|-----------------------------|----------|-------|------|----------|-------------|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Endocrine disrupting | | | | | | Does not apply |
| properties: | | | | | | to mixtures. |
| Other information: | | | | | | No other relevant information available on adverse effects on health. |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Cosmo-Clean | | | | | | | |
|--------------------------|----------|------|-------|------|----------|-------------|--------|
| Art.: 193999 | | | | | | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| daphnia: | | | | | | | |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |

(B) (M)
Page 10 of 16
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 04.09.2023 / 0002
Replacing version dated / version: 07.12.2022 / 0001
Valid from: 04.09.2023
PDF print date: 05.09.2023
Cosmo-Clean
Art.: 193999

| 12.2. Persistence and | | | | The |
|-------------------------|-----|---|--|------------------|
| | | | | |
| degradability: | | | | surfactant(s) |
| | | | | contained in |
| | | | | this mixture |
| | | | | complies(compl |
| | | | | y) with the |
| | | | | biodegradability |
| | | | | criteria as laid |
| | | | | down in |
| | | | | Regulation |
| | | | | (EC) |
| | | | | |
| | | | | No.648/2004 |
| | | | | on detergents. |
| | | | | Data to support |
| | | | | this assertion |
| | | | | are held at the |
| | | | | disposal of the |
| | | | | competent |
| | | | | authorities of |
| | | | | the Member |
| | | | | States and will |
| | | | | be made |
| | | | | available to |
| | | | | |
| | | | | them, at their |
| | | | | direct request |
| | | | | or at the |
| | | | | request of a |
| | | | | detergent |
| | | | | manufacturer. |
| 12.3. Bioaccumulative | | | | n.d.a. |
| potential: | | | | |
| 12.4. Mobility in soil: | | | | n.d.a. |
| 12.5. Results of PBT | | | | n.d.a. |
| and vPvB assessment | | | | |
| 12.6. Endocrine | | | | Does not apply |
| disrupting properties: | | | | to mixtures. |
| 12.7. Other adverse | | | | No information |
| effects: | | | | available on |
| | | | | other adverse |
| | | | | effects on the |
| | | | | |
| | | | | environment. |
| Other information: | | | | DOC- |
| | | | | elimination |
| | | | | degree(complex |
| | | | | ing organic |
| | | | | substance)>= |
| | | | | 80%/28d: n.a. |
| Other information: | AOX | % | | According to |
| | | | | the recipe, |
| | | | | contains no |
| | | | | AOX. |
| | 1 | | | |

| Tetrapotassium pyrophosphate | | | | | | | | |
|------------------------------|----------|------|-------|------|--------------|----------------|-------|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | |
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Oncorhynchus | OECD 203 | | |
| | | | | | mykiss | (Fish, Acute | | |
| | | | | | | Toxicity Test) | | |

GBRIM

Page 11 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
|---|-----------|-----|-------|------|----------------------------|---|--|
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | >100 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | | | | | , | Not relevant for inorganic substances. |
| 12.3. Bioaccumulative potential: | Log Pow | | ~ -2 | | | | Bioaccumulatio n is unlikely (LogPow < 1). |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC50 | 3h | >1000 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |
| Other information: | | | | | | | Contains organically bound halogens, which may contribute to the AOX value in wastewater. |

| 2-Propylheptanol, etho | 2-Propylheptanol, ethoxylated | | | | | | |
|---|-------------------------------|------|--------|------|---------------|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | >10- | mg/l | Oncorhynchus | | Analogous |
| | | | 100 | _ | tshawytscha | | conclusion |
| 12.1. Toxicity to | EC50 | 48h | >10- | mg/l | Daphnia magna | | Analogous |
| daphnia: | | | 100 | | | | conclusion |
| 12.1. Toxicity to algae: | EC50 | 72h | 10-100 | mg/l | Scenedesmus | | Analogous |
| | | | | | subspicatus | | conclusion |
| 12.2. Persistence and degradability: | BOD | 28d | >60 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substanc |

| Sodium p-cumenesulphonate | | | | | | | | |
|---------------------------|----------|------|-------|------|-----------------|--|-------|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | |
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Cyprinus caprio | OECD 203 (Fish, Acute Toxicity Test) | | |

©B (RL) M

Page 12 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

| 12.1. Toxicity to daphnia: | EC50 | 48h | >100 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
|--|-----------|-----|-------|------|-------------------------------------|---|---|
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Desmodesmus subspicatus | OEĆD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 96h | 31 | mg/l | Pseudokirchnerie Ila subcapitata | | EPA OTS 797.1050 |
| 12.2. Persistence and degradability: | | 28d | >60 | % | activated sludge | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | -1,1 | | | OECD 107 (Partition Coefficient (n- octanol/water) - Shake Flask Method) | Bioaccumulatio n is unlikely (LogPow < 1). 23 °C |
| 12.4. Mobility in soil: | | | | | | , | Not to be expected |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC10 | 3h | >1000 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements Transport by road/by rail (ADR/RID)

GB (RL M)

| | - (GB) (IRL) (M) | | | | | | |
|-------------------------|---|-----------------|--|--|--|--|--|
| | Page 13 of 16 | | | | | | |
| | Safety data sheet according to Regulation (EC) No 1907/2006, Annex II | | | | | | |
| | Revision date / version: 04.09.2023 / 0002 | | | | | | |
| | Replacing version dated / version: 07.12.2022 / 0001 | | | | | | |
| | Valid from: 04.09.2023 | | | | | | |
| | PDF print date: 05.09.2023 Cosmo-Clean | | | | | | |
| | Art.: 193999 | | | | | | |
| | AII 190999 | | | | | | |
| | 14.1. UN number or ID number: | Not applicable | | | | | |
| | 14.2. UN proper shipping name: | | | | | | |
| | Not applicable | | | | | | |
| | 14.3. Transport hazard class(es): | Not applicable | | | | | |
| | 14.4. Packing group: | Not applicable | | | | | |
| | 14.5. Environmental hazards: | Not applicable | | | | | |
| | Tunnel restriction code: | Not applicable | | | | | |
| | Classification code: | Not applicable | | | | | |
| | LQ: | Not applicable | | | | | |
| | Transport category: | Not applicable | | | | | |
| | Transport by sea (IMDG-code) | | | | | | |
| | 14.1. UN number or ID number: | Not applicable | | | | | |
| | 14.2. UN proper shipping name: | | | | | | |
| | Not applicable | | | | | | |
| | 14.3. Transport hazard class(es): | Not applicable | | | | | |
| | 14.4. Packing group: | Not applicable | | | | | |
| | 14.5. Environmental hazards: | Not applicable | | | | | |
| | Marine Pollutant: | Not applicable | | | | | |
| | EmS: | Not applicable | | | | | |
| | Segregation: | Not applicable | | | | | |
| Transport by air (IATA) | | | | | | | |
| | 14.1. UN number or ID number: | Not applicable | | | | | |
| | 14.2. UN proper shipping name: | | | | | | |
| | Not applicable | | | | | | |
| | 14.3. Transport hazard class(es): | Not applicable | | | | | |
| | 14.4. Packing group: | Not applicable | | | | | |
| | 14.5. Environmental hazards: | Not applicable | | | | | |
| | 14.6. Special precautions for user | | | | | | |
| | Unless specified otherwise, general measures for safe transp | | | | | | |
| | 14.7. Maritime transport in bulk according to | IMO instruments | | | | | |
| 1 | | | | | | | |

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): REGULATION (EC) No 648/2004

5 % or over but less than 15 % anionic surfactants non-ionic surfactants phosphates perfumes

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

< 0,2 %

^{GB} (RL M

Page 14 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used |
|--|--|
| Eye Irrit. 2, H319 | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation.

Eye Irrit. — Eye irritation Acute Tox. — Acute toxicity - oral Eye Dam. — Serious eye damage

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of CLP substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

(B) (RL) (M) Page 15 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999 EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances FLINCS European Norms EN EPA United States Environmental Protection Agency (United States of America) ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Koc Adsorption coefficient of organic carbon in the soil octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT ΡE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel. TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

6B (RL M

Page 16 of 16 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 04.09.2023 / 0002 Replacing version dated / version: 07.12.2022 / 0001 Valid from: 04.09.2023 PDF print date: 05.09.2023 Cosmo-Clean Art.: 193999

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.