

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

Duftstoff Aqua Marine**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 2; H411

Eye Irrit. 2; H319

Skin Irrit. 2; H315

Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS07



GHS09

Signal word

Warning

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB**Hazardous component(s) to be indicated on label:**

alpha-hexylcinnamaldehyde

4-tert-butylcyclohexyl acetate

cineol

linalool

benzyl-salicylate

dipentene

hexyl-salicylate

4-allylanisole

d-p-mentha-1(6),8-dien-2-one

trans-menthone

3,6-dimethylcyclohex-3-ene-1-carbaldehyde

[3R-(3alpha,3abeta,6alpha,7beta,8aalpha)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate

3-ethoxy-1,1,5-trimethylcyclohexane

Coumarin

Citronellol

(-)-pin-2(3)-ene

Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-

octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-

naphthyl)ethan-1-one

Eugenol

Hazard statement(s)

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273

Avoid release to the environment.

P280

Wear protective gloves/eye protection.

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P391

Collect spillage.

P501

Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	2,6-dimethyloct-7-en-2-ol			
	18479-58-8 242-362-4 - -	Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 10.00 - < 25.00	wt%
2	alpha-hexylcinnamaldehyde			
	101-86-0 202-983-3 -	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1B; H317	>= 5.00 - < 10.00	wt%

Trade name: Duftstoff Aqua Marine

Product no.: 436999

Current version : 1.1.0, issued: 03.12.2020

Replaced version: 1.0.0, issued: 07.07.2020

Region: GB

	-			
3	4-tert-butylcyclohexyl acetate			
	32210-23-4 250-954-9 - -	Skin Sens. 1B; H317	< 5.00	wt%
4	cineol			
	470-82-6 207-431-5 - -	Flam. Liq. 3; H226 Skin Sens. 1B; H317	< 5.00	wt%
5	linalool			
	78-70-6 201-134-4 603-235-00-2 -	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 5.00	wt%
6	benzyl-salicylate			
	118-58-1 204-262-9 - -	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 5.00	wt%
7	dipentene			
	138-86-3 205-341-0 601-029-00-7 -	Aquatic Chronic 1; H410 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400	< 2.50	wt%
8	allyl (3-methylbutoxy)acetate			
	67634-00-8 266-803-5 - -	Acute Tox. 4; H302 Skin Irrit. 2; H315	< 2.50	wt%
9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran			
	1222-05-5 214-946-9 603-212-00-7 -	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.50	wt%
10	benzyl acetate			
	140-11-4 205-399-7 - -	Aquatic Chronic 3; H412	< 2.50	wt%
11	hexyl-salicylate			
	6259-76-3 228-408-6 - -	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 1; H410	< 2.50	wt%
12	pentyl-salicylate			
	2050-08-0 218-080-2 - -	Aquatic Chronic 1; H410 Acute Tox. 4; H302	< 2.50	wt%
13	4-allylanisole			
	140-67-0 205-427-8 - -	Acute Tox. 4; H302 Skin Sens. 1B; H317 Skin Irrit. 2; H315 Muta. 2; H341	< 2.50	wt%

Trade name: Duftstoff Aqua Marine

Product no.: 436999

Current version : 1.1.0, issued: 03.12.2020

Replaced version: 1.0.0, issued: 07.07.2020

Region: GB

		Carc. 2; H351 Aquatic Chronic 3; H412		
14	d-p-mentha-1(6),8-dien-2-one			
	99-49-0 202-759-5 606-148-00-8 -	Skin Sens. 1; H317	< 2.50	wt%
15	trans-menthone			
	89-80-5 201-941-1 - -	Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 2.50	wt%
16	3,6-dimethylcyclohex-3-ene-1-carbaldehyde			
	67801-65-4 267-186-5 - -	Acute Tox. 4; H302 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 2.50	wt%
17	[3R-(3alpha,3abeta,6alpha,7beta,8aalpha)]-octahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl acetate			
	77-54-3 201-036-1 - -	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2.50	wt%
18	3-ethoxy-1,1,5-trimethylcyclohexane			
	67583-77-1 266-722-5 - -	Flam. Liq. 3; H226 Skin Sens. 1B; H317 Aquatic Chronic 2; H411	< 2.50	wt%
19	Coumarin			
	91-64-5 202-086-7 - -	Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	< 2.50	wt%
20	Citronellol			
	106-22-9 203-375-0 - -	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 2.50	wt%
21	(-)-pin-2(3)-ene			
	7785-26-4 232-077-3 - -	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Sens. 1B; H317 Skin Irrit. 2; H315	< 0.50	wt%
22	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one			
	54464-57-2 915-730-3 - -	Aquatic Chronic 1; H410 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0.50	wt%
23	[3R-(3alpha,3abeta,7beta,8aalpha)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene			
	469-61-4 207-418-4 -	Aquatic Acute 1; H400 Asp. Tox. 1; H304 Aquatic Chronic 1; H410	< 0.50	wt%

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB

	-			
24	Eugenol			
	97-53-0 202-589-1 - -	Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 0.50	wt%
25	diethyl-phthalate			
	84-66-2 201-550-6 - -	-	< 2.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray jet; Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher; Sand

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Toxic gases/vapours**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	diethyl-phthalate	84-66-2	201-550-6
List of approved workplace exposure limits (WELs) / EH40			
Diethyl phthalate			
	WEL short-term (15 min reference period)	10	mg/m ³
	WEL long-term (8-hr TWA reference period)	5	mg/m ³

8.2 Exposure controls

Appropriate engineering controls

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour	
liquid	
yellowish	
Odour	
characteristic	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
No data available	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Value	76 °C
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
No data available	
Flammability (solid, gas)	

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate

No data available

Relative density

No data available

Density

Value	0.959 g/cm ³
Reference temperature	20 °C

Solubility in water

Comments	Not miscible or difficult to mix
----------	----------------------------------

Solubility(ies)

No data available

Partition coefficient: n-octanol/water

No data available

Viscosity

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity (result of the ATE calculation for the mixture)**

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB

No	Product Name
1	Duftstoff Aqua Marine
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).
Acute oral toxicity	
No data available	
Acute dermal toxicity	
No data available	
Acute inhalational toxicity	
No data available	
Skin corrosion/irritation	
No data available	
Serious eye damage/irritation	
No data available	
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB**Bacteria toxicity**

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information**Other information**

Do not discharge into the drains or waters and do not store on public depositories.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	9
Classification code	M6
Packing group	III
Hazard identification no.	90
UN number	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name	alpha-hexylcinnamaldehyde dipentene
Tunnel restriction code	-
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.2 Transport IMDG

Class	9
Packing group	III
UN number	UN3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name	alpha-hexylcinnamaldehyde dipentene
EmS	F-A, S-F
Label	9

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class	9
Packing group	III
UN number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Technical name	alpha-hexylcinnamaldehyde dipentene
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	E2
--	----

Directive 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content	81.77 %
-------------	---------

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Trade name: Duftstoff Aqua Marine**Product no.:** 436999**Current version :** 1.1.0, issued: 03.12.2020**Replaced version:** 1.0.0, issued: 07.07.2020**Region:** GB

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 768016