

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Duftstoff Himbeere****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Acute Tox. 4; H332

Eye Irrit. 2; H319

Flam. Liq. 3; H226

Skin Irrit. 2; H315

Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

Signal word

Warning

Hazardous component(s) to be indicated on label:

2-butoxyethanol

linalool

linalyl acetate

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

ethyl 2,3-epoxy-3-phenylbutyrate

citral

Hazard statement(s)

H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H332 Harmful if inhaled.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 Avoid breathing vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P370+P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	2-butoxyethanol			
	111-76-2 203-905-0 603-014-00-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 50,00 - < 70,00	wt%
2	isopentyl acetate			
	123-92-2 204-662-3 607-130-00-2 01-2119548408-32	Flam. Liq. 3; H226 EUH066	>= 10,00 - < 25,00	wt%
3	benzyl acetate			
	140-11-4 205-399-7 - 01-2119638272-42	Aquatic Chronic 3; H412	>= 5,00 - < 10,00	wt%

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

4	linalool			
	78-70-6 201-134-4 603-235-00-2 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2,50	wt%
5	allyl-heptanoate			
	142-19-8 205-527-1 - 01-2119488961-23	Acute Tox. 3; H301 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 2,50	wt%
6	linalyl acetate			
	115-95-7 204-116-4 - 01-2119454789-19	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	< 2,50	wt%
7	ethyl 2,3-epoxy-3-phenylbutyrate			
	77-83-8 201-061-8 - 01-2119967770-28	Aquatic Chronic 2; H411 Skin Sens. 1B; H317	< 0,50	wt%
8	allyl-hexanoate			
	123-68-2 204-642-4 - 01-2119983573-26	Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 0,50	wt%
9	citral			
	5392-40-5 226-394-6 605-019-00-3 01-2119462829-23	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 0,50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. If unconscious place in recovery position and seek medical advice.

After skin contact

In case of contact with skin wash off with water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources. Do not inhale vapours.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
2-Butoxyethanol			
	WEL short-term (15 min reference period)	246	mg/m ³ 50 ml/m ³
	WEL long-term (8-hr TWA reference period)	98	mg/m ³ 20 ml/m ³
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
2-Butoxyethanol			
	WEL short-term (15 min reference period)	246	mg/m ³ 50 ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m ³ 20 ppm
	Comments	Skin	
2000/39/EC			
2-Butoxyethanol			
	WEL short-term (15 min reference period)	246	mg/m ³ 50 ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m ³ 20 ppm
	Skin resorption / sensibilisation	Skin	
2	isopentyl acetate	123-92-2	204-662-3
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
Isopentylacetate			
	WEL short-term (15 min reference period)	540	mg/m ³ 100 ml/m ³
	WEL long-term (8-hr TWA reference period)	270	mg/m ³ 50 ml/m ³
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
Isopentylacetate			
	WEL short-term (15 min reference period)	540	mg/m ³ 100 ppm
	WEL long-term (8-hr TWA reference period)	270	mg/m ³ 50 ppm
2000/39/EC			
Isopentylacetate			
	WEL short-term (15 min reference period)	540	mg/m ³ 100 ppm
	WEL long-term (8-hr TWA reference period)	270	mg/m ³ 50 ppm

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	2-butoxyethanol	111-76-2 203-905-0		
	dermal	Long term (chronic)	systemic	125,00 mg/kg/day
	dermal	Short term (acut)	systemic	89,00 mg/kg/day
	inhalative	Long term (chronic)	systemic	98,00 mg/m ³
	inhalative	Short term (acut)	systemic	1091,00 mg/m ³
	inhalative	Long term (chronic)	local	246,00 mg/m ³
2	isopentyl acetate	123-92-2 204-662-3		
	dermal	Long term (chronic)	systemic	2,95 mg/kg/day
	inhalative	Long term (chronic)	systemic	20,8 mg/m ³
3	linalool	78-70-6		

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

				201-134-4	
	dermal	Long term (chronic)	systemic	2,5	mg/kg/day
	dermal	Short term (acut)	systemic	5	mg/kg/day
	dermal	Long term (chronic)	local	15	mg/cm ²
	dermal	Short term (acut)	local	15	mg/cm ²
	inhalative	Long term (chronic)	systemic	2,8	mg/m ³
	inhalative	Short term (acut)	systemic	16,5	mg/m ³
4	allyl-heptanoate			142-19-8	
				205-527-1	
	dermal	Long term (chronic)	systemic	0,84	mg/kg/day
	inhalative	Long term (chronic)	systemic	2,97	mg/m ³
5	allyl-hexanoate			123-68-2	
				204-642-4	
	dermal	Long term (chronic)	systemic	4,3	mg/kg/day
	inhalative	Long term (chronic)	systemic	15	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol			111-76-2	
				203-905-0	
	oral	Long term (chronic)	systemic	6,30	mg/kg/day
	oral	Short term (acut)	systemic	26,70	mg/kg/day
	dermal	Long term (chronic)	systemic	75,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	59,00	mg/m ³
	inhalative	Short term (acut)	systemic	426,00	mg/m ³
	inhalative	Long term (chronic)	local	147,00	mg/m ³
2	isopentyl acetate			123-92-2	
				204-662-3	
	oral	Long term (chronic)	systemic	1,47	mg/kg/day
	dermal	Long term (chronic)	systemic	1,47	mg/kg/day
	inhalative	Long term (chronic)	systemic	5,1	mg/m ³
3	linalool			78-70-6	
				201-134-4	
	oral	Long term (chronic)	systemic	0,2	mg/kg/day
	oral	Short term (acut)	systemic	1,2	mg/kg/day
	dermal	Long term (chronic)	systemic	1,25	mg/kg/day
	dermal	Short term (acut)	systemic	2,5	mg/kg/day
	dermal	Long term (chronic)	local	15	mg/cm ²
	dermal	Short term (acut)	local	15	mg/cm ²
	inhalative	Long term (chronic)	systemic	0,7	mg/m ³
	inhalative	Short term (acut)	systemic	4,1	mg/m ³
4	allyl-heptanoate			142-19-8	
				205-527-1	
	oral	Long term (chronic)	systemic	0,42	mg/kg/day
	dermal	Long term (chronic)	systemic	0,42	mg/kg/day
	inhalative	Long term (chronic)	systemic	0,73	mg/m ³
5	allyl-hexanoate			123-68-2	
				204-642-4	
	oral	Long term (chronic)	systemic	2,1	mg/kg/day
	dermal	Long term (chronic)	systemic	2,1	mg/kg/day
	inhalative	Long term (chronic)	systemic	3,7	mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	2-butoxyethanol		111-76-2

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

			203-905-0
water	fresh water	8,80	mg/L
water	marine water	0,88	mg/L
water	fresh water sediment	34,60	mg/kg
with reference to: dry weight			
water	marine water sediment	3,46	mg/kg
water	Aqua intermittent	26,4	mg/L
soil	-	2,33	mg/kg dry weight
sewage treatment plant	-	463,00	mg/L
secondary poisoning	-	0,02	g/kg
2	isopentyl acetate		123-92-2 204-662-3
water	fresh water	0,022	mg/L
water	marine water	0,0022	mg/L
water	Aqua intermittent	0,22	mg/L
sewage treatment plant	-	100	mg/L
3	linalool		78-70-6 201-134-4
water	fresh water	0,2	mg/L
water	marine water	0,02	mg/L
water	Aqua intermittent	2	mg/L
water	fresh water sediment	2,22	mg/kg dry weight
water	marine water sediment	0,222	mg/kg dry weight
soil	-	0,327	mg/kg dry weight
sewage treatment plant	-	10	mg/L
secondary poisoning	-	7,8	mg/kg food
4	allyl-heptanoate		142-19-8 205-527-1
water	fresh water	0,12	µg/L
water	marine water	0,012	µg/L
water	fresh water sediment	0,012	mg/kg dry weight
water	marine water sediment	0,001	mg/kg dry weight
soil	-	0,002	mg/kg dry weight
sewage treatment plant	-	10	mg/L
5	allyl-hexanoate		123-68-2 204-642-4
water	fresh water	0,117	µg/L
water	marine water	0,012	µg/L
water	fresh water sediment	4,46	µg/kg
water	marine water sediment	0,446	µg/kg
soil	-	0,825	µg/kg
sewage treatment plant	-	10	mg/L
secondary poisoning	-	47,56	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness		0,5	mm
Breakthrough time	>	120	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Form/Colour			
liquid			
colourless			
Odour			
fruity			
Odour threshold			
No data available			
pH value			
not determined			
Boiling point / boiling range			
Value	>	35	°C
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Value	>	40	°C
Auto-ignition temperature			
No data available			
Oxidising properties			
not oxidizing			
Explosive properties			
This product is not explosive. In and after use danger of production of inflammable compounds.			
Flammability (solid, gas)			
No data available			

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

Lower flammability or explosive limits			
No data available			
Upper flammability or explosive limits			
No data available			
Vapour pressure			
No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
No data available			
Density			
Value	0,92	g/cm ³	
Reference temperature	20	°C	
Solubility in water			
Comments	miscible		
Solubility(ies)			
No data available			
Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
log Pow		0,81	
Reference temperature		25	°C
Source	ECHA		
2	linalool	78-70-6	201-134-4
log Pow		2,84	
Reference temperature		20	°C
Method	OECD 107		
Source	ECHA		
3	allyl-heptanoate	142-19-8	205-527-1
log Pow		3,97	
Reference temperature		20	°C
Source	ECHA		
Viscosity			
No data available			

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

strong oxidizing agents; light metals

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Duftstoff Himbeere
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
LD50		1746	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	isopentyl acetate	123-92-2	204-662-3
LD50		7400	mg/kg bodyweight
Species	rat		
Source	ECHA		
3	linalool	78-70-6	201-134-4
LD50		2790	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
4	allyl-heptanoate	142-19-8	205-527-1
LD50		218	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Duftstoff Himbeere
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
LD50		> 2000	mg/kg bodyweight
Species	guinea pig		
Method	OECD 402		
Source	ECHA		
2	linalool	78-70-6	201-134-4

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

LD50		5610	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
3	allyl-heptanoate	142-19-8	205-527-1
LD50		810	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity (result of the ATE calculation for the mixture)

No	Product Name		
1	Duftstoff Himbeere		
ATE (Mixture)		3,0000	mg/l
Route of exposure / physical form	Dust/mist		
Method	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.		

Acute inhalational toxicity

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
ATE		1,5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		

Skin corrosion/irritation

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Duration of exposure		4	h
Species	rabbit		
Method	EU B.4		
Source	ECHA		
Evaluation	irritant		
2	linalool	78-70-6	201-134-4
Species	rabbit		
Method	OECD 404		
Source	ECHA		
3	allyl-heptanoate	142-19-8	205-527-1
Method	440/2008/EC B.46.		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Serious eye damage/irritation

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Duration of exposure		24	h
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	Irritating to eyes		
2	linalool	78-70-6	201-134-4
Species	rabbit		
Method	OECD 405		
Source	ECHA		
3	allyl-heptanoate	142-19-8	205-527-1
Species	rabbit		
Method	OECD 405		
Source	ECHA		

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

Evaluation/classification	Based on available data, the classification criteria are not met.
---------------------------	---

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
2	linalool	78-70-6	201-134-4
Route of exposure		Skin	
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are met.		
3	allyl-heptanoate	142-19-8	205-527-1
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	linalool	78-70-6	201-134-4
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity	
No data available	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Species		rat	
Method		OECD 451	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	linalool	78-70-6	201-134-4
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	linalool	78-70-6	201-134-4
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

Trade name: Duftstoff Himbeere

Product no.: 175999

Current version : 1.0.0, issued: 29.10.2020

Replaced version: -, issued: -

Region: MT

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
LC50	>	1474	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	isopentyl acetate	123-92-2	204-662-3
LC50	22	- 46	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
3	linalool	78-70-6	201-134-4
LC50		27,8	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
4	allyl-heptanoate	142-19-8	205-527-1
LC50		0,117	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
NOEC	>	100	mg/l
Duration of exposure		21	day(s)
Species	Danio rerio		
Method	OECD 204		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC50		1550	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	linalool	78-70-6	201-134-4
EC50		59	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	allyl-heptanoate	142-19-8	205-527-1
EC50		0,89	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

1	2-butoxyethanol	111-76-2	203-905-0
NOEC		100	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC50		911	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
2	isopentyl acetate	123-92-2	204-662-3
ErC50	>	100	mg/l
Duration of exposure		72	h
Species	Desmodemus subspicatus		
Method	OECD 201		
Source	ECHA		
3	linalool	78-70-6	201-134-4
ErC50		156,7	mg/l
Duration of exposure		96	h
Species	Desmodemus subspicatus		
Method	DIN 38412		
Source	ECHA		

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Type	aerobic biodegradation		
Value		90,4	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
2	linalool	78-70-6	201-134-4
Value	>	64	%
Duration		28	day(s)
Method	OECD 301 D		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
log Pow		0,81	
Reference temperature		25	°C
Source	ECHA		
2	linalool	78-70-6	201-134-4

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

log Pow	2,84	
Reference temperature	20	°C
Method	OECD 107	
Source	ECHA	
3	allyl-heptanoate	142-19-8 205-527-1
log Pow	3,97	
Reference temperature	20	°C
Source	ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	3
Classification code	F1
Packing group	III
Hazard identification no.	30
UN number	UN1266
Proper shipping name	PERFUMERY PRODUCTS
Tunnel restriction code	D/E
Label	3

14.2 Transport IMDG

Class	3
-------	---

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

Packing group	III
UN number	UN1266
Proper shipping name	PERFUMERY PRODUCTS
EmS	F-E, S-D
Label	3

14.3 Transport ICAO-TI / IATA

Class	3
Packing group	III
UN number	UN1266
Proper shipping name	Perfumery products
Label	3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3, 40
--	----------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	P5c
--	-----

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.
Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

Trade name: Duftstoff Himbeere**Product no.:** 175999**Current version :** 1.0.0, issued: 29.10.2020**Replaced version:** -, issued: -**Region:** MT

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH066	Repeated exposure may cause skin dryness or cracking.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767934