Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: IE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

### **Eulex M**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Cleaner

### Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

### **Address**

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

### **Advice on Safety Data Sheet**

sdb info@umco.de

### 1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Skin Irrit. 2: H315

### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

## **Hazard pictograms**



011007

### Signal word

Warning

# Hazard statement(s)

H315 Causes skin irritation. H319 Causes serious eye irritation.

### Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.



Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: IE

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

### 2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

#### vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

### **Hazardous ingredients**

No	No   Substance name   Additional info		ional information	1		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration		%	
	REACH no					
1	3-butoxypropan-2-	ol				
	5131-66-8	Eye Irrit. 2; H319	>=	70,00 - <	90,00	wt%
	225-878-4	Skin Irrit. 2; H315				
	603-052-00-8					
	01-2119475527-28					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 20%	-	-
		Skin Irrit. 2; H315: C >= 20%		

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

### After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

## After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an

Trade name: Eulex M Product no.: 264999

**Current version :** 1.0.0, issued: 08.10.2020 **Region:** IE

unconscious person. Call a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

## General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

### Recommended storage temperature

Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: IE

Value Room temperature

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### Incompatible products

Substances to be avoided, see section 10.

### 7.3 Specific end use(s)

No data available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **DNEL, DMEL and PNEC values**

### **DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	3-butoxypropan-2-ol			5131-66-8	
				225-878-4	
	dermal	Long term (chronic)	systemic	44,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	270,50	mg/m³

### **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	3-butoxypropan-2-ol			5131-66-8	
				225-878-4	
	oral	Long term (chronic)	systemic	8,75	mg/kg/day
	dermal	Long term (chronic)	systemic	16,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	33,80	mg/m³

### **PNEC** values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	3-butoxypropan-2-ol		5131-66-8	
			225-878-4	
	water	fresh water	0,525	mg/L
	water	marine water	0,0525	mg/L
	water	Aqua intermittent	5,25	mg/L
	water	fresh water sediment	2,36	mg/kg
	with reference to: dry weight			
	water	marine water sediment	0,236	mg/kg
	with reference to: dry weight			
	soil	-	0,16	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	10,00	mg/L

# 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace

Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: IE Region: IE

threshold values are not specified. Respiratory protection mask with combination filter.

Respirator A P2

Eye / face protection

Tightly fitting safety glasses (EN 166).

### **Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

0.4

Appropriate Material butyl

Material thickness 0,5

Appropriate Material fluorintated rubber Material thickness

Appropriate Material nitrile

Material thickness 0,35

Material thickness mm
Breakthrough time > 480 min

Other

Chemical-resistant work clothes.

### **Environmental exposure controls**

No data available.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
colourless	

Odour characteristic

Odour threshold
No data available

pH value

No data available

Boiling point / boiling range
No data available

Melting point / melting range
No data available

Decomposition point / decomposition range

No data available

Flash point
No data available

Auto-ignition temperature

No data available

Oxidising properties
not oxidizing

No data available

Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: IE

Flammability (solid, gas)

No data available

Lower flammability or explosive limits

No data available

Upper flammability or explosive limits

No data available

Vapour pressure

No data available

Vapour density

No data available

Evaporation rate
No data available

5 1 41 1 14

Relative density

No data available

Density	
Value	0,88 g/cm³
Reference temperature	20 °C

Solubility in water

No data available

Solubility(ies)

No data available

Part	ition coefficient: n-octanol/water					
No	Substance name		CAS no.		EC no.	
1	3-butoxypropan-2-ol		5131-66-8		225-878-4	
log F	Pow			1,1		
Refe	erence temperature			20	°C	
with	reference to	pH 7				
Sou	rce	ECHA				

**Viscosity** 

No data available

# 9.2 Other information

No data available.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

## 10.5 Incompatible materials

strong oxidizing agents; strong acids

### 10.6 Hazardous decomposition products

Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: IE

No hazardous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	3-butoxypropan-2-ol		5131-66-8		225-878-4	
LD5	0			3300	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				

Acu	Acute dermal toxicity					
No	Substance name		CAS no.		EC no.	
1	3-butoxypropan-2-ol		5131-66-8		225-878-4	
LD5	0	>		2000	mg/kg bodyweight	
Spe	cies	rat				
Soul	rce	ECHA				

# Acute inhalational toxicity No data available

Skir	Skin corrosion/irritation						
No	Substance name	CAS no.	EC no.				
1	3-butoxypropan-2-ol	5131-66-8	225-878-4				
Spe	cies	rabbit					
Meth	nod	OECD 404					
Source		ECHA					
Eval	uation	irritant					

# Serious eye damage/irritation No data available

Res	Respiratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	3-butoxypropan-2-ol	5131-66-8	225-878-4		
Route of exposure		Skin			
Species		guinea pig			
Method		OECD 406			
Source		ECHA			
Evaluation		non-sensitizing			

# Germ cell mutagenicity No data available

Reproduction toxicity
No data available

Carcinogenicity
No data available

# STOT - single exposure No data available

STOT - repeated exposure	
No data available	
Aspiration hazard	

# Aspiration hazard No data available

# SECTION 12: Ecological information

Trade name: Eulex M **Product no.: 264999** 

Current version: 1.0.0, issued: 08.10.2020 Replaced version: 1.0.0, issued: 24.09.2020 Region: IE

# 12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS r	10.		EC no.	
1	3-butoxypropan-2-ol	5131-	66-8		225-878-4	
LC5	0	560	-	1000	mg/l	
Dura	ation of exposure			96	h	
Species		Poecilia reticulata				
Method		OECD 203				
Source		ECHA				

# Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name	CAS no.		EC no.		
1	3-butoxypropan-2-ol	5131-66-8		225-878-4		
EC5	0	>	1000	mg/l		
Dura	ation of exposure		48	h		
Species		Daphnia magna				
Method		OECD 202				
Source		ECHA				

# Toxicity to Daphnia (chronic)

No data available

# Toxicity to algae (acute)

No data available

# Toxicity to algae (chronic)

No data available

# **Bacteria toxicity**

No data available

12.2 Persistence and degradability

Biod	Biodegradability					
No	Substance name	CAS no.		EC no.		
1	3-butoxypropan-2-ol	5131-66-8		225-878-4		
Valu	e		90	%		
Duration			28	day(s)		
Method		OECD 301 E		• • • • • • • • • • • • • • • • • • • •		
Source		ECHA				
Evaluation		readily biodegradable				

12.3 Bioaccumulative potential

Part	Partition coefficient: n-octanol/water					
No	Substance name		CAS no.		EC no.	
1	3-butoxypropan-2-ol		5131-66-8		225-878-4	
log Pow				1,1		
Refe	erence temperature			20	°C	
with reference to		pH 7				
Source		ECHA				

# 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment					
PBT assessment	According to the information provided in the supply chain, the				
	mixture does not contain > 0.1% of a substance that is considered to				

Trade name: Eulex M Product no.: 264999

Current version: 1.0.0, issued: 08.10.2020 Region: I.0.0, issued: 24.09.2020 Region: IE

	be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

### Other information

Do not discharge product unmonitored into the environment.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

# **SECTION 14: Transport information**

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

# 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation

Trade name: Eulex M **Product no.: 264999** 

Current version: 1.0.0, issued: 08.10.2020 Replaced version: 1.0.0, issued: 24.09.2020 Region: IE

(EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

### Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No 3

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

The surfactants contained in this product comply with the DetVO 648/2004/EC.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767939