Trade name: Felgenblitz alkalisch Product no.: 274999 Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

Felgenblitz alkalisch

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Cleaner **Uses advised against** No data available.

1.3 Details of the supplier of the safety data sheet

 Address
 Koch-Chemie GmbH

 Einsteinstr. 42
 Jorden Structure

 D-59423
 Unna

 Telephone no.
 +49-2303-9 86 70-0

 Fax no.
 +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aquatic Chronic 3; H412 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Hazardous component(s) to be indicated on label:

sodium hydroxide C16-18 (evennumbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide dimethyl(tetradecyl)amine oxide

Hazard statement(s)

Trade name: Felgenblitz alkalisch Product no.: 274999

| Current version: 1.0.0, issued: 02.11.2 | 2020 Replaced version: -, issued: - | Region: M⊤ |
|---|---|-------------------|
| H290 | May be corrosive to metals. | |
| H314 | Causes severe skin burns and eye damage. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Precautionary statemen | t(s) | |
| P260 | Do not breathe vapours/spray. | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. | |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse water [or shower]. | skin with |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contain present and easy to do. Continue rinsing. | act lenses, if |
| P310 | Immediately call a POISON CENTER/doctor. | |
| P390 | Absorb spillage to prevent material damage. | |

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

| | nazaruous ingreuie | 1115 | | | | |
|----|--------------------|--|---------|------------------|-------|-----|
| No | Substance name | | Additio | onal information | n | |
| | CAS / EC / Index / | Classification (EC) 1272/2008 (CLP) | Concer | ntration | | % |
| | REACH no | | | | | |
| 1 | propan-2-ol | | | | | |
| | 67-63-0 | Eye Irrit. 2; H319 | >= | 5,00 - < | 10,00 | wt% |
| | 200-661-7 | Flam. Liq. 2; H225 | | | | |
| | 603-117-00-0 | STOT SE 3; H336 | | | | |
| | 01-2119457558-25 | | | | | |
| 2 | sodium hydroxide | | | | | |
| | 1310-73-2 | Skin Corr. 1A; H314 | >= | 5,00 - < | 10,00 | wt% |
| | 215-185-5 | Met. Corr. 1; H290 | | | | |
| | 011-002-00-6 | Eye Dam. 1; H318 | | | | |
| | 01-2119457892-27 | | | | | |
| 3 | C16-18 (evennumb | ered, C18 unsaturated) alkyl bis(2-hydroxyethyl) | | | | |
| | amine oxide | | | | | |
| | 2097729-23-0 | Eye Dam. 1; H318 | < | 5,00 | | wt% |
| | 825-356-1 | Aquatic Acute 1; H400 | | | | |
| | - | Aquatic Chronic 2; H411 | | | | |
| | 01-2120770736-44 | | | | | |
| 4 | dimethyl(tetradecy | I)amine oxide | | | | |
| | 3332-27-2 | Acute Tox. 4; H302 | < | 5,00 | | wt% |
| | 222-059-3 | Aquatic Acute 1; H400 | | | | |
| | - | Aquatic Chronic 2; H411 | | | | |
| | 01-2119949262-37 | Eye Dam. 1; H318 | | | | |
| | | Skin Irrit. 2; H315 | | | | |
| | 01-2119949262-37 | • | | | | |

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| 2,50 | wt% |
|------|------|
| | |
| | |
| | |
| | |
| | |
| 2,50 | wt% |
| | |
| | |
| | 2,50 |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

| No | Note | Specific concentration limits | M-factor (acute) | M-factor (chronic) |
|----|------|---|---------------------|-----------------------|
| 2 | - | Skin Irrit. 2; H315: C >= 0,5% Eye Irrit. 2; H319: C >= 0,5% | - | - |
| | | Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5% | | |

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Phosphorus oxides; Nitrogen oxides (NOx); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Do not inhale vapours.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No Substance name

CAS / EC no

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| | Route of exposure | Exposure time | Effect | Value | |
|---|---------------------------------|-----------------------------|---------------------------|-----------|---------------------------------------|
| 1 | propan-2-ol | · · · | | 67-63-0 | |
| | | | | 200-661-7 | 1 |
| | dermal | Long term (chronic) | systemic | 888 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 500 | mg/m³ |
| 2 | sodium hydroxide | | | 1310-73-2 | |
| | - | | | 215-185-5 | |
| | inhalative | Long term (chronic) | local | 1 | mg/m³ |
| 3 | C16-18 (evennumbere | d, C18 unsaturated) alkyl k | bis(2-hydroxyethyl) amine | 2097729-2 | 23-0 |
| | oxide | | | 825-356-1 | |
| | dermal | Long term (chronic) | systemic | 0,3 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 1,48 | mg/m³ |
| 4 | dimethyl(tetradecyl)amine oxide | | | 3332-27-2 | |
| | | | | 222-059-3 | i i i i i i i i i i i i i i i i i i i |
| | dermal | Long term (chronic) | systemic | 11 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 6,2 | mg/m³ |
| 5 | diethylene glycol | | | 111-46-6 | |
| | | | | 203-872-2 | |
| | dermal | Long term (chronic) | systemic | 43 | mg/kg/day |
| | inhalative | Long term (chronic) | local | 60 | mg/m³ |
| | inhalative | Long term (chronic) | systemic | 44 | mg/m³ |

DNEL value (consumer)

| No | Substance name | | | CAS / EC | no |
|----|--|---------------------|----------|------------------------|-----------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | propan-2-ol | | | 67-63-0 200-661-7 | |
| | oral | Long term (chronic) | systemic | 26 | mg/kg/day |
| | dermal | Long term (chronic) | systemic | 319 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 89 | mg/m³ |
| 2 | sodium hydroxide | | | | |
| | inhalative | Long term (chronic) | local | 1 | mg/m³ |
| 3 | C16-18 (evennumbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide | | | 2097729-2 825-356-1 | |
| | oral | Long term (chronic) | systemic | 0,15 | mg/kg/day |
| | dermal | Long term (chronic) | systemic | 0,15 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 0,22 | mg/m³ |
| 4 | dimethyl(tetradecyl)an | nine oxide | | 3332-27-2 222-059-3 | |
| | oral | Long term (chronic) | systemic | 0,44 | mg/kg/day |
| | dermal | Long term (chronic) | systemic | 5,5 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 1,53 | mg/m³ |
| 5 | diethylene glycol | | | 111-46-6 203-872-2 | |
| | dermal | Long term (chronic) | systemic | 21 | mg/kg/day |
| | inhalative | Long term (chronic) | local | 12 | mg/m³ |
| | inhalative | Long term (chronic) | systemic | 12 | mg/m³ |

PNEC values

| No | Substance name | | CAS / EC no |) |
|----|------------------------|----------------------|-------------|------|
| | ecological compartment | Туре | Value | |
| 1 | propan-2-ol | | 67-63-0 | |
| | | | 200-661-7 | |
| | water | fresh water | 140,9 | mg/L |
| | water | Aqua intermittent | 140,9 | mg/L |
| | water | marine water | 140,9 | mg/L |
| | water | fresh water sediment | 552 | mg/L |

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| | water | marine water sediment | 552 | mg/L |
|---|------------------------------------|--|------------------------|---------------------|
| | soil | - | 28 | mg/kg |
| | sewage treatment plant | - | 2251 | mg/L |
| | secondary poisoning | - | 160 | mg/kg |
| | with reference to: food | | | |
| 2 | C16-18 (evennumbered, C18 un oxide | saturated) alkyl bis(2-hydroxyethyl) amine | 2097729-2 825-356-1 | |
| | water | fresh water | 0,356 | µg/L |
| | water | marine water | 0,036 | µg/L |
| | water | fresh water sediment | 1,7 | mg/kg dry weight |
| | water | marine water sediment | 0,17 | mg/kg dry weight |
| | soil | - | 0,81 | mg/kg dry weight |
| | sewage treatment plant | - | 3,43 | mg/L |
| | secondary poisoning | - | 13,3 | mg/kg food |
| 3 | dimethyl(tetradecyl)amine oxid | e | 3332-27-2 222-059-3 | |
| | water | fresh water | 0,034 | mg/L |
| | water | marine water | 0,003 | mg/L |
| | water | Aqua intermittent | 0,034 | mg/L |
| | water | fresh water sediment | 5,24 | mg/kg dry weight |
| | water | marine water sediment | 0,524 | mg/kg dry weight |
| | soil | - | 1,02 | mg/kg dry weight |
| | sewage treatment plant | - | 24 | mg/L |
| | secondary poisoning | - | 11,1 | mg/kg |
| | with reference to: food | · · · · · · · · · · · · · · · · · · · | | |
| ŀ | diethylene glycol | | 111-46-6 203-872-2 | |
| | water | fresh water | 10 | mg/L |
| | water | marine water | 1 | mg/L |
| | water | fresh water sediment | 20,9 | mg/kg dry weight |
| | water | marine water sediment | 2,09 | mg/kg dry weight |
| | water | Aqua intermittent | 10 | mg/L |
| | soil | - | 1,53 | mg/kg dry weight |
| | sewage treatment plant | - | 199,5 | mg/L |

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Tightly fitting safety glasses (EN 166).

 Trade name: Felgenblitz alkalisch

 Product no.: 274999

 Current version : 1.0.0, issued: 02.11.2020

 Replaced version: -, issued:

Region: MT

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

| Appropriate Material | rubber | | |
|----------------------|----------|-----|-----|
| Appropriate Material | butyl | | |
| Appropriate Material | neoprene | | |
| Appropriate Material | nitrile | | |
| Material thickness | > | 0,4 | mm |
| Breakthrough time | > | 480 | min |
| | | | |

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Form/Colour | |
|--|---|
| liquid | |
| violet | |
| Odour | |
| characteristic | |
| | |
| Odour threshold | |
| No data available | |
| pH value | |
| Value | 13 |
| Boiling point / boiling range | |
| No data available | |
| | |
| Melting point / melting range No data available | |
| | |
| Decomposition point / decomposition range | |
| No data available | |
| Flash point | |
| Value | > 60 °C |
| Method | ASTM D 92 |
| Auto-ignition temperature | |
| No data available | |
| Oxidising properties | |
| not oxidizing | |
| • | |
| Explosive properties | |
| This product is not explosive. In and after use da | anger of production of inflammable compounds. |
| Flammability (solid, gas) | |
| No data available | |
| Lower flammability or explosive limits | |
| No data available | |
| | |

| duct no.: 274999 rent version : 1.0.0, issued: 02.11.2020 | Poplar | ed version: -, issue | d | | Region: N |
|--|----------|----------------------|-------------|-----------|-----------|
| ent version . 1.0.0, issued. 02.11.2020 | керіас | eu version, issue | eu | | Region. N |
| | 14- | | | | |
| Upper flammability or explosive lim No data available | Its | | | | |
| | | | | | |
| Vapour pressure | | | | | |
| No data available | | | | | |
| Vapour density | | | | | |
| No data available | | | | | |
| Evaporation rate | | | | | |
| No data available | | | | | |
| Relative density | | | | | |
| No data available | | | | | |
| | | | | | |
| Density Value | | 1.05 | er / erre 3 | | |
| Reference temperature | | 1,05 20 | g/cm³ °C | | |
| | | 20 | C | | |
| Solubility in water | | | | | |
| Comments | miscible | | | | |
| Solubility(ies) | | | | | |
| No data available | | | | | |
| Partition coefficient: n-octanol/wate | r | | | | |
| No Substance name | FI | CAS no. | | EC no. | |
| 1 propan-2-ol | | 67-63-0 | | 200-661-7 | |
| log Pow | | | 0,05 | | |
| Reference temperature | | | 25 | °C | |
| Source | ECHA | | | | |
| 2 C16-18 (evennumbered, C18 un | | 2097729-23- | 0 | 825-356-1 | |
| bis(2-hydroxyethyl) amine oxic | 10 | | 2,95 | | |
| Reference temperature | | | 2,95 | °C | |
| Source | ECHA | | 20 | 0 | |
| | | | | | |
| Viscosity No data available | | | | | |
| no data avaliable | | | | | |

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

strong oxidizing agents; strong acids

10.6 Hazardous decomposition products No hazardous decomposition products known. Trade name: Felgenblitz alkalisch Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| Acute oral toxicity (result of the ATE calcula | tion for the n | nixture) | | |
|--|---|-------------------|---|---|
| No Product Name | | | | |
| 1 Felgenblitz alkalisch | | | | |
| Comments | European Re Part 3 of Anr labelling of th | egulation (EC) 1 | 1272/2008 (C the values th rding to table | nod according to the CLP), Paragraph 3.1.3.6, nat imply a classification / e 3.1.1 defining the ng/kg). |
| Acute oral toxicity | | | | |
| No Substance name | | CAS no. | | EC no. |
| 1 propan-2-ol | | 67-63-0 | | 200-661-7 |
| LD50 | | | 5840 | mg/kg bodyweigh |
| Species | rat | | | |
| Method | OECD 401 | | | |
| Source | ECHA | | | |
| Evaluation/classification | | | classification | n criteria are not met. |
| 2 C16-18 (evennumbered, C18 unsaturate | d) alkyl | 2097729-23-0 | | 825-356-1 |
| bis(2-hydroxyethyl) amine oxide | | | | |
| LD50 | | | 2932 | mg/kg bodyweigh |
| Species | rat (female) | | | |
| Method | OECD 401 | | | |
| Source | ECHA | | | |
| 3 dimethyl(tetradecyl)amine oxide | | 3332-27-2 | 4.405 | 222-059-3 |
| LD50 | | | 1495 | mg/kg bodyweigh |
| Species | rat | | | |
| Method | OECD 401 | | | |
| Source | ECHA | | | |
| Acute dermal toxicity | | | | |
| No Substance name | | CAS no. | | EC no. |
| 1 diethylene glycol | | 111-46-6 | | 203-872-2 |
| LD50 | | | 13300 | mg/kg bodyweigh |
| Species | rabbit | | | |
| Source | ECHA | | | |
| Acute inhalational toxicity | | | | |
| No Substance name | | CAS no. | | EC no. |
| 1 propan-2-ol | | 67-63-0 | | 200-661-7 |
| LC50 | > | 07-03-0 | 10000 | ppmV |
| Duration of exposure | - | | 6 | h |
| State of aggregation | Vapour | | 0 | 11 |
| Species | rat | | | |
| Method | OECD 403 | | | |
| Source | ECHA | | | |
| Evaluation/classification | | ailable data, the | classificatio | n criteria are not met. |
| 2 diethylene glycol | | 111-46-6 | | 203-872-2 |
| LC50 | > | | 4,6 | mg/l |
| Duration of exposure | | | 4 | h |
| State of aggregation | Dust/mist | | | |
| Species | rat | | | |
| Source | ECHA | | | |
| Evaluation/classification | | ailable data, the | classificatio | n criteria are not met. |
| | • | | | |
| Skin corrosion/irritation | | | | |

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| No | Substance name | | CAS no. | EC no. |
|---|--|---|---|--|
| 1 | propan-2-ol | | 67-63-0 | 200-661-7 |
| Spec | | rabbit | | |
| Sour | | ECHA | | |
| Evalu | uation | non-irritant | | |
| Evalu | uation/classification | Based on ava | ailable data, the classificat | ion criteria are not met. |
| 2 | C16-18 (evennumbered, C18 unsaturated | d) alkyl | 2097729-23-0 | 825-356-1 |
| | bis(2-hydroxyethyl) amine oxide | | | |
| Spec | | Human | | |
| Meth | nod | OECD 431 | | |
| Sour | ce | ECHA | | |
| Evalu | uation/classification | Based on ava | ailable data, the classificat | ion criteria are not met. |
| 3 | diethylene glycol | | 111-46-6 | 203-872-2 |
| Spec | | rabbit | | |
| Sour | ce | ECHA | | |
| Evalu | uation | non-irritant | | |
| Sari | ave ave demogra/invitation | | | |
| | ous eye damage/irritation Substance name | | CAS no. | EC no. |
| 1 | propan-2-ol | | 67-63-0 | 200-661-7 |
| Spec | | rabbit | 01-03-0 | 200-001-7 |
| Meth | | OECD 405 | | |
| | | ECHA | | |
| Sour | ce uation | irritant | | |
| | | | vilable data, the classificat | ion critoria oro mot |
| 2 | uation/classification C16-18 (evennumbered, C18 unsaturated | | ailable data, the classificat 2097729-23-0 | |
| 2 | bis(2-hydroxyethyl) amine oxide | u) alkyl | 209//29-23-0 | 825-356-1 |
| Spec | | rabbit | | |
| Meth | | OECD 405 | | |
| Sour | | ECHA | | |
| | uation | Irritating to e | /es | |
| 3 | diethylene glycol | <u> </u> | 111-46-6 | 203-872-2 |
| Spec | | rabbit | | |
| Sour | | ECHA | | |
| Evalu | uation | non-irritant | | |
| Post | piratory or skin sensitisation | • | | |
| | Substance name | | CAS no. | EC no. |
| | propan-2-ol | | 67-63-0 | 200-661-7 |
| | te of exposure | Skin | 01-00-0 | 200-001-7 |
| Spec | • | guinea pig | | |
| Meth | | OECD 406 | | |
| Sour | | ECHA | | |
| | uation | non-sensitizir | na | |
| | uation/classification | | ailable data, the classificat | ion criteria are not met |
| 2 Eval | sodium hydroxide | | 1310-73-2 | 215-185-5 |
| _ | te of exposure | Skin | 1010-70-2 | 215-105-5 |
| Spec | | Human | | |
| | 000 | | | |
| C ~ · · · · | | | | |
| Sour | | ECHA | | |
| Evalu | uation | non-sensitizir | | ion criteria aro not mot |
| Evalı Evalı | uation uation/classification | non-sensitizir Based on ava | ailable data, the classificat | |
| Evalı Evalı | uation uation/classification C16-18 (evennumbered, C18 unsaturated | non-sensitizir Based on ava | | ion criteria are not met. 825-356-1 |
| Evalı Evalı 3 | uation uation/classification | non-sensitizir Based on ava | ailable data, the classificat | |
| Evalu Evalu 3 | uation uation/classification C16-18 (evennumbered, C18 unsaturated bis(2-hydroxyethyl) amine oxide te of exposure | non-sensitizir Based on ava d) alkyl Skin | ailable data, the classificat | |
| Evalu Evalu 3 Rout Spec | uation uation/classification C16-18 (evennumbered, C18 unsaturated bis(2-hydroxyethyl) amine oxide te of exposure cies | non-sensitizir Based on ava d) alkyl Skin guinea pig | ailable data, the classificat | |
| Evalue Bvalue 3 Route Spece Mether | uation uation/classification C16-18 (evennumbered, C18 unsaturated bis(2-hydroxyethyl) amine oxide te of exposure cies hod | non-sensitizir Based on ava d) alkyl Skin guinea pig OECD 406 | ailable data, the classificat | |
| Evalue Evalue 3 Route Spece Mether Sour | uation uation/classification C16-18 (evennumbered, C18 unsaturated bis(2-hydroxyethyl) amine oxide te of exposure cies hod | non-sensitizir Based on ava d) alkyl Skin guinea pig | ailable data, the classificat 2097729-23-0 | |
| Evalue Bvalue 3 Route Spece Mether | uation uation/classification C16-18 (evennumbered, C18 unsaturated bis(2-hydroxyethyl) amine oxide te of exposure cies hod | non-sensitizir Based on ava d) alkyl Skin guinea pig OECD 406 | ailable data, the classificat | |

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| | te of exposure | Skin | |
|-----------|---------------------------------------|--|-------------------------|
| Spec | | guinea pig | |
| Meth | | 67/548/EEC, B.6 | |
| Sour | rce | ECHA | |
| Eval | uation | non-sensitizing | |
| Geri | m cell mutagenicity | | |
| | Substance name | CAS no. | EC no. |
| 1 | propan-2-ol | 67-63-0 | 200-661-7 |
| Sour | | ECHA | |
| | uation/classification | Based on available data, the classificatio | n criteria are not met. |
| 2 | C16-18 (evennumbered, C18 unsaturated | | 825-356-1 |
| | bis(2-hydroxyethyl) amine oxide | , , , | |
| Туре | e of examination | Bacterial Reverse Mutation Test | |
| Spec | | S. typhimurium TA 1535, TA 1537, TA 98 | and TA 100 |
| Meth | nod | OECD 471 | |
| Eval | uation/classification | Based on available data, the classificatio | n criteria are not met |
| 3 | diethylene glycol | 111-46-6 | 203-872-2 |
| Sour | | ECHA | |
| Eval | uation/classification | Based on available data, the classificatio | n criteria are not met. |
| Ren | roduction toxicity | | |
| | Substance name | CAS no. | EC no. |
| 1 | diethylene glycol | 111-46-6 | 203-872-2 |
| Sour | | ECHA | |
| | uation/classification | Based on available data, the classificatio | n criteria are not met. |
| • | • • . • | | |
| | cinogenicity Substance name | CAS no. | EC no. |
| 1 1 | diethylene glycol | 111-46-6 | 203-872-2 |
| 1 Sour | | ECHA | 203-072-2 |
| | ce uation/classification | Based on available data, the classificatio | n criteria are not met |
| ∟val | | | |
| | T - single exposure | | |
| No d | lata available | | |
| STO | T - repeated exposure | | |
| | Substance name | CAS no. | EC no. |
| 1 | propan-2-ol | 67-63-0 | 200-661-7 |
| - | te of exposure | inhalational | 200 001 / |
| Sour | • | ECHA | |
| | uation/classification | Based on available data, the classificatio | n criteria are not met |
| | | | |
| | iration hazard | | |
| | | | |
| No d | lata available | | |

SECTION 12: Ecological information

12.1 Toxicity

| Toxi | city to fish (acute) | | | |
|------|---|-----------------------|------|-----------|
| No | Substance name | CAS no. | | EC no. |
| 1 | propan-2-ol | 67-63-0 | | 200-661-7 |
| LC5 | 0 | | 9640 | mg/l |
| Dura | ation of exposure | | 96 | h |
| Spee | cies | Pimephales promelas | | |
| Meth | nod | OECD 203 | | |
| Sou | rce | ECHA | | |
| 2 | C16-18 (evennumbered, C18 unsaturate bis(2-hydroxyethyl) amine oxide | d) alkyl 2097729-23-0 | | 825-356-1 |

| | name: Felgenblitz alkalisch ct no. : 274999 | | | | | |
|-----|---|-------------------------|-----------------------------|-------|-----------|------------|
| | version : 1.0.0, issued: 02.11.2020 | Replaced | l version: -, issued | d: - | | Region: MT |
| | | | | | | |
| LC | | | | 0,95 | mg/l | |
| | ration of exposure | Denie nenie | | 96 | h | |
| | ecies thod | Danio rerio OECD 203 | | | | |
| | urce | ECHA | | | | |
| 3 | | | 111-46-6 | | 203-872-2 | |
| LC | | | | 75200 | mg/l | |
| Du | ration of exposure | | | 96 | h | |
| | ecies | Pimephales | promelas | | | |
| So | urce | ECHA | | | | |
| Το | xicity to fish (chronic) | | | | | |
| | data available | | | | | |
| To | xicity to Daphnia (acute) | | | | | |
| | Substance name | | CAS no. | | EC no. | |
| 1 | propan-2-ol | | 67-63-0 | | 200-661-7 | |
| EC | | > | 01-00-0 | 10000 | mg/l | |
| | ration of exposure | | | 24 | h | |
| | ecies | Daphnia ma | gna | | | |
| | thod | OECD 202 | | | | |
| | urce | ECHA | | | | |
| 2 | sodium hydroxide | | 1310-73-2 | | 215-185-5 | |
| EC | | | | 40,4 | mg/l | |
| | ration of exposure ecies | Ceriodaphni | aspec | 48 | h | |
| | urce | ECHA | a spec | | | |
| 3 | C16-18 (evennumbered, C18 unsaturate | | 2097729-23-0 | | 825-356-1 | |
| | bis(2-hydroxyethyl) amine oxide | ,, , . | | | | |
| EC | 50 | | | 0,47 | mg/l | |
| | ration of exposure | | | 48 | h | |
| | ecies | Daphnia ma | gna | | | |
| | thod urce | OECD 202 ECHA | | | | |
| 300 | uice | ECHA | | | | |
| Тох | xicity to Daphnia (chronic) | | | | | |
| | Substance name | | CAS no. | | EC no. | |
| 1 | C16-18 (evennumbered, C18 unsaturate bis(2-hydroxyethyl) amine oxide | ed) alkyl | 2097729-23-0 | | 825-356-1 | |
| NO | DEC | 0,018 | 3 - | 0,034 | mg/l | |
| | ecies | Daphnia ma | | 0,034 | iiig/i | |
| | thod | OECD 211 | gna | | | |
| | urce | ECHA | | | | |
| Ter | | | | | | |
| | xicity to algae (acute) Substance name | | CAS no. | | EC no. | |
| 1 | C16-18 (evennumbered, C18 unsaturate | d) alkyl | 2097729-23-0 | | 825-356-1 | |
| • | bis(2-hydroxyethyl) amine oxide | | 2007720-20-0 | | | |
| EC | | | | 0,11 | mg/l | |
| | ration of exposure | | | 72 | h | |
| | ecies | | neriella subcapi | tata | | |
| | thod | OECD 201 | | | | |
| Sol | urce | ECHA | | | | |
| | xicity to algae (chronic) | | | | | |
| | Substance name | | CAS no. | | EC no. | |
| 1 | diethylene glycol | | 111-46-6 | | 203-872-2 | |
| |)EC | | | 2700 | mg/l | |
| | ration of exposure | Secondear | us quadricauda | 8 | day(s) | |
| Spe | ecies | Scenedesm | us quauncauda | | | l |

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| Sou | rce | ECHA | | | | |
|------|-------------------|------------------|-------|-----------|--|--|
| Bac | Bacteria toxicity | | | | | |
| No | Substance name | CAS no. | | EC no. | | |
| 1 | diethylene glycol | 111-46-6 | i | 203-872-2 | | |
| EC2 | 20 | > | 1,995 | mg/l | | |
| Dura | ation of exposure | | 0,5 | h | | |
| Spe | cies | activated sludge | | | | |
| Met | hod | ISO 8192 | | | | |
| Sou | rce | ECHA | | | | |

12.2 Persistence and degradability

| Bio | degradability | | | | |
|------|---------------------------------------|-----------------------|-------|-----------|--|
| No | Substance name | CAS no. | | EC no. | |
| 1 | propan-2-ol | 67-63-0 | | 200-661-7 | |
| Туре | 9 | BOD/COD | | | |
| Valu | e | | 53 | % | |
| Dura | ation | | 5 | day(s) | |
| Sou | | ECHA | | | |
| Eval | luation | readily biodegradable | | | |
| 2 | C16-18 (evennumbered, C18 unsaturated | d) alkyl 2097729-23 | -0 | 825-356-1 | |
| | bis(2-hydroxyethyl) amine oxide | | | | |
| Valu | e | | 79 | % | |
| Dura | ation | | 28 | day(s) | |
| Met | hod | OECD 301 D | | | |
| Sou | rce | ECHA | | | |
| Eval | luation | readily biodegradable | | | |
| 3 | diethylene glycol | 111-46-6 | | 203-872-2 | |
| Туре | 9 | DOC decrease | | | |
| Valu | e | 90 | - 100 | % | |
| Dura | ation | | 28 | day(s) | |
| Met | hod | OECD 301 B | | | |
| Sou | rce | ECHA | | | |
| Eval | luation | readily biodegradable | | | |

12.3 Bioaccumulative potential

| Bio | concentration factor (BCF) | | | |
|-------|---|----------------------|------|-----------|
| No | Substance name | CAS no. | | EC no. |
| 1 | diethylene glycol | 111-46-6 | | 203-872-2 |
| BCF | | | 100 | |
| Spe | cies | Leuciscus idus | | |
| Sou | rce | ECHA | | |
| Part | tition coefficient: n-octanol/water | | | |
| | Substance name | CAS no. | | EC no. |
| 1 | propan-2-ol | 67-63-0 | | 200-661-7 |
| log F | | | 0,05 | |
| - | erence temperature | | 25 | °C |
| Sou | rce | ECHA | | |
| 2 | C16-18 (evennumbered, C18 unsaturated bis(2-hydroxyethyl) amine oxide | d) alkyl 2097729-23- | 0 | 825-356-1 |
| log F | Pow | | 2,95 | |
| Refe | erence temperature | | 23 | C° |
| Sou | rce | ECHA | | |

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Product no.: 274999

Current version : 1.0.0, issued: 02.11.2020

Replaced version: -, issued: -

Region: MT

| Results of PBT and vPvB asses | |
|-------------------------------|--|
| PBT assessment | According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT. |
| vPvB assessment | According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB. |

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

| | Tranoport / Brandbirdbird | |
|------|---------------------------|---|
| | Class | 8 |
| | Classification code | C9 |
| | Packing group | II |
| | Hazard identification no. | 80 |
| | UN number | UN1760 |
| | Proper shipping name | CORROSIVE LIQUID, N.O.S. |
| | Technical name | sodium hydroxide |
| | | [[(2-hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt |
| | Tunnel restriction code | E |
| | Label | 8 |
| 14.2 | Transport IMDG | |
| | Class | 8 |
| | Packing group | II |
| | UN number | UN1760 |
| | Proper shipping name | CORROSIVE LIQUID, N.O.S. |
| | Technical name | sodium hydroxide |
| | | [[(2-hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt |
| | EmS | F-A, S-B |
| | Label | 8 |
| 14.3 | Transport ICAO-TI / IATA | |
| - | Class | 8 |
| | Packing group | |
| | | |

| | e name: Felgenblitz alkalisch | | | | | |
|-------------|--|---|------------|--|--|--|
| | luct no.: 274999 nt version : 1.0.0, issued: 02.11.2020 | Replaced version: -, issued: - | Region: MT | | | |
| | UN number Proper shipping name Technical name | UN1760 Corrosive liquid, n.o.s. sodium hydroxide [[(2-hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt | | | | |
| | Label | 8 | | | | |
| 14.4 | Other information No data available. | | | | | |
| 14.5 | Environmental hazards Information on environmental haz | zards, if relevant, please see 14.1 - 14.3. | | | | |
| 14.6 | Special precautions for user No data available. | | | | | |
| 14.7 | Transport in bulk according Not relevant | to Annex II of Marpol and the IBC Code | | | | |
| SEC | CTION 15: Regulatory inform | ation | | | | |
| A a | according to the data available and/o | ACH) Annex XIV (List of substances subject to authorisation) r specifications supplied by upstream suppliers, this product does not c nces requiring authorisation as listed on Annex XIV of the REACH regu | | | | |
| A s | According to available data and the in ubstances that are considered subst | es of very high concern (SVHC) for authorisation formation provided by preliminary suppliers, the product does not conta ances meeting the criteria for inclusion in annex XIV (List of Substances le 57 and article 59 of REACH (EC) 1907/2006. | | | | |
| T | Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII. XVII. | | | | | |
| | Directive 2012/18/EU on the contro This product is not subject to Part 1 c | ol of major-accident hazards involving dangerous substances r 2 of Annex I. | | | | |
| A E h | mployment restrictions, according to ealth and safety regulations, serving | ccupational safety regulations when using this product. the regulations for protection of expectant and nursing mothers and the to protect against hazardous materials, should be observed. luct comply with the DetVO 648/2004/EC. | e youth | | | |
| 15.2 | Chemical safety assessment | as not been carried out for this mixture | | | | |

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

Trade name: Felgenblitz alkalischProduct no.: 274999Current version : 1.0.0, issued: 02.11.2020Replaced version: -, issued: -

Region: MT sections) H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767970