

Page 1 of 24
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 10.01.2023 / 0001
Replacing version dated / version: 10.01.2023 / 0001
Valid from: 10.01.2023
PDF print date: 10.01.2023
Felgenblitz alkalisch
Art.: 274999

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Felgenblitz alkalisch
Art.: 274999

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Cleaner

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH
Einsteinstrasse 42
59423 Unna
Telefon: +49 (0) 2303 / 9 86 70 - 0
Fax: +49 (0) 2303 / 9 86 70 - 26
info@koch-chemie.com
www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

IRL

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:
+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)
+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

+1 872 5888271 (KCC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement |
|-----------------|-----------------|---|
| Skin Corr. | 1A | H314-Causes severe skin burns and eye damage. |
| Eye Dam. | 1 | H318-Causes serious eye damage. |
| Aquatic Chronic | 3 | H412-Harmful to aquatic life with long lasting effects. |
| Met. Corr. | 1 | H290-May be corrosive to metals. |

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H314-Causes severe skin burns and eye damage. H412-Harmful to aquatic life with long lasting effects. H290-May be corrosive to metals.

P260-Do not breathe vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves / protective clothing / eye protection / face protection.

P301+P330+P331-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor. P390-Absorb spillage to prevent material damage.

Sodium hydroxide

Myristyl dimethyl aminoxide

C16-18 (even numbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| | |
|---|---|
| Sodium hydroxide | |
| Registration number (REACH) | 01-2119457892-27-XXXX |
| Index | 011-002-00-6 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 215-185-5 |
| CAS | 1310-73-2 |
| content % | 5-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 |
| Specific Concentration Limits and ATE | Skin Corr. 1A, H314: >=5 % Skin Corr. 1B, H314: >=2 % Skin Irrit. 2, H315: >=0,5 % Eye Irrit. 2, H319: >=0,5 % |
| Propan-2-ol | |
| Registration number (REACH) | 01-2119457558-25-XXXX |

Page 3 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | |
|---|---|
| Index | 603-117-00-0 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 200-661-7 |
| CAS | 67-63-0 |
| content % | 5-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |

| | |
|---|---|
| Myristyl dimethyl aminoxide | |
| Registration number (REACH) | --- |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 222-059-3 |
| CAS | 3332-27-2 |
| content % | 3-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 |

| | |
|--|--|
| C16-18 (even numbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide | |
| Registration number (REACH) | 01-2120770736-44-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 825-356-1 |
| CAS | 2097729-23-0 |
| content % | 3-<5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 |

| | |
|---|-----------------------|
| Diethylene glycol | |
| Registration number (REACH) | 01-2119457857-21-XXXX |
| Index | 603-140-00-6 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 203-872-2 |
| CAS | 111-46-6 |
| content % | 1-<2,5 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.
 For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.
 The substances named in this section are given with their actual, appropriate classification!
 For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!
 Never pour anything into the mouth of an unconscious person!
 If the person is unconscious, place in a stable side position and consult a doctor.

Inhalation

Remove person from danger area.
 Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.
 Cauterizations not treated lead to wounds difficult to heal.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Corrosive burns on skin as well as mucous membrane possible.

Necrosis

Risk of serious damage to eyes.

Corneal damage.

Danger of blindness.

Pain in the mouth and throat

Gastrointestinal disturbances

Oesophageal perforation

Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Neutralising is possible (only from a specialist).

Diluting with water is possible.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

There should be an eyewash station and safety shower located near the area of use.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not use alkali sensitive materials.

Do not store with acids.

Store at room temperature.

Store in a dry place.

Observe special storage conditions.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Chemical Name | Sodium hydroxide | |
|------------------------|---|-----|
| WEL-TWA: --- | WEL-STEL: 2 mg/m3 | --- |
| Monitoring procedures: | ISO 15202 (Workplace air - Determination of metals and metalloids in airborne particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3) - NIOSH 7401 (Alkaline dusts) - 1994 OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 45-5 - (2004) | |
| BMGV: --- | Other information: --- | |

GB IRL M

Page 6 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| Chemical Name | | Sodium hydroxide | |
|------------------------|--|---|-----|
| OELV-8h: --- | | OELV-15min: 2 mg/m3 | --- |
| Monitoring procedures: | | ISO 15202 (Workplace air - Determination of metals and metalloids in airborne particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3) - NIOSH 7401 (Alkaline dusts) - 1994 OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 45-5 - (2004) | |
| BLV: --- | | Other information: --- | |

| Chemical Name | | Propan-2-ol | |
|------------------------------|--|--|-----|
| WEL-TWA: 400 ppm (999 mg/m3) | | WEL-STEL: 500 ppm (1250 mg/m3) | --- |
| Monitoring procedures: | | - Draeger - Alcohol 25/a i-Propanol (81 01 631) - Compur - KITA-122 SA(C) (549 277) - Compur - KITA-150 U (550 382) DFG (D) (Loesungsmittelgemische), DFG (E) (Solvent mixtures 6) - 2013, 2002 - - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004) - NIOSH 1400 (ALCOHOLS I) - 1994 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - Draeger - Alcohol 100/a (CH 29 701) | |
| BMGV: --- | | Other information: --- | |

| Chemical Name | | Propan-2-ol | |
|--|--|--|-----|
| OELV-8h: 200 ppm | | OELV-15min: 400 ppm | --- |
| Monitoring procedures: | | - Draeger - Alcohol 25/a i-Propanol (81 01 631) - Compur - KITA-122 SA(C) (549 277) - Compur - KITA-150 U (550 382) DFG (D) (Loesungsmittelgemische), DFG (E) (Solvent mixtures 6) - 2013, 2002 - - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004) - NIOSH 1400 (ALCOHOLS I) - 1994 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - Draeger - Alcohol 100/a (CH 29 701) | |
| BLV: 40 mg/l (acetone, U, d) (ACGIH-BEI) | | Other information: Sk | |

| Chemical Name | | Diethylene glycol | |
|-----------------------------|--|---------------------------------------|-----|
| WEL-TWA: 23 ppm (101 mg/m3) | | WEL-STEL: --- | --- |
| Monitoring procedures: | | - Draeger - Alcohol 100/a (CH 29 701) | |
| BMGV: --- | | Other information: --- | |

| Chemical Name | | Diethylene glycol | |
|-----------------------------|--|---------------------------------------|-----|
| OELV-8h: 23 ppm (100 mg/m3) | | OELV-15min: --- | --- |
| Monitoring procedures: | | - Draeger - Alcohol 100/a (CH 29 701) | |
| BLV: --- | | Other information: --- | |

| Chemical Name | | 2,2',2''-nitilotriethanol | |
|------------------------|--|---------------------------|-----|
| OELV-8h: 5 mg/m3 | | OELV-15min: --- | --- |
| Monitoring procedures: | | --- | |
| BLV: --- | | Other information: --- | |

| Sodium hydroxide | | | | | | |
|---------------------|--|--------------------------|------------|-------|-------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 1 | mg/m3 | |

| Propan-2-ol |
|-------------|
|-------------|

Page 7 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|-------|--------------|------|
| | Environment - freshwater | | PNEC | 140,9 | mg/l | |
| | Environment - marine | | PNEC | 140,9 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 552 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 552 | mg/kg dw | |
| | Environment - soil | | PNEC | 28 | mg/kg dw | |
| | Environment - sewage treatment plant | | PNEC | 2251 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 140,9 | mg/l | |
| | Environment - oral (animal feed) | | PNEC | 160 | mg/kg feed | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 319 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 89 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 26 | mg/kg bw/day | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 888 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 500 | mg/m3 | |

C16-18 (even numbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|-------|--------------|------|
| | Environment - freshwater | | PNEC | 0,356 | µg/l | |
| | Environment - sediment, freshwater | | PNEC | 1,7 | mg/kg dw | |
| | Environment - marine | | PNEC | 0,036 | µg/l | |
| | Environment - sediment, marine | | PNEC | 0,17 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,81 | mg/kg dw | |
| | Environment - sewage treatment plant | | PNEC | 3,43 | mg/l | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 1,48 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 0,3 | mg/kg bw/day | |

Diethylene glycol

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------|------------|-------|----------|------|
| | Environment - freshwater | | PNEC | 10 | mg/m3 | |
| | Environment - marine | | PNEC | 1 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 10 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 20,9 | mg/kg dw | |
| | Environment - soil | | PNEC | 1,53 | mg/kg dw | |

Page 8 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | |
|---------------------|--------------------------------------|-----------------------------|------|-------|--------------|--|
| | Environment - sediment, marine | | PNEC | 2,09 | mg/kg | |
| | Environment - sewage treatment plant | | PNEC | 199,5 | mg/l | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 21 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 12 | mg/m3 | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 12 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 43 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 44 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 60 | mg/m3 | |

| 2,2',2"-nitriлотriethanol | | | | | | |
|----------------------------------|--|-----------------------------|-------------------|--------------|------------------|-------------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,32 | mg/l | |
| | Environment - marine | | PNEC | 0,032 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 5,12 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 10 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 1,7 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 0,17 | mg/kg | |
| | Environment - soil | | PNEC | 0,151 | mg/kg dry weight | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 2,66 | mg/kg bw/day | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 3 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 1,25 | mg/m3 | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 0,4 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 6,3 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 5 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 1 | mg/m3 | |

Ⓒ WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

Page 9 of 24
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 10.01.2023 / 0001
Replacing version dated / version: 10.01.2023 / 0001
Valid from: 10.01.2023
PDF print date: 10.01.2023
Felgenblitz alkalisch
Art.: 274999

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.
(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

(IRL) OELV-8h = Occupational Exposure Limit Value (8-hour reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.
(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). |
OELV-15min = Occupational Exposure Limit Value (15-minute reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |
BLV = Biological limit value |
Other information: Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Aspht = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.
(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

(M) OELV-8h = Occupational Exposure Limit Value - 8 h (8-hour reference period as a time-weighted average)
[9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24).
(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). |
OELV-ST = Occupational Exposure Limit Value - Short-term (15-minute reference period)
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).
[8] = Short-term exposure limit value in relation to a reference period of 1 minute. (S.L.424.24), [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24) |
BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) |
Other information: Skin = Possibility of a significant uptake through the skin.
[11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. (S.L.424.24), [12] = The mist is defined as the thoracic fraction. (S.L.424.24), [13] = Established in accordance with the Annex to Directive 91/322/EEC. (S.L.424.24), [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV. (S.L.424.24).
(EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (EU14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
Applies only if maximum permissible exposure values are listed here.
Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.
These are specified by e.g. EN 14042.
EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Page 10 of 24
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 10.01.2023 / 0001
Replacing version dated / version: 10.01.2023 / 0001
Valid from: 10.01.2023
PDF print date: 10.01.2023
Felgenblitz alkalisch
Art.: 274999

Eye/face protection:
Tight fitting protective goggles with side protection (EN 166).
If applicable
Face protection (EN 166).

Skin protection - Hand protection:
Use alkali resistant protective gloves (EN ISO 374).
If applicable
Rubber gloves (EN ISO 374).
Protective gloves made of butyl (EN ISO 374).
Protective Neoprene® / polychloroprene gloves (EN ISO 374).
Protective nitrile gloves (EN ISO 374).
Minimum layer thickness in mm:
> 0,4
Permeation time (penetration time) in minutes:
> 480
The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.
The recommended maximum wearing time is 50% of breakthrough time.
Protective hand cream recommended.

Skin protection - Other:
Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:
If OES or MEL is exceeded.
Gas mask filter A (EN 14387), code colour brown
Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:
Not applicable

Additional information on hand protection - No tests have been performed.
In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.
Selection of materials derived from glove manufacturer's indications.
Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.
In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.
The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|--|
| Physical state: | Liquid |
| Colour: | Violet |
| Odour: | Characteristic |
| Melting point/freezing point: | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability: | There is no information available on this parameter. |
| Lower explosion limit: | There is no information available on this parameter. |
| Upper explosion limit: | There is no information available on this parameter. |
| Flash point: | >60 °C |
| Auto-ignition temperature: | There is no information available on this parameter. |
| Decomposition temperature: | There is no information available on this parameter. |
| pH: | 13 |
| Kinematic viscosity: | There is no information available on this parameter. |
| Solubility: | Mixable |

Page 11 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.
 Vapour pressure: There is no information available on this parameter.
 Density and/or relative density: 1,05 g/ml
 Relative vapour density: There is no information available on this parameter.
 Particle characteristics: Does not apply to liquids.

9.2 Other information

Corrosive to metals: There is no information available on this parameter.

SECTION 10: Stability and reactivity

10.1 Reactivity

Product corrodes metals.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

Avoid contact with strong acids (exothermic reaction possible).
 Avoid contact with certain metals e.g. aluminium (development of hydrogen gas possible).

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong acids.
 Avoid contact with alkali sensitive materials.
 Avoid contact with certain metals e.g. aluminium.
 Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Felgenblitz alkalisch

Art.: 274999

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|---|----------|-------|-------|----------|-------------|------------------|
| Acute toxicity, by oral route: | ATE | >2000 | mg/kg | | | calculated value |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

Sodium hydroxide

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|-------------------|----------|-------|------|----------|-------------|-------|
|-------------------|----------|-------|------|----------|-------------|-------|

Page 12 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | |
|------------------------------------|------|-------|-------|------------------------|--|---|
| Acute toxicity, by dermal route: | LD50 | >2500 | mg/kg | Rabbit | Regulation (EC) 440/2008 B.3 (ACUTE TOXICITY (DERMAL)) | |
| Skin corrosion/irritation: | | | | Rabbit | | Skin Corr. 1A |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) (Patch-Test) | Eye Dam. 1 |
| Respiratory or skin sensitisation: | | | | Human being | | Not sensitising |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Symptoms: | | | | | | breathing difficulties, coughing, abdominal pain, shock, cramps |

| Propan-2-ol | | | | | | |
|---|-----------------|--------------|-------------|------------------------|---|------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 4570-5840 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | 12800-13900 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | > 25 | mg/l/6h | Rat | OECD 403 (Acute Inhalation Toxicity) | Vapours |
| Acute toxicity, by inhalation: | LC50 | 46600 | mg/l/4h | Rat | | Aerosol |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | (Ames-Test) | Negative |
| Carcinogenicity: | | | | | | Negative |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | STOT SE 3, H336 |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | Target organ(s): liver |
| Aspiration hazard: | | | | | | No |

Page 13 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | |
|---|-------|------|-------|-----|--|---|
| Symptoms: | | | | | | breathing difficulties, unconsciousness, vomiting, headaches, fatigue, dizziness, nausea, eyes, reddened, watering eyes |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 900 | mg/kg | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 5000 | ppm | Rat | | Vapours (OECD 451) |

| Myristyl dimethyl aminoxide | | | | | | |
|------------------------------------|----------|-----------|-------|----------|--|---------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >300-2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Risk of serious damage to eyes. |

| C16-18 (even numbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide | | | | | | |
|--|----------|-------|-------|------------|--|-------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Skin corrosion/irritation: | | | | | OECD 431 (In Vitro Skin Corrosion - Human Skin Model Test) | Not irritant |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |

| Diethylene glycol | | | | | | |
|----------------------------------|----------|---------|---------|----------|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 12565 | mg/kg | Rat | | Does not conform with EU classification. |
| Acute toxicity, by dermal route: | LD50 | 11890 | mg/kg | Rabbit | | |
| Acute toxicity, by inhalation: | LC0 | 4,4-4,6 | mg/l/4h | Rat | | Does not conform with EU classification. |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | | | Mild irritant |

Page 14 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | |
|---|-------|------|------------|------------------------|--|---|
| Respiratory or skin sensitisation: | | | | Guinea pig | Regulation (EC) 440/2008 B.6 (SKIN SENSITISATION) | Not sensitizing |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Reproductive toxicity (Developmental toxicity): | NOAEL | 1000 | mg/kg bw/d | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | |
| Reproductive toxicity (Effects on fertility): | NOAEL | 3060 | mg/kg bw/d | Mouse | OECD 416 (Two-generation Reproduction Toxicity Study) | |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL | 936 | mg/kg bw/d | Rat | OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) | |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL | 2200 | mg/kg bw/d | Dog | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day) | Analogous conclusion |
| Symptoms: | | | | | | acidosis, breathing difficulties, unconsciousness, diarrhoea, coughing, cramps, fatigue, mucous membrane irritation, dizziness, nausea and vomiting., trembling |

| 2,2',2"-nitrilotriethanol | | | | | | |
|------------------------------------|-----------------|--------------|-------------|------------------------|---|-------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 6400 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |

Page 15 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | |
|---|-------|------|------------|-----|--|--|
| Germ cell mutagenicity: | | | | | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative |
| Carcinogenicity: | NOAEL | 250 | mg/kg bw/d | Rat | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies) | |
| Carcinogenicity: | | | | | OECD 451 (Carcinogenicity Studies) | With nitrosating agents nitrosamines may form., In animal experiments nitrosamines have proved carcinogenic. |
| Reproductive toxicity: | NOAEL | 300 | mg/kg bw/d | Rat | OECD 421 (Reproduction/Developmental Toxicity Screening Test) | |
| Symptoms: | | | | | | unconsciousness, diarrhoea, coughing, collapse, fatigue, dizziness, nausea and vomiting. |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 1000 | mg/kg bw/d | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL | 125 | mg/kg bw/d | Rat | OECD 411 (Subchronic Dermal Toxicity - 90-day Study) | |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEC | 0,5 | mg/l | Rat | OECD 412 (Subacute Inhalation Toxicity - 28-Day Study) | |

11.2. Information on other hazards

Felgenblitz alkalisch
Art.: 274999

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|------|----------|-------------|---|
| Endocrine disrupting properties: | | | | | | Does not apply to mixtures. |
| Other information: | | | | | | No other relevant information available on adverse effects on health. |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Felgenblitz alkalisch
Art.: 274999

Page 16 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|----------|------|-------|------|----------|-------------|--|
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and degradability: | | | | | | | The surfactant(s) contained in this mixture complies (complies) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | n.d.a. |
| 12.6. Endocrine disrupting properties: | | | | | | | Does not apply to mixtures. |
| 12.7. Other adverse effects: | | | | | | | No information available on other adverse effects on the environment. |
| Other information: | | | | | | | DOC-elimination degree (complexing organic substance) >= 80%/28d: n.a. |
| Other information: | AOX | | | % | | | According to the recipe, contains no AOX. |

Sodium hydroxide

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|----------------------------|----------|------|-------|------|--------------------|-------------|-------|
| 12.1. Toxicity to daphnia: | EC50 | 48h | 40,4 | mg/l | Ceriodaphnia spec. | | |

Page 17 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | | |
|--|---------|-------|-------|------|----------------------------|--|--|
| 12.1. Toxicity to fish: | LC50 | 96h | 45,4 | mg/l | Oncorhynchus mykiss | | |
| 12.1. Toxicity to fish: | LC50 | 96h | 125 | mg/l | Gambusia affinis | | |
| 12.2. Persistence and degradability: | | | | | | | Not relevant for inorganic substances. |
| 12.3. Bioaccumulative potential: | Log Kow | | -3,88 | | | | Negative |
| 12.5. Results of PBT and vPvB assessment | | | | | | | Not relevant for inorganic substances. |
| Toxicity to bacteria: | EC50 | 15min | 22 | mg/l | Photobacterium phosphoreum | | |

| Propan-2-ol | | | | | | | |
|--|-----------------|-------------|--------------|-------------|-------------------------|--|-------------------------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.3. Bioaccumulative potential: | BCF | | 3,2 | | | | Low |
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Leuciscus idus | | |
| 12.1. Toxicity to fish: | LC50 | 96h | 1400 | mg/l | Lepomis macrochirus | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 2285 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to daphnia: | EC50 | 16d | 141 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Desmodesmus subspicatus | | |
| 12.2. Persistence and degradability: | | 21d | 95 | % | | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | | | 99,9 | % | | OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Pow | | 0,05 | | | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method) | Slight |
| 12.4. Mobility in soil: | Koc | | 1,1 | | | | Expert judgement |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC50 | | >1000 | mg/l | activated sludge | | |
| Toxicity to bacteria: | EC10 | 16h | 1050 | mg/l | Pseudomonas putida | | |
| Other organisms: | IC50 | 3d | 2104 | mg/l | Lactuca sativa | | |
| Other information: | ThOD | | 2,4 | g/g | | | |
| Other information: | BOD5 | | 53 | % | | | |
| Other information: | COD | | 96 | % | | | References |
| Other information: | COD | | 2,4 | g/g | | | |
| Other information: | BOD | | 1171 | mg/g | | | |

| Myristyl dimethyl aminoxide | | | | | | | |
|------------------------------------|-----------------|-------------|--------------|-------------|-----------------|--------------------|--------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |

Page 18 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| | | | | | | | |
|--|------|-----|--------|------|---------------------------------|--|-----------------------|
| 12.1. Toxicity to fish: | LC50 | 96h | >1-10 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | >1-10 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | >0,1-1 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | | | | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | | | | | | | Not to be expected |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No |

C16-18 (even numbered, C18 unsaturated) alkyl bis(2-hydroxyethyl) amine oxide

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|----------|------|-------|------|---------------------------------|--|-------------------------------------|
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.3. Bioaccumulative potential: | | | | | | | Low |
| 12.1. Toxicity to fish: | LC50 | 96h | 1,9 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 0,47 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.2. Persistence and degradability: | | 28d | 79 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.1. Toxicity to daphnia: | EC50 | 21d | 0,034 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 0,111 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| Toxicity to bacteria: | EC10 | 3h | 32 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

Diethylene glycol

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|-------------------|----------|------|-------|------|----------|-------------|-------|
|-------------------|----------|------|-------|------|----------|-------------|-------|

Page 19 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
|--|------|-----|----------|------|-------------------------|---|-------------------------------------|
| 12.1. Toxicity to fish: | LC50 | 24h | >5000 | ppm | Carassius auratus | | |
| 12.1. Toxicity to fish: | LC50 | 96h | >32000 | mg/l | Gambusia affinis | | References |
| 12.1. Toxicity to daphnia: | EC50 | 24h | >10000 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | IC0 | 7d | 2700 | mg/l | Scenedesmus quadricauda | | References |
| 12.2. Persistence and degradability: | | 28d | 67 | % | | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) | |
| Toxicity to bacteria: | EC0 | 16h | 8000 | mg/l | Pseudomonas putida | | References |
| Other information: | BOD5 | | 1,3 - 10 | % | | | References |
| Other information: | COD | | 99 | % | | | References |
| Other information: | ThOD | | 1,51 | g/g | | | References |
| Water solubility: | | | | | | | Mixable |

| 2,2',2"-nitrilotriethanol | | | | | | | |
|--------------------------------------|-----------|------|---------|-------|-------------------------|---|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.3. Bioaccumulative potential: | BCF | | <3,9 | | Cyprinus caprio | OECD 305 (Bioconcentration - Flow-Through Fish Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 16 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to fish: | LC50 | 96h | 11800 | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test) | References |
| 12.2. Persistence and degradability: | | 28d | 97 | % | | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) | Biodegradable |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 609,9 | mg/l | Ceriodaphnia spec. | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.3. Bioaccumulative potential: | Log Pow | | -2,3 | | | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method) | Not accepted due to the log Pow - value. |
| 12.1. Toxicity to algae: | ErC50 | 72h | 512 | mg/l | Scenedesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| Toxicity to insects: | LC50 | 3d | 49,95 | mg/kg | Drosophila melanogaster | | |
| Toxicity to bacteria: | EC50 | 16h | >10.000 | mg/l | Pseudomonas putida | | |

SECTION 13: Disposal considerations

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.01.2023 / 0001

Replacing version dated / version: 10.01.2023 / 0001

Valid from: 10.01.2023

PDF print date: 10.01.2023

Felgenblitz alkalisch

Art.: 274999

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.


Recommended cleaner:

Water


SECTION 14: Transport information

General statements


Transport by road/by rail (ADR/RID)

| | | |
|-----------------------------------|--|---|
| 14.1. UN number or ID number: | 1760 | |
| 14.2. UN proper shipping name: | UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, [[[2-HYDROXYETHYL)IMINO]BIS(METHYLENE)]BISPHOSPHONIC ACID) | |
| 14.3. Transport hazard class(es): | 8 |  |
| 14.4. Packing group: | II | |
| 14.5. Environmental hazards: | Not applicable | |
| Tunnel restriction code: | E | |
| Classification code: | C9 | |
| LQ: | 1 L | |
| Transport category: | 2 | |

Transport by sea (IMDG-code)

| | | |
|--|--|---|
| 14.1. UN number or ID number: | 1760 | |
| 14.2. UN proper shipping name: | UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, [[[2-HYDROXYETHYL)IMINO]BIS(METHYLENE)]BISPHOSPHONIC ACID) | |
| 14.3. Transport hazard class(es): | 8 |  |
| 14.4. Packing group: | II | |
| 14.5. Environmental hazards: | Not applicable | |
| IMDG Code segregation group 18 - Alkalis | | |
| Marine Pollutant: | Not applicable | |
| EmS: | F-A, S-B | |
| Segregation: | - | |

Transport by air (IATA)

| | | |
|-----------------------------------|--|---|
| 14.1. UN number or ID number: | 1760 | |
| 14.2. UN proper shipping name: | UN 1760 Corrosive liquid, n.o.s. (SODIUM HYDROXIDE, [[[2-HYDROXYETHYL)IMINO]BIS(METHYLENE)]BISPHOSPHONIC ACID) | |
| 14.3. Transport hazard class(es): | 8 |  |
| 14.4. Packing group: | II | |
| 14.5. Environmental hazards: | Not applicable | |

14.6. Special precautions for user

Page 21 of 24
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 10.01.2023 / 0001
 Replacing version dated / version: 10.01.2023 / 0001
 Valid from: 10.01.2023
 PDF print date: 10.01.2023
 Felgenblitz alkalisch
 Art.: 274999

Persons employed in transporting dangerous goods must be trained.
 All persons involved in transporting must observe safety regulations.
 Precautions must be taken to prevent damage.

14.7. Maritime transport in bulk according to IMO instruments

Freighted as packaged goods rather than in bulk, therefore not applicable.
 Minimum amount regulations have not been taken into account.
 Danger code and packing code on request.
 Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:
 Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!
 Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 5 %

REGULATION (EC) No 648/2004

5 % or over but less than 15 %
 non-ionic surfactants
 less than 5 %
 phosphonates

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: n.a.
 Employee training in handling dangerous goods is required.
 These details refer to the product as it is delivered.
 Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used |
|---|--|
| Skin Corr. 1A, H314 | Classification according to calculation procedure. |
| Eye Dam. 1, H318 | Classification based on the pH value. |
| Aquatic Chronic 3, H412 | Classification according to calculation procedure. |
| Met. Corr. 1, H290 | Classification based on test data. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).
 H314 Causes severe skin burns and eye damage.
 H225 Highly flammable liquid and vapour.
 H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

Page 22 of 24
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 10.01.2023 / 0001
Replacing version dated / version: 10.01.2023 / 0001
Valid from: 10.01.2023
PDF print date: 10.01.2023
Felgenblitz alkalisch
Art.: 274999

H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Skin Corr. — Skin corrosion
Eye Dam. — Serious eye damage
Aquatic Chronic — Hazardous to the aquatic environment - chronic
Met. Corr. — Substance or mixture corrosive to metals
Flam. Liq. — Flammable liquid
Eye Irrit. — Eye irritation
STOT SE — Specific target organ toxicity - single exposure - narcotic effects
Acute Tox. — Acute toxicity - oral
Skin Irrit. — Skin irritation
Aquatic Acute — Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.
Guidelines for the preparation of safety data sheets as amended (ECHA).
Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).
Safety data sheets for the constituent substances.
ECHA Homepage - Information about chemicals.
GESTIS Substance Database (Germany).
German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).
EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.
National Lists of Occupational Exposure Limits for each country as amended.
Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
AOX Adsorbable organic halogen compounds
approx. approximately
Art., Art. no. Article number
ASTM ASTM International (American Society for Testing and Materials)
ATE Acute Toxicity Estimate
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
BCF Bioconcentration factor
BSEF The International Bromine Council
bw body weight
CAS Chemical Abstracts Service
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon
dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EbCx, EyCx, Eblx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)
EC European Community
ECHA European Chemicals Agency
ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect
EEC European Economic Community
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances

Page 23 of 24
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 10.01.2023 / 0001
Replacing version dated / version: 10.01.2023 / 0001
Valid from: 10.01.2023
PDF print date: 10.01.2023
Felgenblitz alkalisch
Art.: 274999

EN European Norms
EPA United States Environmental Protection Agency (United States of America)
ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)
etc. et cetera
EU European Union
EVAL Ethylene-vinyl alcohol copolymer
Fax. Fax number
gen. general
GHS Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
Koc Adsorption coefficient of organic carbon in the soil
Kow octanol-water partition coefficient
IARC International Agency for Research on Cancer
IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)
IMDG-code International Maritime Code for Dangerous Goods
incl. including, inclusive
IUCLID International Uniform Chemical Information Database
IUPAC International Union for Pure Applied Chemistry
LC50 Lethal Concentration to 50 % of a test population
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil
Log Kow, Log Pow Logarithm of octanol-water partition coefficient
LQ Limited Quantities
MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable
n.av. not available
n.c. not checked
n.d.a. no data available
NIOSH National Institute for Occupational Safety and Health (USA)
NLP No-longer-Polymer
NOEC, NOEL No Observed Effect Concentration/Level
OECD Organisation for Economic Co-operation and Development
org. organic
OSHA Occupational Safety and Health Administration (USA)
PBT persistent, bioaccumulative and toxic
PE Polyethylene
PNEC Predicted No Effect Concentration
ppm parts per million
PVC Polyvinylchloride
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
SVHC Substances of Very High Concern
Tel. Telephone
TOC Total organic carbon
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Page 24 of 24

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 10.01.2023 / 0001

Replacing version dated / version: 10.01.2023 / 0001

Valid from: 10.01.2023

PDF print date: 10.01.2023

Felgenblitz alkalisch

Art.: 274999

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax:
+49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document
is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.