

**Trade name:** Felgenreiniger K**Product no.:** 6999**Current version :** 1.1.0, issued: 26.05.2020**Replaced version:** 1.0.0, issued: 04.05.2020**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Felgenreiniger K****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Descaler

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

**1.4 Emergency telephone number**

No data available.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Acute Tox. 4; H302

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1B; H314

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05



GHS07

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

phosphoric acid

2-propylheptane-1-ol, ethoxylated

**Hazard statement(s)**

H290

May be corrosive to metals.

**Trade name:** Felgenreiniger K**Product no.:** 6999**Current version :** 1.1.0, issued: 26.05.2020**Replaced version:** 1.0.0, issued: 04.05.2020**Region:** MT

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
<b>Precautionary statement(s)</b>	
P260	Do not breathe vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

**Supplemental label elements**

Regulation (EC) No 648/2004 on detergents (Annex VII):

&gt;=30% Phosphate

5-15% non-ionic surfactants

**2.3 Other hazards**

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	
1	<b>phosphoric acid</b>			
	7664-38-2 231-633-2 015-011-00-6 01-2119485924-24	Met. Corr. 1; H290 Skin Corr. 1B; H314 Acute Tox. 4; H302 Eye Dam. 1; H318	>= 25,00 - < 50,00	%-b.w.
2	<b>2-propylheptane-1-ol, ethoxylated</b>			
	160875-66-1 - - -	Eye Dam. 1; H318 Acute Tox. 4; H302	>= 10,00 - < 25,00	%-b.w.

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	B	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**Trade name:** Felgenreiniger K

**Product no.:** 6999

**Current version :** 1.1.0., issued: 26.05.2020

**Replaced version:** 1.0.0., issued: 04.05.2020

**Region:** MT

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### **After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

#### **After skin contact**

Wash immediately with plenty of water for several minutes. Seek medical attention.

#### **After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### **After ingestion**

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

##### **Unsuitable extinguishing media**

High power water jet

#### **5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Toxic gases/vapours; Corrosive gases/vapours

#### **5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit.

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

##### **For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

##### **For emergency responders**

Personal protective equipment (PPE) - see Section 8.

#### **6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### **6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### **6.4 Reference to other sections**

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

Trade name: Felgenreiniger K

Product no.: 6999

Current version : 1.1.0, issued: 26.05.2020

Replaced version: 1.0.0, issued: 04.05.2020

Region: MT

**Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

**Incompatible products**

Substances to be avoided, pls. See chapter 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
<b>Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)</b>			
Orthophosphoricacid			
	WEL short-term (15 min reference period)	2	mg/m <sup>3</sup>
	WEL long-term (8-hr TWA reference period)	1	mg/m <sup>3</sup>
<b>Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)</b>			
Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m <sup>3</sup>
	WEL long-term (8-hr TWA reference period)	1	mg/m <sup>3</sup>
<b>2000/39/EC</b>			
Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m <sup>3</sup>
	WEL long-term (8-hr TWA reference period)	1	mg/m <sup>3</sup>

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	phosphoric acid			7664-38-2 231-633-2
	inhalative	Long term (chronic)	local	1 mg/m <sup>3</sup>
	inhalative	Short term (acut)	local	2 mg/m <sup>3</sup>
	inhalative	Long term (chronic)	systemic	10,7 mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	phosphoric acid			7664-38-2 231-633-2

**Trade name:** Felgenreiniger K**Product no.:** 6999**Current version :** 1.1.0, issued: 26.05.2020**Replaced version:** 1.0.0, issued: 04.05.2020**Region:** MT

	oral	Long term (chronic)	systemic	0,1	mg/kg/day
	inhalative	Long term (chronic)	local	0,36	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	systemic	4,57	mg/m <sup>3</sup>

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respirator with particulate filter

Respirator P2

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0,5	mm
Breakthrough time	>	480	min

#### Other

Chemical-resistant work clothes.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form/Colour</b>	
liquid	
red	
<b>Odour</b>	
characteristic	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
Value	0
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	

Trade name: Felgenreiniger K

Product no.: 6999

Current version : 1.1.0, issued: 26.05.2020

Replaced version: 1.0.0, issued: 04.05.2020

Region: MT

Not applicable	
<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
No data available	
<b>Explosive properties</b>	
No data available	
<b>Flammability (solid, gas)</b>	
No data available	
<b>Lower flammability or explosive limits</b>	
Not applicable	
<b>Upper flammability or explosive limits</b>	
Not applicable	
<b>Vapour pressure</b>	
No data available	
<b>Vapour density</b>	
No data available	
<b>Evaporation rate</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	1,25 g/cm <sup>3</sup>
Reference temperature	20 °C
<b>Solubility in water</b>	
Comments	miscible
<b>Solubility(ies)</b>	
No data available	
<b>Partition coefficient: n-octanol/water</b>	
No data available	
<b>Viscosity</b>	
No data available	

**9.2 Other information**

<b>Other information</b>
No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use. Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

**10.4 Conditions to avoid**

Trade name: Felgenreiniger K

Product no.: 6999

Current version : 1.1.0, issued: 26.05.2020

Replaced version: 1.0.0, issued: 04.05.2020

Region: MT

None, if handled according to intended use.

**10.5 Incompatible materials**

strong bases; Oxidizing agents

**10.6 Hazardous decomposition products**

None, if handled according to intended use.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Felgenreiniger K
ATE (Mixture)	1044,06
Method	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
LD50	300	-	2000 mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		

Acute dermal toxicity	
No data available	

Acute inhalational toxicity	
No data available	

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Species	rabbit		
Source	ECHA		
Evaluation	strongly corrosive		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Species	rabbit		
Source	ECHA		
Evaluation	strongly corrosive		

Respiratory or skin sensitisation	
No data available	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: Felgenreiniger K

Product no.: 6999

Current version : 1.1.0, issued: 26.05.2020

Replaced version: 1.0.0, issued: 04.05.2020

Region: MT

**Carcinogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration hazard**

No data available

**SECTION 12: Ecological information****12.1 Toxicity****Toxicity to fish (acute)**

No data available

**Toxicity to fish (chronic)**

No data available

**Toxicity to Daphnia (acute)**

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
EC50	>	100	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

**Toxicity to Daphnia (chronic)**

No data available

**Toxicity to algae (acute)**

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
EC50	>	100	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

**Toxicity to algae (chronic)**

No data available

**Bacteria toxicity**

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
EC50	>	1000	mg/l
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.



**Trade name:** Felgenreiniger K**Product no.:** 6999**Current version :** 1.1.0, issued: 26.05.2020**Replaced version:** 1.0.0, issued: 04.05.2020**Region:** MT**12.5 Results of PBT and vPvB assessment****Results of PBT and vPvB assessment**

PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

**12.6 Other adverse effects**

No data available.

**12.7 Other information****Other information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C1
Packing group	III
Hazard identification no.	80
UN number	UN1805
Proper shipping name	PHOSPHORIC ACID, SOLUTION
Tunnel restriction code	E
Label	8

**14.2 Transport IMDG**

Class	8
Packing group	III
UN number	UN1805
Proper shipping name	PHOSPHORIC ACID SOLUTION
EmS	F-A, S-B
Label	8

**14.3 Transport ICAO-TI / IATA**

Class	8
Packing group	III
UN number	UN1805
Proper shipping name	Phosphoric acid, solution
Label	8

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

Trade name: Felgenreiniger K

Product no.: 6999

Current version : 1.1.0, issued: 26.05.2020

Replaced version: 1.0.0, issued: 04.05.2020

Region: MT

No data available.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3
---	------

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.  
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.  
The surfactants contained in this product comply with the DetVO 648/2004/EC.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H318 Causes serious eye damage.

**Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)**

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

---

**Trade name:** Felgenreiniger K

**Product no.:** 6999

**Current version :** 1.1.0, issued: 26.05.2020

**Replaced version:** 1.0.0, issued: 04.05.2020

**Region:** MT

---

**Department issuing safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357,  
e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763189