- GB (RL M

Page 1 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Finish Spray exterior

Art.: 285999

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaner

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna Telefon: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26 info@koch-chemie.com www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

(RL)

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:

+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)

+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

+1 872 5888271 (KCC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

GB (RL M)

Page 2 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

2 Putewwetherel	Cubatanas far which an Ell avnasura limit value
2-Butoxyethanol	Substance for which an EU exposure limit value
	applies.
Registration number (REACH)	01-2119475108-36-XXXX
Index	603-014-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	203-905-0
CAS	111-76-2
content %	1-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 3, H331
factors	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
Specific Concentration Limits and ATE	ATE (oral): 1200 mg/kg
•	ATE (as inhalation, Vapours): 3 mg/l

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

- GB (RL) M

Page 3 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

The product does not burn.

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eves or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

GB (RL M)-

Page 4 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Protect from frost.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	2-Butoxyethanol				
WEL-TWA: 25 ppm (123 mg/m)	3) (WEL), 20 ppm	WEL-STEL:	50 ppm (246 r	mg/m3) (WEL, EU)	
(98 mg/m3) (EU)					
Monitoring procedures:	- '	Compur - KITA-1	190 U(C) (548 8	873)	
	I	DFG MethNr. 2	(D) (Loesungs	smittelgemische 3), DFG	G(E) (Solvent mixtures 3) -
	- ;	2014, 2002 - EU	project BC/CE	N/ENTR/000/2002-16 c	ard 32-2 (2004)
	-	NIOSH 1403 (AL	COHOLS IV) -	· 2003	
	-	NIOSH 2549 (V	DLATILE ORGA	ANIC COMPOUNDS (S	CREENING)) - 1996
				tyl Cellosolve)) - 1990	,,
BMGV: 240 mmol butoxyacetic					Sk (WEL)
Chemical Name	2-Butoxyethanol				
OELV-8h: 20 ppm (98 mg/m3)	(OELV-8h, EU)		50 ppm (246	mg/m3) (OELV-	
		15min, EU)			
Monitoring procedures:	- '	Compur - KITA-	190 U(C) (548 8	873)	
	I	DFG MethNr. 2	(D) (Loesungs	smittelgemische 3), DFG	G(E) (Solvent mixtures 3) -
	- ;	2014, 2002 - EU	project BC/CE	N/ENTR/000/2002-16 c	ard 32-2 (2004)
	-	NIOSH 1403 (AL	COHOLS IV) -	2003	
	-	NIOSH 2549 (VC	DLATILE ORGA	ANIC COMPOUNDS (S	CREENING)) - 1996
	_ (OSHA 83 (2-But	oxyethanol (Bu	tyl Cellosolve)) - 1990	,,
BLV: 200 mg/g creatinine (Buto					Sk, IOELV
	2-Butoxyethanol				
OELV-8h: 20 ppm (98 mg/m3)	(OELV-8h, UE)	OELV-ST: 5	50 ppm (246 mg	g/m3) (OELV-ST, UE)	
Monitoring procedures:	- /	Compur - KITA-	190 U(C) (548 8	873)	
	I	DFG MethNr. 2	(D) (Loesungs	smittelgemische 3), DFG	G(E) (Solvent mixtures 3) -
				N/ENTR/000/2002-16 c	
		NIOSH 1403 (AL			, ,
				ANIC COMPOUNDS (S	CREENING)) - 1996
				tyl Cellosolve)) - 1990	,,
BMGV: 240 mmol butoxyacetic					Skin
		,,	, ,	<u> </u>	

2-Butoxyethanol

- GB (RL M

Page 5 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	8,8	mg/l	
	Environment - marine		PNEC	0,88	mg/l	
	Environment - sediment, freshwater		PNEC	34,6	mg/kg dw	
	Environment - soil		PNEC	2,8	mg/kg dw	
	Environment - sewage treatment plant		PNEC	463	mg/l	
	Environment - sediment, marine		PNEC	3,46	mg/kg dw	
	Environment - sporadic (intermittent) release		PNEC	9,1	mg/l	
	Environment - soil		PNEC	2,33	mg/kg	
	Environment - oral (animal feed)		PNEC	20	mg/kg	
Consumer	Human - inhalation	Long term, local effects	DNEL	123	mg/m3	
Consumer	Human - dermal	Short term, systemic effects	DNEL	44,5	mg/kg bw/d	
Consumer	Human - inhalation	Short term, systemic effects	DNEL	426	mg/m3	
Consumer	Human - oral	Short term, systemic effects	DNEL	13,4	mg/kg bw/d	
Consumer	Human - inhalation	Short term, local effects	DNEL	147	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	38	mg/kg bw/d	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	49	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	3,2	mg/kg bw/d	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	89	mg/kg bw/d	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	663	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	246	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	75	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	98	mg/m3	

- WEL-TWA = Workplace Exposure Limit Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
- (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit Short-term exposure limit (15-minute reference period).
- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
- ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).
- © OELV-8h = Occupational Exposure Limit Value (8-hour reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

- GB (RL) M

Page 6 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE).

OELV-15min = Occupational Exposure Limit Value (15-minute reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU. (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). \mid

BLV = Biological limit value |

Other information: Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

- OELV-8h = Occupational Exposure Limit Value 8 h (8-hour reference period as a time-weighted average)
- [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24).
- (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE).

OELV-ST = Occupational Exposure Limit Value - Short-term (15-minute reference period)

- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).
- [8] = Short-term exposure limit value in relation to a reference period of 1 minute. (S.L.424.24), [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24) |

BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Skin = Possibility of a significant uptake through the skin.

[11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. (S.L.424.24), [12] = The mist is defined as the thoracic fraction. (S.L.424.24), [13] = Established in accordance with the Annex to Directive 91/322/EEC. (S.L.424.24), [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV. (S.L.424.24).

(EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (EU14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

- GB (RL) M

Page 7 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

Recommended

Rubber gloves (EN ISO 374). Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

If OES or MEL is exceeded.

Filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: White Odour: Fruity

Melting point/freezing point:

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

There is no information available on this parameter.

Flammability:

Lower explosion limit:

Upper explosion limit:

There is no information available on this parameter.

Auto-ignition temperature:

There is no information available on this parameter.

Decomposition temperature:

There is no information available on this parameter.

Decomposition temperature: I nere is no information available on this parame 0H: 2,1

Kinematic viscosity: There is no information available on this parameter.

Solubility: Mixable

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density: 1 g/ml

Relative vapour density:

There is no information available on this parameter.

Particle characteristics: Does not apply to liquids.

9.2 Other information

No information available at present.

SECTION 10: Stability and reactivity

- GB (RL M

Page 8 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong alkalis.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg	_		calculated value
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:	ATE	>20	mg/l/4h			calculated value, Vapours
Acute toxicity, by inhalation:	ATE	>5	mg/l/4h			calculated value, Aerosol
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

2-Butoxyethanol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	1200	mg/kg			
Acute toxicity, by dermal	LD50	2275	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Acute toxicity, by inhalation:	ATE	3	mg/l			Vapours
Skin corrosion/irritation:				Rabbit	Regulation (EC)	Skin Irrit. 2,
					440/2008 B.4	Product
					(DERMAL	removes fat.
					IRRITATION/CORRO	
					SION)	

®®®™

Page 9 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior Art.: 285999

Eye Irritation/Corrosion Respiratory or skin Guinea pig OECD 406 (Skin Sensitisation: Sensitisation: OECD 474 (Mammalian Erythrocyte Micronucleus Test) Regative Salmonella typhimurium Reverse Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 476 (In Vitro Mammalian Chromosome Mutation Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) OECD 451 (Carcinogenicity Studies) Negative OECD 451 (Carcinogenicity Studies) OECD 451 OECD 451 (Carcinogenicity Studies) OECD 451 OECD 451 (Carcinogenicity Studies) OECD 451 OECD 451 OECD 451 (Carcinogenicity Studies) OECD 451 (
Respiratory or skin sensitisation: Germ cell mutagenicity: Negative Negative Negative Negative Carcinogenicity: Studies)
Sensitisation: Germ cell mutagenicity: Mouse Mouse OECD 474 (Mammalian Erythrocyte Micronucleus Test) OECD 471 (Bacterial Reverse Mutation Test) Germ cell mutagenicity: Reverse Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Germ cell mutagenicity: Mouse OECD 474 (Mammalian Erythrocyte Micronucleus Test)
Germ cell mutagenicity: Salmonella typhimurium Germ cell mutagenicity: Salmonella typhimurium Germ cell mutagenicity: Reverse Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Germ cell mutagenicity: Salmonella typhimurium Germ cell mutagenicity: Rat Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Negative Negative Negative Carcinogenicity: Rat Germ cell mutagenicity Serm cell mutagenicity: Germ cell mutagenicity: Negative Negative Carcinogenicity: Studies)
Germ cell mutagenicity: Salmonella typhimurium Germ cell mutagenicity: Rat Germ cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: Rat Germ cell mutagenicity: Negative Negative Negative Carcinogenicity: Carcinogenicity: Salmonella typhimurium Negative Negative Negative Negative Carcinogenicity: Studies)
Germ cell mutagenicity: Salmonella typhimurium Serm cell mutagenicity: Germ cell mutagenicity: Germ cell mutagenicity: OECD 471 (Bacterial Reverse Mutation Test) OECD 473 (In Vitro Mammalian Chromosome Aberration Test) Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
typhimurium Reverse Mutation Test) Germ cell mutagenicity: OECD 473 (In Vitro Mammalian Chromosome Aberration Test) Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Germ cell mutagenicity: Test OECD 473 (In Vitro Negative Mammalian Chromosome Aberration Test OECD 476 (In Vitro Negative Mammalian Cell Gene Mutation Test OECD 476 (In Vitro Mammalian Cell Gene Mutation Test OECD 451 (Carcinogenicity Studies Studies Studies OECD 451 OECD 451
Germ cell mutagenicity: OECD 473 (In Vitro Mammalian Chromosome Aberration Test) Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Mammalian Chromosome Aberration Test) Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Chromosome Aberration Test) Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Aberration Test) Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Germ cell mutagenicity: OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies)
Mammalian Cell Gene Mutation Test) Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies) Negative
Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies) Mutation Test) Negative
Carcinogenicity: Rat OECD 451 (Carcinogenicity Studies) Negative
(Carcinogenicity Studies)
Studies)
Carcinogenicity: NOAEC 125 ppm Mouse OECD 451 Negative
(Carcinogenicity
Studies)
Reproductive toxicity: NOAEL 720 mg/kg
bw/d
Aspiration hazard: No
Symptoms: acidosis,
ataxia,
breathing
difficulties
respiratory
distress,
drowsines
unconscio
s, annoya
coughing,
headache
gastrointe
disturbanc
disturbanc insomnia,
insomnia,
insomnia, mucous membrane
insomnia, mucous membrane irritation,
insomnia, mucous membrane irritation, dizziness,
insomnia, mucous membrane irritation, dizziness, nausea
insomnia, mucous membrane irritation, dizziness, nausea Specific target organ toxicity - NOAEL <69 mg/kg Rat OECD 408 (Repeated
insomnia, mucous membrane irritation, dizziness, nausea Specific target organ toxicity - NOAEL <69 mg/kg Rat OECD 408 (Repeated pose 90-Day Oral
insomnia, mucous membrane irritation, dizziness, nausea Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - NOAEL
Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - work wor
Specific target organ toxicity - repeated exposure (STOT-RE), oral: MOAEL Compared to the state of the s
Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE), oral: Specific target organ toxicity - repeated exposure (STOT-RE) Specific targe
Specific target organ toxicity - repeated exposure (STOT-RE), oral: MOAEL Compared to the state of the s

11.2. Information on other hazards

Finish Spray exterior Art.: 285999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes

(B) (R) (M)

Page 10 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior Art.: 285999

Endocrine disrupting properties:	Does not apply to mixtures.
Other information:	No other relevant
	information available on adverse effects on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Art.: 285999 Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	Ziiapoiiit	1	Taido	- Cint	- Grigamoni	100t mourou	n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.
Other information:							DOC-
							elimination
							degree(comple
							ing organic
							substance)>=
00 : (40)/			0/			80%/28d: n.a.
Other information:	AOX			%			According to
							the recipe,
							contains no
							AOX.

2-Butoxyethanol Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
2.1. Toxicity to fish:	LC50	96h	1474	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	21d	>100	mg/l	Brachydanio rerio	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to daphnia:	EC50	48h	1550	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	

- GB (RL) M

Page 11 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

12.1. Toxicity to	NOEC/NOEL	21d	100	mg/l	Daphnia magna	OECD 211	
daphnia:						(Daphnia magna Reproduction	
						Test)	
12.1. Toxicity to algae:	EC50	72h	1840	mg/l	Pseudokirchnerie	OECD 201	
					lla subcapitata	(Alga, Growth	
	110-0710-1					Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	286	mg/l	Pseudokirchnerie	OECD 201	
					lla subcapitata	(Alga, Growth	
12.2. Persistence and		28d	95	%		Inhibition Test) OECD 301 E	Readily
degradability:		26U	95	70		(Ready	biodegradable
degradability.						Biodegradability -	biodegradable
						Modified OECD	
						Screening Test)	
12.2. Persistence and		28d	>99	%		OECD 302 B	Readily
degradability:						(Inherent	biodegradable
5 ,						Biodegradability -	
						Zahn-	
						Wellens/EMPA	
						Test)	
12.3. Bioaccumulative	BCF		3,2				Slight
potential:	ļ <u>-</u>					0-05 /0-	
12.3. Bioaccumulative	Log Pow		0,81			OECD 107	Not to be
potential:						(Partition	expected
						Coefficient (n- octanol/water) -	
						Shake Flask	
						Method)	
12.4. Mobility in soil:	H (Henry)		0,00000	atm*m3/		wictiou)	
	, ,		16	mol			
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB
							substance
Toxicity to bacteria:	EC10	16h	>700	mg/l	Pseudomonas	DIN 38412 T.8	
					putida		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

20 01 30 detergents other than those mentioned in 20 01 29

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

- GB (RL) M

Page 12 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

Recommended cleaner:

Water

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

Tunnel restriction code:

Classification code:

Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

Mot applicable

Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): ~ 3,04 %

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 3, 11, 12, 16

- GB (RL) M

Page 13 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

Acute Tox. — Acute toxicity - inhalation

Acute Tox. — Acute toxicity - oral

Skin Irrit. — Skin irritation

Eye Irrit. — Eye irritation

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

- GB (RL M)-

Page 14 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Art.: 285999

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EμCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLIDInternational Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

-GB (RL M)-

Page 15 of 15

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0004

Replacing version dated / version: 15.11.2023 / 0003

Valid from: 20.11.2023 PDF print date: 20.11.2023 Finish Spray exterior

Finish Spray exterior Art.: 285999	
Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 +49 5233 94 17 90	3 94 17 0, Fax:
© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.	