Trade name: Glanztrockner V Product no.: 271999 Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name Glanztrockner V

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture vehicle cleansing

**Uses advised against** No data available.

#### 1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet sdb info@umco.de

#### **1.4 Emergency telephone number** +353 1 809 2166 (National Poisons Information Centre)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Dam. 1; H318 Skin Irrit. 2: H315

# Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

# 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



Signal word Danger

#### Hazardous component(s) to be indicated on label:

1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)

Hazard statement(s) H315

Causes skin irritation.

# Trade name: Glanztrockner V Product no.: 271999 Current version : 1.0.0, issued: 30.10.2020 Replaced version: -, issued: Region: IE

H318	Causes serious eye damage.
Precautionary stateme	ent(s)
P280	Wear protective gloves/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

# 2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Additi	ional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration	%
	REACH no				
1	2-butoxyethanol				
	111-76-2	Acute Tox. 4; H302	>=	25,00 - < 50,00	wt%
	203-905-0	Acute Tox. 4; H312			
	603-014-00-0	Acute Tox. 4; H332			
	01-2119475108-36	Eye Irrit. 2; H319			
		Skin Irrit. 2; H315			
2	1-Propanamine, 2-I	nydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-,			
	ester with fatty aci	ds, C18 unsaturated, Me sulphates (salts)			
	-	Aquatic Chronic 3; H412	>=	10,00 - < 25,00	wt%
	939-685-4	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
	01-2119983493-26				
3	poly(oxy-1,2-ethan	ediyl), .alphaphenylomegahydroxy-			
	9004-78-8	Acute Tox. 4*; H302	<	2,50	wt%
	500-13-6				
	-				
	-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply

#### Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

of fresh air.

#### After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### **For non-emergency personnel** Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

# For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Prac	ctice)	
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Comments	Sk, IOELV			_

## **DNEL, DMEL and PNEC values**

#### DNEL values (worker)

No	Substance name	stance name							
	Route of exposure	Exposure time	Effect	Value					
1	2-butoxyethanol			111-76-2					
				203-905-0					
	dermal	Long term (chronic)	systemic	125,00	mg/kg/day				
	dermal	Short term (acut)	systemic	89,00	mg/kg/day				
	inhalative	Long term (chronic)	systemic	98,00	mg/m³				
	inhalative	Short term (acut)	systemic	1091,00	mg/m³				
	inhalative	Long term (chronic)	local	246,00	mg/m³				
2	1-Propanamine, 2-hydrox	-dimethyl-, ester with	-						
	fatty acids, C18 unsaturat	939-685-4							
	dermal	Long term (chronic)	systemic	112,5	mg/kg/day				
	inhalative	Long term (chronic)	systemic	8,72	mg/m³				

#### DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	2-butoxyethanol			111-76-2
	-			203-905-0

Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

	oral	Long term (chronic)	systemic	6,30	mg/kg/day
	oral	Short term (acut)	systemic	26,70	mg/kg/day
	dermal	Long term (chronic)	systemic	75,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	59,00	mg/m³
	inhalative	Short term (acut)	systemic	426,00	mg/m³
	inhalative	Long term (chronic)	local	147,00	mg/m³
2		y-N-(2-hydroxypropyl)-N,N	-dimethyl-, ester with	-	
	fatty acids, C18 unsaturat	939-685-4			
	oral	Long term (chronic)	systemic	1,25	mg/kg/day
	dermal	Long term (chronic)	systemic	56,25	mg/kg/day
	inhalative	Long term (chronic)	systemic	2,17	mg/m³

# PNEC values

No	Substance name		CAS / EC no	)
	ecological compartment	Туре	Value	
1	2-butoxyethanol		111-76-2	
			203-905-0	
	water	fresh water	8,80	mg/L
	water	marine water	0,88	mg/L
	water	fresh water sediment	34,60	mg/kg
	with reference to: dry weight			
	water	marine water sediment	3,46	mg/kg
	water	Aqua intermittent	26,4	mg/L
	soil	-	2,33	mg/kg dry
				weight
	sewage treatment plant	-	463,00	mg/L
	secondary poisoning	-	0,02	g/kg
2	1-Propanamine, 2-hydroxy-N-(2-hydrox	kypropyl)-N,N-dimethyl-, ester with	-	
	fatty acids, C18 unsaturated, Me sulph	ates (salts)	939-685-4	
	water	fresh water	0,017	mg/L
	water	marine water	0,002	mg/L
	water	fresh water sediment	1,7	mg/kg dry
				weight
	water	marine water sediment	0,17	mg/kg dry
				weight
	soil	-	0,331	mg/kg dry
				weight
	sewage treatment plant	-	10	mg/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves.

rade name: Glanztrockner V roduct no.: 271999				
urrent version : 1.0.0, issued: 30.10.2020		Replaced version:	-, issued: -	Region:
Protective gloves shall be replac	ed immediately	-		
permanent use of protective glov	/es.			
Appropriate Material Material thickness	butyl rubber	0.5	100 IO0	
Breakthrough time	>	0,5 480	mm min	
Other		100		
Chemical-resistant work clothes.				
Environmental exposure contr No data available.	ols			
ECTION 9: Physical and chen	nical proper	ties		
.1 Information on basic physic	al and chemi	cal properties		
Form/Colour				
liquid colourless				
Odour				
characteristic				
Odour threshold				
No data available				
pH value				
Value		4,5	5	
Boiling point / boiling range				
No data available				
Melting point / melting range No data available				
Decomposition point / decomposition	tion range			
No data available	lion rungo			
Flash point				
No data available				
Auto ignition tomporature				
Auto-ignition temperature No data available				
Oxidising properties				
not oxidizing				
Explosive properties Product does not present an explosion	n hozard			
	on nazaru.			
Flammability (solid, gas)				
No data available				
Lower flammability or explosive li	mits			
No data available				
Upper flammability or explosive line No data available	mits			
Vapour pressure				
No data available				
Vapour density				
No data available				

#### Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

No data available					
Relative density					
No data available					
Density					
Value		0,98	g/cm <sup>3</sup>		
Reference temperature		20	°C		
	•				
Solubility in water	T · ···				
Comments	miscible				
Solubility(ies)					
No data available					
Partition coefficient: n-octanol/water					
No Substance name		CAS no.		EC no.	
1 2-butoxyethanol		111-76-2		203-905-0	
log Pow			0,81		
Reference temperature			25	°C	
Source	ECHA				
Viscosity					_
No data available					
Other information					

# 9

Other information No data available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### 10.4 Conditions to avoid None known

# 10.5 Incompatible materials

strong bases; strong acids; strong oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

No	Product Name	
1	Glanztrockner V	
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

#### Acute oral toxicity

# Product no.: 271999

	Current version	:	1.0.0.	issued:	30.	.10.	.2020
--	-----------------	---	--------	---------	-----	------	-------

Replaced version: -, issued: -

No Substance name	CAS no.		EC no.			
1 2-butoxyethanol	111-76-2		203-905-0			
LD50		1746	mg/kg bodyweight			
Species	rat					
Method	OECD 401					
Source	ECHA					
Acute dermal toxicity (result of the ATE cald	ulation for the mixture)					
No Product Name						
1 Glanztrockner V						
Comments		C) 1272/2008 ( side the values according to tab	(CLP), Paragraph 3.1.3.6, that imply a classification / ole 3.1.1 defining the			
Acute dermal toxicity						
No Substance name	CAS no.		EC no.			
1 2-butoxyethanol	111-76-2		203-905-0			
LD50	>	2000	mg/kg bodyweight			
Species	guinea pig					
Method	OECD 402					
Source	ECHA					
Acute inhalational toxicity (result of the ATE	calculation for the mix	ture)				
No Product Name						
1 Glanztrockner V	The result of the applied					
European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).						
Acute inhalational toxicity						
No Substance name	CAS no.		EC no.			
1 2-butoxyethanol	111-76-2		203-905-0			
ATE		1,5	mg/l			
Duration of exposure		4	h			
State of aggregation	Dust/mist					
Species	rat					
Skin corrosion/irritation						
No Substance name	CAS no.		EC no.			
1 2-butoxyethanol	111-76-2		203-905-0			
Duration of exposure		4	h			
Species	rabbit					
Method	EU B.4					
Source Evaluation	ECHA					
	irritant					
Serious eye damage/irritation						
No Substance name	CAS no.		EC no.			
1 2-butoxyethanol	111-76-2		203-905-0			
Duration of exposure		24	h			
Species	rabbit					
Method	OECD 405					
Source	ECHA					
Evaluation	Irritating to eyes					
Respiratory or skin sensitisation						

## Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

		-	EC no.
		2	203-905-0
	Skin		
	guinea pig		
od			
ce			
lation	non-sensitizing		
n cell mutagenicity			
Substance name	CAS no	).	EC no.
2-butoxyethanol	111-76-	2	203-905-0
od	OECD 471		
ce	ECHA		
uation/classification	Based on available da	ata, the classificatio	on criteria are not met.
inogenicity Substance name	CAS no	).	EC no.
Substance name	CAS no 111-76-		EC no. 203-905-0
Substance name 2-butoxyethanol			
Substance name	111-76-		
Substance name 2-butoxyethanol ies	111-76		
Substance name 2-butoxyethanol ies od	rat OECD 451 ECHA	2	
Substance name 2-butoxyethanol ies od ce uation/classification	rat OECD 451 ECHA	2	203-905-0
Substance name 2-butoxyethanol ies od ce uation/classification T - single exposure	rat OECD 451 ECHA	2	203-905-0
Substance name 2-butoxyethanol ies od ce uation/classification T - single exposure ata available	rat OECD 451 ECHA	2	203-905-0
Substance name         2-butoxyethanol         ies         od         ce         uation/classification         T - single exposure         ata available         T - repeated exposure	rat OECD 451 ECHA	2	203-905-0
Substance name 2-butoxyethanol ies od ce uation/classification T - single exposure ata available	rat OECD 451 ECHA	2	203-905-0
Substance name         2-butoxyethanol         ies         od         ce         uation/classification         T - single exposure         ata available         T - repeated exposure	rat OECD 451 ECHA	2	203-905-0
	Substance name 2-butoxyethanol e of exposure ties od ce uation n cell mutagenicity Substance name 2-butoxyethanol od ce uation/classification roduction toxicity ata available	2-butoxyethanol111-76-e of exposureSkine of exposureguinea pigodOECD 406ceECHAuationnon-sensitizingn cell mutagenicityCAS no2-butoxyethanol111-76-odOECD 471ceECHAuation/classificationBased on available da	2-butoxyethanol       111-76-2         e of exposure       Skin         sies       guinea pig         od       OECD 406         ce       ECHA         uation       non-sensitizing         non-sensitizing       111-76-2         Substance name       CAS no.         2-butoxyethanol       111-76-2         od       OECD 471         ce       ECHA         uation/classification       Based on available data, the classification         roduction toxicity       Code to toxicity

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish (acute)			
No Substance name	CAS no.		EC no.
1 2-butoxyethanol	111-76-2		203-905-0
LC50	>	1474	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
Toxicity to fish (chronic)			
No Substance name	CAS no.		EC no.
1 2-butoxyethanol	111-76-2		203-905-0
NOEC	>	100	mg/l
Duration of exposure	-	21	day(s)
Species	Danio rerio	21	uay(3)
Method	OECD 204		
Source	ECHA		
Toxicity to Daphnia (acute)			
No Substance name	CAS no.		EC no.
1 2-butoxyethanol	111-76-2		203-905-0
EC50		1550	mg/l

#### Trade name: Glanztrockner V Product no.: 271999 Current version : 1.0.0, issued: 30.10.2020 Replaced version: -, issued: -Region: IE 48 Duration of exposure h Daphnia magna Species OECD 202 Method Source ECHA Toxicity to Daphnia (chronic) CAS no. No Substance name EC no. 1 2-butoxyethanol 111-76-2 203-905-0 NOEC 100 mg/l Duration of exposure 21 day(s) Species Daphnia magna Method **OECD 211** ECHA Source Toxicity to algae (acute) CAS no. EC no. No Substance name 111-76-2 203-905-0 1 2-butoxyethanol 911 EC50 mg/l Duration of exposure 72 h Species Pseudokirchneriella subcapitata Method **OECD 201** ECHA Source Toxicity to algae (chronic) No data available **Bacteria toxicity** No data available 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Туре	)	aerobic biodegradation	
Value	e	ç	90,4 %
Dura	ation	2	28 day(s)
Meth	nod	OECD 301 B	
Sour	rce	ECHA	
Eval	uation	readily biodegradable	

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water					
No	Substance name	CAS	no.	EC no.	
1	2-butoxyethanol	111-7	6-2	203-905-0	
log F	Pow		0,81		
Refe	erence temperature		25	°C	
Sou	rce	ECHA			

#### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.		
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to		

# Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

be vPvB.

# 12.6 Other adverse effects

No data available.

#### 12.7 Other information

#### Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

- 14.4 Other information
  - No data available.
- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- **14.6** Special precautions for user No data available.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject

Product no.: 271999

Current version : 1.0.0, issued: 30.10.2020

Replaced version: -, issued: -

Region: IE

#### to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No 3

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances** This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767969