<sup>GB</sup> RL M

Page 1 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product identifier**

### Glanztrockner V Art.: 271999

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Vehicle cleansing Uses advised against:

No information available at present.

### 1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna Telefon: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26 info@koch-chemie.com www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

### 1.4 Emergency telephone number

Emergency information services / official advisory body:

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.: +353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week) +353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

**Telephone number of the company in case of emergencies:** +1 872 5888271 (KCC)

### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixtureClassification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementSkin Irrit.2H315-Causes skin irritation.Eye Dam.1H318-Causes serious eye damage.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

### **KochChemie**° ExcellenceForExperts.

GB (RL M

Page 2 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999



Danger

H315-Causes skin irritation. H318-Causes serious eye damage.

P280-Wear protective gloves / eye protection / face protection. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, C18-unsatd., Me sulfates (salts)

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

n.a. 3.2 Mixtures

2-Butoxyethanol	Substance for which an EU exposure limit value
	applies.
Registration number (REACH)	01-2119475108-36-XXXX
Index	603-014-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	203-905-0
CAS	111-76-2
content %	20-<30
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 4, H302
factors	Acute Tox. 4, H332
	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
Specific Concentration Limits and ATE	ATE (oral): 1200 mg/kg

01-2119983493-26-XXXX	
939-685-4	
10-<25	
	 939-685-4 

GB (RL M

Page 3 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

Classification according to Regulation (EC) 1272/2008 (CLP), Mfactors Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Phenolpolyethoxylate	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	500-013-6
CAS	9004-78-8
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 4, H302
factors	

Impurities, test data and additional information may have been taken into account in classifying and labelling the product. For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. eyes, reddened watering eyes irritation of the eyes reddening of the skin Dermatitis (skin inflammation)

**4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

#### Unsuitable extinguishing media

High volume water jet

GB (RL M

Page 4 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Oxides of nitrogen Toxic gases

### 5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### **6.2 Environmental precautions**

If leakage occurs, dam up.

Resolve leaks if this possible without risk. Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities.

6.2 Mothede and motorial for containment and cleaning up

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

©B (RL) (M)

Page 5 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

Store product closed and only in original packing. Not to be stored in gangways or stair wells. Store at room temperature. Store in a dry place. **7.3 Specific end use(s)** 

### No information available at present.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Chemical Name	2-Butoxyethanol		= (0.10		=		
WEL-TWA: 25 ppm (123 mg/m (98 mg/m3) (EU)			50 ppm (246	0 / (	., EU)		
Monitoring procedures:		Compur - KITA-					
		DFG MethNr. 2					
		2014, 2002 - EL			/2002-16 (	ard 32-2 (20	04)
		NIOSH 1403 (A					
		VIOSH 2549 (V				CREENING)	) - 1996
		DSHA 83 (2-Bu					
BMGV: 240 mmol butoxyacetic	acid/mol creatinine	in urine, post s	shift (BMGV)	Other infor	mation:	Sk (WEL)	
Chemical Name	2-Butoxyethanol						
OELV-8h: 20 ppm (98 mg/m3)	(OELV-8h, EU)	OELV-15min	: 50 ppm (24	6 mg/m3) (OE	LV-		
		15min, EU)					
Monitoring procedures:		Compur - KITA-					
		DFG MethNr.					
		2014, 2002 - EL			/2002-16 (	ard 32-2 (20	04)
		NIOSH 1403 (A					
		NIOSH 2549 (V				CREENING)	) - 1996
		DSHA 83 (2-Bu					
BLV: 200 mg/g creatinine (Buto	oxyacetic acid (BAA	) in urine, h) (A	CGIH-BEI)	Other infor	mation:	Sk, IOELV	
Chemical Name	2-Butoxyethanol						
OELV-8h: 20 ppm (98 mg/m3)	(OELV-8h, UE)		50 ppm (246 m		-ST, UE)		
Monitoring procedures:		Compur - KITA-					
		DFG MethNr. 2					
		2014, 2002 - EL			/2002-16 (	ard 32-2 (20	04)
		NIOSH 1403 (A					
		NIOSH 2549 (V				CREENING)	) - 1996
BMGV: 240 mmol butoxyacetic		DSHA 83 (2-Bu				Skin	
		in unne, post s		Other Infor	mation.	SKIN	
Chemical Name	Oil mist, mineral						
WEL-TWA: 5 mg/m3 (Mineral of	oil, excluding	WEL-STEL:					
metal working fluids, ACGIH)							
Monitoring procedures:	- [	Draeger - Oil Mi	ist 1/a (67 33 0				
BMGV:				Other infor	mation:		
Chemical Name	Oil mist, mineral						
OELV-8h: 5 mg/m3 (Mineral oi	, pure, highly &	OELV-15min	:				
severely refined (inhalable))							
Monitoring procedures:	- [	Draeger - Oil Mi	ist 1/a (67 33 0				
BLV:				Other infor	mation:		
2-Butoxyethanol				Destit	V-1		
Area of application Ex	posure route /	Effect o	on health	Descripto	Value	Unit	Note
Area of application Ex En	vironmental	Effect of	on health	Descripto r	Value	Unit	Note
Area of application Ex En co			on health	•	Value	Unit mg/l	Note

GBRIM

Page 6 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

	Environment - marine		PNEC	0,88	mg/l
	Environment - sediment,		PNEC	34,6	mg/kg dw
	freshwater				
	Environment - soil		PNEC	2,8	mg/kg dw
	Environment - sewage		PNEC	463	mg/l
	treatment plant				C
	Environment - sediment,		PNEC	3,46	mg/kg dw
	marine				
	Environment - sporadic		PNEC	9,1	mg/l
	(intermittent) release				
	Ènvironment - soil		PNEC	2,33	mg/kg
	Environment - oral (animal		PNEC	20	mg/kg
	feed)				
Consumer	Human - inhalation	Long term, local	DNEL	147	mg/m3
		effects			
Consumer	Human - dermal	Short term, systemic	DNEL	44,5	mg/kg
		effects			bw/d
Consumer	Human - inhalation	Short term, systemic	DNEL	426	mg/m3
		effects			
Consumer	Human - oral	Short term, systemic	DNEL	13,4	mg/kg
		effects			bw/d
Consumer	Human - inhalation	Short term, local	DNEL	123	mg/m3
		effects			
Consumer	Human - dermal	Long term, systemic	DNEL	38	mg/kg
		effects			bw/d
Consumer	Human - inhalation	Long term, systemic	DNEL	49	mg/m3
		effects			
Consumer	Human - oral	Long term, systemic	DNEL	3,2	mg/kg
		effects			bw/d
Workers / employees	Human - dermal	Short term, systemic	DNEL	89	mg/kg
		effects			bw/d
Workers / employees	Human - inhalation	Short term, systemic	DNEL	663	mg/m3
		effects			
Workers / employees	Human - inhalation	Short term, local	DNEL	246	mg/m3
		effects			
Workers / employees	Human - dermal	Long term, systemic	DNEL	75	mg/kg
		effects			bw/d
Workers / employees	Human - inhalation	Long term, systemic	DNEL	98	mg/m3
		effects			

Area of application	Exposure route / Environmental	Effect on health	Descripto r	Value	Unit	Note
	compartment					
	Environment - freshwater		PNEC	0,017	mg/l	
	Environment - sediment, freshwater		PNEC	1,7	mg/kg dw	
	Environment - marine		PNEC	0,002	mg/l	
	Environment - sediment, marine		PNEC	0,17	mg/kg dw	
	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - soil		PNEC	0,331	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	2,17	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	56,25	mg/kg bw/d	
Consumer	Human - oral	Long term, systemic effects	DNEL	1,25	mg/kg bw/d	

©® ℝ M

Page 7 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

Workers / employees	Human - inhalation	Long term, systemic	DNEL	8,72	mg/m3	
		effects				
Workers / employees	Human - dermal	Long term, systemic	DNEL	112,5	mg/kg	
		effects			bw/d	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

OELV-8h = Occupational Exposure Limit Value (8-hour reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). |

OELV-15min = Occupational Exposure Limit Value (15-minute reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU. (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).

BLV = Biological limit value |

Other information: Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

OELV-8h = Occupational Exposure Limit Value - 8 h (8-hour reference period as a time-weighted average)
[9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). |

OELV-ST = Occupational Exposure Limit Value - Short-term (15-minute reference period)

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).

[8] = Short-term exposure limit value in relation to a reference period of 1 minute. (S.L.424.24), [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24) |

BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Skin = Possibility of a significant uptake through the skin.

[11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. (S.L.424.24), [12] = The mist is defined as the thoracic fraction. (S.L.424.24), [13] = Established in accordance with the Annex to Directive 91/322/EEC. (S.L.424.24), [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV. (S.L.424.24).

(EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (EU14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

### 8.2 Exposure controls

GB (RL M)

Page 8 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Protective gloves in butyl rubber (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

> 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: If OES or MEL is exceeded. Gas mask filter A (EN 14387), code colour brown Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state:

Liquid

GB (RL M

Page 9 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

#### Colour:

Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range: Flammability: Lower explosion limit: Upper explosion limit: Flash point: Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility: Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics:

### 9.2 Other information

No information available at present.

#### Colourless Characteristic

There is no information available on this parameter. 4,5 There is no information available on this parameter. Mixable Does not apply to mixtures. There is no information available on this parameter. 0,98 g/ml There is no information available on this parameter. Does not apply to liquids.

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** None known **10.5 Incompatible materials** Avoid contact with strong alkalis. Avoid contact with strong oxidizing agents.

#### Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

### **10.6 Hazardous decomposition products**

No decomposition when used as directed.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:	ATE	>20	mg/l/4h			calculated
						value, Vapours
Acute toxicity, by inhalation:	ATE	>5	mg/l/4h			calculated
						value, Aerosol
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						

Page 10 of 17	Pogulation /	-C) No 1007/20	OOG Appay II			
Safety data sheet according to		EC) NO 1907/20	006, Annex I			
Revision date / version: 10.01.		0004				
Replacing version dated / version	ion: 10.01.202	23 / 0001				
Valid from: 10.01.2023						
PDF print date: 10.01.2023						
Glanztrockner V						
Art.: 271999						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RĖ):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
2-Butoxyethanol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	1200	mg/kg			
Acute toxicity, by oral route:	LD50	1746	mg/kg	Rat		
Acute toxicity, by dermal	LD50	2275	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit		Irritant, Product
						removes fat.
Serious eye				Rabbit		Intensively
damage/irritation:				-		irritant
Respiratory or skin				Guinea pig		Not sensitizisin
sensitisation:						
Symptoms:						acidosis,
						ataxia,
						breathing
						difficulties,
						respiratory
						distress,
						drowsiness,
						unconsciousne
						s, annoyance,
						coughing, headaches,
						gastrointestinal
						disturbances,
						· · ·
						insomnia, mucous
						membrane
						irritation,
					1	
						dizziness

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Mouse	OECD 423 (Acute	
					Oral Toxicity - Acute	
					Toxic Class Method)	
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Dam. 1
damage/irritation:					Eye	-
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig		Not sensitizising
sensitisation:						-
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative,
					Mammalian Cell Gene	Analogous
					Mutation Test)	conclusion

GB (RL M

Page 11 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

Reproductive toxicity:	NOAEL	1000	mg/kg bw/d	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Analogous conclusion
Symptoms:						gastrointestinal disturbances
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	NOAEL	500	mg/kg	Rat	OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	

Phenolpolyethoxylate						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	500-2000	mg/kg	Rat	OECD 423 (Acute	
					Oral Toxicity - Acute	
					Toxic Class Method)	
Acute toxicity, by dermal	LD50	2140	mg/kg	Rabbit		
route:						
Aspiration hazard:						No
Symptoms:						gastrointestinal
						disturbances

### 11.2. Information on other hazards

Glanztrockner V Art.: 271999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:	· · ·					Does not apply to mixtures.
Other information:						No other relevant information available on adverse effects on health.

### **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.

GBRIM

Page 12 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

Other information:			DOC-
			elimination
			degree(complex
			ing organic
			substance)>=
			80%/28d: n.a.
Other information:	AOX	%	According to
			the recipe,
			contains no
			AOX.

2-Butoxyethanol	· - · ·					<b>_</b>	
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and degradability:		28d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	
12.2. Persistence and degradability:		28d	>99	%		OECD 302 B (Inherent Biodegradability - Zahn- Wellens/EMPA Test)	
12.3. Bioaccumulative potential:	Log Pow		0,83				Negative
12.1. Toxicity to fish:	LC50	96h	1474	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	LC50	96h	1490	mg/l	Lepomis macrochirus	, , ,	
12.1. Toxicity to fish:	NOEC/NOEL	21d	>100	mg/l	Brachydanio rerio	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	100	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	1550	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
Toxicity to bacteria:	EC0	16h	>700	mg/l	Pseudomonas putida	DIN 38412 T.8	
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
12.4. Mobility in soil:	Кос		67				Expert judgement
12.4. Mobility in soil:	H (Henry)		0,00000 16	atm*m3/ mol			,
1-Propanaminium, 2-h sulfates (salts)	ydroxy-N-(2-hy	droxypro	pyl)-N,N-din	nethyl-, die	sters with vegetable	e-oil fatty acids, C1	8-unsatd., Me
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	35d	0,686	mg/l	Pimephales	U.S. EPA	Analogous

ECOTOX

Database

conclusion

promelas

GBRIM

Page 13 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

12.2. Persistence and degradability:		28d	>60	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	1	mg/l	Daphnia magna	U.S. EPA ECOTOX Database	Analogous conclusion
12.1. Toxicity to daphnia:	EC50	48h	>8,6	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,39	mg/l	Pseudokirchnerie Ila subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	EC50	72h	1,2	mg/l	Pseudokirchnerie Ila subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to fish:	LC50	96h	>10	mg/l	Cyprinus caprio	OECD 203 (Fish, Acute Toxicity Test)	Analogous conclusion
Toxicity to bacteria:	EC50	6d	100	mg/l	activated sludge	. ,	Analogous conclusion

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and degradability:		28d	79	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Readily biodegradable
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
12.1. Toxicity to fish:	LC50	96h	>100	mg/l		OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	>128	mg/l	Daphnia pulex	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.2. Persistence and degradability:		60d	40-50	%		OECD 311 (Anaerobic Biodeg. of Organic Comp. in Digested Sludge - by Measurement of Gas Production)	
12.2. Persistence and degradability:						OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable

### **SECTION 13: Disposal considerations**

GB (RL M)

Page 14 of 17

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

#### 13.1 Waste treatment methods For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 20 01 29 detergents containing hazardous substances Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site. For contaminated packing material Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance. Recommended cleaner: Water 15 01 02 plastic packaging

### **SECTION 14: Transport information**

### General statements

Transport by road/by rail (ADR/RID)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable
Transport by sea (IMDG-code)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Marine Pollutant:	Not applicable
EmS:	Not applicable
Segregation:	Not applicable
Transport by air (IATA)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
14.6. Special precautions for user	
Unless specified otherwise, general measures for safe trans	sport must be followed.
14.7. Maritime transport in bulk according to	
Non-dangerous material according to Transport Regulation	
	-

GBRIM

Page 15 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Regulation (EC) No 1907/2006, Annex XVII 2-Butoxyethanol

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

### **SECTION 16: Other information**

**Revised sections:** 

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Irrit. 2, H315	Classification according to calculation procedure.
Eye Dam. 1, H318	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3) H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. - Skin irritation Eye Dam. — Serious eye damage Acute Tox. — Acute toxicity - oral Acute Tox. — Acute toxicity - inhalation Eye Irrit. - Eye irritation

Aquatic Chronic — Hazardous to the aquatic environment - chronic

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany). German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

n.a.

25,3 %

GB (RL M

Page 16 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Article number Art., Art. no. ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.q. Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EbCx, EyCx, EbLx (x = 10, 50) European Community FC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances ΕN **European Norms** EPA United States Environmental Protection Agency (United States of America)  $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera **European Union** EU EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable

GBRIM Page 17 of 17 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2023 / 0001 Replacing version dated / version: 10.01.2023 / 0001 Valid from: 10.01.2023 PDF print date: 10.01.2023 Glanztrockner V Art.: 271999 n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT PE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Rèalement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the RID International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone тос Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.