- GB (RL M)

Page 1 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### Glanzwachsshampoo

Art.: 46999

### 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Vehicle cleansing

#### **Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna Telefon: +49 (0) 2303 / 9 86 70 - 0

Fax: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26 info@koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

#### Emergency information services / official advisory body:

(RL)

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.: +353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week) +353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

#### Telephone number of the company in case of emergencies:

+1 872 5888271 (KCC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Skin Irrit. 2 H315-Causes skin irritation.

Eye Dam. 1 H318-Causes serious eye damage.

Aquatic Chronic 3 H412-Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

®®™M

Page 2 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999



Danger

H315-Causes skin irritation. H318-Causes serious eye damage. H412-Harmful to aquatic life with long lasting effects.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P273-Avoid release to the environment. P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

P501-Dispose of contents / container to an approved waste disposal facility.

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, C18-unsatd., Me sulfates (salts)

2-Propylheptanol, ethoxylated

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

### n.a. **3.2 Mixtures**

2-Propylheptanol, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	160875-66-1
content %	5-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 4, H302
factors	Eye Dam. 1, H318
Specific Concentration Limits and ATE	Eye Dam. 1, H318: >10 %
	ATE (oral): 700 mg/kg

2-Butoxyethanol	Substance for which an EU exposure limit value
	applies.
Registration number (REACH)	01-2119475108-36-XXXX
Index	603-014-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	203-905-0
CAS	111-76-2
content %	5-<10

-GB (RL M)-

Page 3 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 3, H331
factors	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Irrit. 2, H319
Specific Concentration Limits and ATE	ATE (oral): 1200 mg/kg
	ATE (as inhalation, Vapours): 3 mg/l

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, C18-unsatd., Me sulfates	
(salts)	
Registration number (REACH)	01-2119983493-26-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	939-685-4
CAS	
content %	3-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
	Aquatic Chronic 3, H412

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)	
Registration number (REACH)	01-2119490100-53-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	931-329-6
CAS	68155-07-7
content %	3-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
	Aquatic Chronic 2, H411

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### **Eve contact**

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. eyes, reddened

- GB (RL) M

Page 4 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

watering eyes irritation of the eyes reddening of the skin Dermatitis (skin inflammation)

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

#### Unsuitable extinguishing media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon Oxides of nitrogen

Toxic gases

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13

Fill the absorbed material into lockable containers.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

GB (RL M)-

Page 5 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Store in a dry place.

#### 7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

240 mmol butoxyacetic acid/mol creatinine in urine, post shift (BMGV)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

© Chemical Name	2-Butoxyethanol					
WEL-TWA: 25 ppm (123 mg/m3	3) (WEL), 20 ppm	WEL-STEL: 50 ppm (246 m	ng/m3) (WEL, EU)			
(98 mg/m3) (EU)						
Monitoring procedures:		Compur - KITA-190 U(C) (548 8				
		DFG MethNr. 2 (D) (Loesungs				
- 2014, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 32-2 (2004)						
		NIOSH 1403 (ALCOHOLS IV) -				
- NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996						
- OSHA 83 (2-Butoxyethanol (Butyl Cellosolve)) - 1990						
BMGV: 240 mmol butoxyacetic acid/mol creatinine in urine, post shift (BMGV) Other information: Sk (WEL)						
Chemical Name	2-Butoxyethanol					
OELV-8h: 20 ppm (98 mg/m3) (	(OELV-8h, EU)	OELV-15min: 50 ppm (246	mg/m3) (OELV-			
		15min, EU)				
Monitoring procedures:		Compur - KITA-190 U(C) (548 8				
		DFG MethNr. 2 (D) (Loesungs				
		2014, 2002 - EU project BC/CE		ard 32-2 (2004)		
		NIOSH 1403 (ALCOHOLS IV) -				
		NIOSH 2549 (VOLATILE ORGA		CREENING)) - 1996		
BIN 000 / William	- 1	OSHA 83 (2-Butoxyethanol (But	tyl Cellosolve)) - 1990	21. 1051.1/		
BLV: 200 mg/g creatinine (Buto	xyacetic acid (BAA	A) in urine, h) (ACGIH-BEI)	Other information: S	Sk, IOELV		
M Chemical Name	2-Butoxyethanol					
OELV-8h: 20 ppm (98 mg/m3) (		OELV-ST: 50 ppm (246 mg				
Monitoring procedures:		Compur - KITA-190 U(C) (548 8				
		DFG MethNr. 2 (D) (Loesungs				
		2014, 2002 - EU project BC/CE		ard 32-2 (2004)		
	- NIOSH 1403 (ALCOHOLS IV) - 2003					

NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996

Other information:

Skin

OSHA 83 (2-Butoxyethanol (Butyl Cellosolve)) - 1990

(B) (R) (M)

Page 6 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004 Valid from: 20.11.2023

2-Butoxyethanol Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
Area or application	Environmental	Lifect off fleatti	r	Value	Office	NOTE
	compartment		•			
	Environment - freshwater		PNEC	8,8	mg/l	
	Environment - marine		PNEC	0,88	mg/l	
	Environment - sediment,		PNEC	34,6	mg/kg dw	
	freshwater			_ , -	3.3	
	Environment - soil		PNEC	2,8	mg/kg dw	
	Environment - sewage		PNEC	463	mg/l	
	treatment plant		0		9,.	
	Environment - sediment,		PNEC	3,46	mg/kg dw	
	marine		11120	0, 10	mg/kg aw	
	Environment - sporadic		PNEC	9,1	mg/l	
	(intermittent) release			5, 1	1119/1	
	Environment - soil		PNEC	2,33	mg/kg	
	Environment - oral (animal		PNEC	20	mg/kg	
	feed)		INLO	20	ilig/kg	
Consumer	Human - inhalation	Long term, local	DNEL	123	mg/m3	
Consumer	Tuman - imaaton	effects	DINLL	123	IIIg/III3	
Consumer	Human - dermal	Short term, systemic	DNEL	44,5	mg/kg	
	Tuman - demiai	effects	DIVLL	77,5	bw/d	
Consumer	Human - inhalation	Short term, systemic	DNEL	426	mg/m3	
Consumer	Tuman - imaaton	effects	DINLL	420	IIIg/III3	
Consumer	Human - oral	Short term, systemic	DNEL	13,4	mg/kg	
Consumer	Tuman - Orai	effects	DINEL	13,4	bw/d	
Consumer	Human - inhalation	Short term, local	DNEL	147	mg/m3	
Consumer	Tuman - imaation	effects	DINEL	147	mg/ms	
Consumer	Human - dermal	Long term, systemic	DNEL	38	mg/kg	
Consumer	numan - dermai	effects	DINEL	30	bw/d	
Consumer	Human - inhalation		DNEL	49	mg/m3	
Consumer	numan - innaiation	Long term, systemic effects	DINEL	49	ing/ins	
Congumer	Human aral		DNEL	3,2	malle	
Consumer	Human - oral	Long term, systemic effects	DINEL	ا ع,∠	mg/kg bw/d	
Markora / amplayass	Human - dermal		DNEL	89		
Workers / employees	numan - dermai	Short term, systemic	DINEL	89	mg/kg	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	I lives are in bolation	effects	DNE	000	bw/d	
Workers / employees	Human - inhalation	Short term, systemic	DNEL	663	mg/m3	
10/	I home a sub-platica	effects	DNE	0.40		
Workers / employees	Human - inhalation	Short term, local	DNEL	246	mg/m3	
10/	<del></del>	effects	DAIE	75	/1	
Workers / employees	Human - dermal	Long term, systemic	DNEL	75	mg/kg	
	<u> </u>	effects			bw/d	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	98	mg/m3	
		effects				

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,017	mg/l	
	Environment - sediment,		PNEC	1,7	mg/kg dw	
	freshwater					
	Environment - marine		PNEC	0,002	mg/l	
	Environment - sediment,		PNEC	0,17	mg/kg dw	
	marine					

- GB (RL) M

Page 7 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - soil		PNEC	0,331	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	2,17	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	56,25	mg/kg bw/d	
Consumer	Human - oral	Long term, systemic effects	DNEL	1,25	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	8,72	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	112,5	mg/kg bw/d	

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	0,007	mg/l	
	Environment - marine		PNEC	0,0007	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,024	mg/l	
	Environment - sediment, freshwater		PNEC	0,195	mg/kg dw	
	Environment - soil		PNEC	0,0348	mg/kg dw	
	Environment - sewage treatment plant		PNEC	830	mg/l	
	Environment - sediment, marine		PNEC	0,0195	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	21,7	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	2,5	mg/kg bw/d	
Consumer	Human - dermal	Long term, local effects	DNEL	0,056	mg/cm2	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,25	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	4,16	mg/kg bw/d	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,09	mg/cm2	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	73,4	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

<sup>(8) =</sup> Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

<sup>(8) =</sup> Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

<sup>\*\* =</sup> The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

- GB (RL M)

Page 8 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

OELV-8h = Occupational Exposure Limit Value (8-hour reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE).

OELV-15min = Occupational Exposure Limit Value (15-minute reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BLV = Biological limit value |

Other information: Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

- OELV-8h = Occupational Exposure Limit Value 8 h (8-hour reference period as a time-weighted average)
- [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24).
- (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE).
- OELV-ST = Occupational Exposure Limit Value Short-term (15-minute reference period)
- (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).
- [8] = Short-term exposure limit value in relation to a reference period of 1 minute. (S.L.424.24), [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24) |
- BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Skin = Possibility of a significant uptake through the skin.
- [11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. (S.L.424.24), [12] = The mist is defined as the thoracic fraction. (S.L.424.24), [13] = Established in accordance with the Annex to Directive 91/322/EEC. (S.L.424.24), [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV. (S.L.424.24).

(EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (EU14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves in butyl rubber (EN ISO 374).

### **KochChemie**<sup>6</sup> **ExcellenceForExperts.**

GB (RL) M

Page 9 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

Protective Neoprene® / polychloroprene gloves (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Yellow Odour: Characteristic

Melting point/freezing point: There is no information available on this parameter.

Boiling point or initial boiling point and boiling range: There is no information available on this parameter. Flammability: There is no information available on this parameter. Lower explosion limit: There is no information available on this parameter. There is no information available on this parameter.

Upper explosion limit:

There is no information available on this parameter. Flash point: Auto-ignition temperature: There is no information available on this parameter. Decomposition temperature: There is no information available on this parameter.

рН: Kinematic viscosity:

Solubility:

Partition coefficient n-octanol/water (log value):

Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density:

Relative vapour density: There is no information available on this parameter.

Particle characteristics: Does not apply to liquids.

#### 9.2 Other information

No information available at present.

#### **SECTION 10: Stability and reactivity**

4.5

Mixable

There is no information available on this parameter.

- GB (RL) M

Page 10 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4 Conditions to avoid

None known

#### 10.5 Incompatible materials

Avoid contact with strong alkalis.

Avoid contact with strong oxidizing agents.

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Glanzwachsshampoo Art.: 46999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:	ATE	>20	mg/l/4h			calculated value
Acute toxicity, by inhalation:	ATE	>5	mg/l/4h			calculated value
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

2-Propylheptanol, ethoxylated						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>700-1700	mg/kg	Rat		
Acute toxicity, by oral route:	ATE	700	mg/kg			
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit		
route:						
Symptoms:						mucous
						membrane
						irritation

2-Butoxyethanol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	1200	mg/kg			

(B) (R) (M)

Page 11 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004 Valid from: 20.11.2023

Acute toxicity, by dermal route:	LD50	2275	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	ATE	3	mg/l		Deimai Toxicity)	Vapours
Skin corrosion/irritation:	AIL	3	mg/i	Rabbit	Population (EC)	Skin Irrit. 2,
Skin corrosion/irritation.				Rabbit	Regulation (EC)	
					440/2008 B.4	Product
					(DERMAL	removes fat.
					IRRITATION/CORRO	
				5.11%	SION)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Irrit. 2
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact)
Germ cell mutagenicity:				Mouse	OECD 474	Negative
					(Mammalian	
					Erythrocyte	
					Micronucleus Test)	
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
3 ,				typhimurium	Reverse Mutation	
				3,5	Test)	
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
Commodi matagemony.					Mammalian	Nogative
					Chromosome	
					Aberration Test)	
Germ cell mutagenicity:					OECD 476 (In Vitro	Negative
Germ cell mutagenicity.						Negative
					Mammalian Cell Gene	
				-	Mutation Test)	NI di
Carcinogenicity:				Rat	OECD 451	Negative
					(Carcinogenicity	
					Studies)	
Carcinogenicity:	NOAEC	125	ppm	Mouse	OECD 451	Negative
					(Carcinogenicity	
					Studies)	
Reproductive toxicity:	NOAEL	720	mg/kg			
Aspiration hazard:			bw/d			No
Symptoms:						acidosis,
Cymptome.						ataxia,
						breathing
						difficulties,
						respiratory
						distress,
						drowsiness,
						unconsciousne
						s, annoyance,
						coughing,
						headaches,
						gastrointestina
						disturbances,
						insomnia,
						mucous
						membrane
						irritation,
						dizziness,
						nausea
Specific target argen tavisit	NOAEL	-60	ma/lea	Pot	OECD 409 (Banastad	Hausea
Specific target organ toxicity -	INUAEL	<69	mg/kg	Rat	OECD 408 (Repeated	
repeated exposure (STOT-			bw/d		Dose 90-Day Oral	
RE), oral:					Toxicity Study in	
<i>//</i>					Rodents)	

(B) (R) (M)

Page 12 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004 Valid from: 20.11.2023

Specific target organ toxicity -	NOAEL	>150	mg/kg	Rabbit	OECD 411	
repeated exposure (STOT-			bw/d		(Subchronic Dermal	
RE), dermal:					Toxicity - 90-day	
					Study)	

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Mouse	OECD 423 (Acute	
					Oral Toxicity - Acute	
					Toxic Class Method)	
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Eye Dam. 1
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig		Not sensitizising
sensitisation:						
Germ cell mutagenicity:					OECD 471 (Bacterial	Negative
					Reverse Mutation	
					Test)	
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative,
					Mammalian	Analogous
					Chromosome	conclusion
					Aberration Test)	
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative,
					Mammalian Cell Gene	Analogous
					Mutation Test)	conclusion
Reproductive toxicity:	NOAEL	1000	mg/kg	Rat	OECD 414 (Prenatal	Analogous
			bw/d		Developmental	conclusion
					Toxicity Study)	
Symptoms:					• • • • • • • • • • • • • • • • • • • •	gastrointestinal
						disturbances
Specific target organ toxicity -	NOAEL	500	mg/kg	Rat	OECD 407 (Repeated	
repeated exposure (STOT-					Dose 28-Day Oral	
RE), oral:					Toxicity Study in	
•					Rodents)	

Amides, C8-18 and C18-unsa	atd., N,N-bis(	hydroxyethy	1)			
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Irritant
Serious eye				Rabbit	OECD 405 (Acute	Intensively
damage/irritation:					Eye Irritation/Corrosion)	irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:					OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative

-GB (RL M)-

Page 13 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

Carcinogenicity:				Rat		Negative
Reproductive toxicity:	NOAEL	1000	mg/kg	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	
Symptoms:						eyes, reddened, watering eyes, reddening of the skin, blisters by skin- contact, stomach pain
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	>750	mg/kg/d		OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	

#### 11.2. Information on other hazards

Glanzwachsshampoo						
Art.: 46999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

#### **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

Clanzwachachamnaa			,				
Glanzwachsshampoo							
Art.: 46999							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.

- GB (RL M)-

Page 14 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

2-Propylheptanol, ethoxylated

Endpoint

LC50

EC50

EC50

Time

96h

48h

72h

Value

>10-

100

>10-

100

10-100

Unit

mg/l

mg/l

mg/l

Organism

Oncorhynchus

Daphnia magna

Scenedesmus

subspicatus

tshawytscha

Test method

Notes

Analogous

conclusion

Analogous

conclusion

Analogous conclusion

Toxicity / effect

12.1. Toxicity to

daphnia:

12.1. Toxicity to fish:

12.1. Toxicity to algae:

Art.: 46999

12.2. Persistence and						The
degradability:						surfactant(s)
""						contained in
						this mixture
						complies(compl
						y) with the
						biodegradability
						criteria as laid
						down in
						Regulation
						(EC)
						No.648/2004
						on detergents.
						Data to support
						this assertion
						are held at the
						disposal of the
						competent
						authorities of
						the Member
						States and will
						be made
						available to
						them, at their
						direct request
						or at the
						request of a
						detergent
						manufacturer.
12.3. Bioaccumulative						n.d.a.
potential:						
12.4. Mobility in soil:						n.d.a.
12.5. Results of PBT						n.d.a.
and vPvB assessment						
12.6. Endocrine						Does not apply
disrupting properties:						to mixtures.
12.7. Other adverse						No information
effects:						available on
						other adverse
						effects on the
						environment.
Other information:						DOC-
						elimination
						degree(complex
						ing organic
						substance)>=
						80%/28d: n.a.
Other information:	AOX		%			According to
						the recipe,
						contains no
						AOX.
	•		•	•	-	

(B) (R) (M)

Page 15 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004 Valid from: 20.11.2023

12.2. Persistence and degradability:	BOD	28d	>60	%	Readily biodegradable
12.5. Results of PBT and vPvB assessment					No PBT substance, No vPvB substance

2-Butoxyethanol Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1474	mg/l	Oncorhynchus	OECD 203	110100
12.11 Toxiony to nom.	2000	0011			mykiss	(Fish, Acute	
					Injuico	Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	21d	>100	mg/l	Brachydanio rerio	OECD 204	
12.11. Toxiony to non.	NOLOMOLL	210	7100	1119/1	Braonyaanio rono	(Fish, Prolonged	
						Toxicity Test -	
						14-Day Study)	
12.1. Toxicity to	EC50	48h	1550	mg/l	Daphnia magna	OECD 202	
daphnia:	2000	7011	1550	1119/1	Daprilla magna	(Daphnia sp.	
аартта.						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to	NOEC/NOEL	21d	100	mg/l	Daphnia magna	OECD 211	
daphnia:	NOLO/NOLL	210	100	1119/1	Daprilla magna	(Daphnia magna	
чарппа.						Reproduction	
						Test)	
12.1. Toxicity to algae:	EC50	72h	1840	mg/l	Pseudokirchnerie	OECD 201	
12.1. Toxicity to algae.	LC30	1211	1040	ilig/i	lla subcapitata	(Alga, Growth	
					iia subcapitata	Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	286	mg/l	Pseudokirchnerie	OECD 201	
12.1. Toxicity to algae.	NOLC/NOLL	1211	200	ilig/i	lla subcapitata	(Alga, Growth	
					iia subcapitata	Inhibition Test)	
12.2. Persistence and		28d	95	%		OECD 301 E	Readily
degradability:		20u	33	/0		(Ready	biodegradable
degradability.						Biodegradability -	biodegradable
						Modified OECD	
						Screening Test)	
12.2. Persistence and		28d	>99	%		OECD 302 B	Readily
degradability:		200	255	/0		(Inherent	biodegradable
degradability.						Biodegradability -	biodegradable
						Zahn-	
						Wellens/EMPA	
						Test)	
12.3. Bioaccumulative	BCF		3,2			1631)	Slight
potential:	BOI		3,2				Oligin
12.3. Bioaccumulative	Log Pow		0,81			OECD 107	Not to be
potential:	Logion		0,01			(Partition	expected
poterniai.						Coefficient (n-	Схросіса
						octanol/water) -	
						Shake Flask	
						Method)	
12.4. Mobility in soil:	H (Henry)		0,00000	atm*m3/			
	,		16	mol			
12.5. Results of PBT			1				No PBT
and vPvB assessment							substance, No
							vPvB
							substance
Toxicity to bacteria:	EC10	16h	>700	mg/l	Pseudomonas	DIN 38412 T.8	2420141100
. chaony to baotoria.	-0.0		50	y, .	putida	00 . 12 1.0	

(B) (R) (M)

Page 16 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo Art.: 46999

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	35d	0,686	mg/l	Pimephales	U.S. EPA	Analogous
					promelas	ECOTOX	conclusion
						Database	
12.1. Toxicity to fish:	LC50	96h	>10	mg/l	Cyprinus caprio	OECD 203	Analogous
						(Fish, Acute	conclusion
						Toxicity Test)	
12.1. Toxicity to	NOEC/NOEL	21d	1	mg/l	Daphnia magna	U.S. EPA	Analogous
daphnia:						ECOTOX	conclusion
						Database	
12.1. Toxicity to	EC50	48h	>8,6	mg/l	Daphnia magna	OECD 202	Analogous
daphnia:						(Daphnia sp.	conclusion
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,39	mg/l	Pseudokirchnerie	OECD 201	Analogous
					lla subcapitata	(Alga, Growth	conclusion
			+		<u> </u>	Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	1,2	mg/l	Pseudokirchnerie	OECD 201	Analogous
					lla subcapitata	(Alga, Growth	conclusion
40.0 Danaiatanaa and		00-1	00	0/		Inhibition Test)	D 101
12.2. Persistence and		28d	>60	%		OECD 301 F	Readily
degradability:						(Ready	biodegradable
						Biodegradability -	
						Manometric	
						Respirometry	
Tovicity to bootorio:	EC50	6d	100	ma/l	activated sludge	Test)	Analogous
Toxicity to bacteria:	EC30	ou	100	mg/l	activated studge		Analogous conclusion
							COLICIUSION

Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl)							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	2,4	mg/l	Oncorhynchus	OECD 203	
					mykiss	(Fish, Acute	
						Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	28d	0,32	mg/l	Oncorhynchus	OECD 204	
					mykiss	(Fish, Prolonged	
						Toxicity Test -	
						14-Day Study)	
12.1. Toxicity to	NOEC/NOEL	21d	0,07	mg/l	Daphnia magna	OECD 211	
daphnia:						(Daphnia magna	
						Reproduction	
						Test)	
12.1. Toxicity to	EC50	48h	3,2	mg/l	Daphnia magna	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	EC50	72h	3,9	mg/l	Scenedesmus	OECD 201	
					subspicatus	(Alga, Growth	
						Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,3	mg/l	Scenedesmus	OECD 201	
					subspicatus	(Alga, Growth	
						Inhibition Test)	

- GB (RL) M

Page 17 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

12.2. Persistence and		28d	92,5	%	OECD 301 B Readily
degradability:					(Ready biodegradable Biodegradability -
					Co2 Evolution Test)
12.3. Bioaccumulative potential:	Log Pow		3,75		
12.3. Bioaccumulative potential:	BCF		65,36		Low
Toxicity to bacteria:	EC50	16h	6000	mg/l	DIN 38412 T.8

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

#### **SECTION 14: Transport information**

#### **General statements**

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableTunnel restriction code:Not applicableClassification code:Not applicableLQ:Not applicableTransport category:Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableMarine Pollutant:Not applicableEmS:Not applicableSegregation:Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

- GB (RL) M

Page 18 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

5,3 %

#### **REGULATION (EC) No 648/2004**

5 % or over but less than 15 % non-ionic surfactants less than 5 % cationic surfactants

National requirements/regulations on safety and health protection must be applied when using work equipment.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

Revised sections:

3, 11, 12, 16

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation	Evaluation method used		
(EC) No. 1272/2008 (CLP)			
Skin Irrit. 2, H315	Classification according to calculation procedure.		
Eye Dam. 1, H318	Classification according to calculation procedure.		
Aquatic Chronic 3, H412	Classification according to calculation procedure.		

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

- GB (RL M)

Page 19 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Acute Tox. — Acute toxicity - oral Acute Tox. — Acute toxicity - inhalation

Eye Irrit. — Eye irritation

#### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community
ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx,  $E\mu Cx$ , ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

\_GB (RL M)

Page 20 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.11.2023 / 0005

Replacing version dated / version: 15.11.2023 / 0004

Valid from: 20.11.2023 PDF print date: 20.11.2023 Glanzwachsshampoo

Art.: 46999

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

**IUCLIDInternational Uniform Chemical Information Database** 

IUPAC International Union for Pure Applied Chemistry

LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSH National Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

### Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.