Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Region: IE Replaced version: -. issued: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

Gummi- & Kunststoffpflege glänzend

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

care product for plastic

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

+49-2303-9 86 70-0 Telephone no. Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 **Emergency telephone number**

+353 1 809 2166 (National Poisons Information Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 2; H411 Flam. Liq. 2; H225 STOT SE 3: H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms







Signal word

Danger

Hazardous component(s) to be indicated on label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Hazard statement(s)

H225

Highly flammable liquid and vapour.

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapours/spray.
P273 Avoid release to the environment.

P312 Call a POISON CENTER/doctor if you feel unwell.

P370+P378 In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.

P391 Collect spillage.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	Hydrocarbons, C7-	C9, n-alkanes, isoalkanes, cyclics				
	-	Asp. Tox. 1; H304	>=	70,00 - <	90,00	%-b.w.
	920-750-0	Aquatic Chronic 2; H411				
	-	Flam. Liq. 2; H225				
	01-2119473851-33	STOT SE 3; H336				
		EUH066				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration.

After skin contact

In case of contact with skin wash off with water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting - aspiration hazard. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Effects

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Oxides of silica; Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.



Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	CAS / EC no	
	Route of exposure			Value	Value	
1	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics -					
	920-750-0					
	dermal	Long term (chronic)	systemic	773	mg/kg/day	
	inhalative	Long term (chronic)	svstemic	2035	mg/m³	

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure		Effect	Value	
1	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		-		
				920-750-0	
	oral	Long term (chronic)	systemic	699	mg/kg/day
	dermal	Long term (chronic)	systemic	699	mg/kg/day
	inhalative	Long term (chronic)	systemic	608	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile

Material thickness 0,4 mm

Appropriate Material fluorintated rubber

Material thickness 0,7 mm
Breakthrough time > 480 min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
colourless	

Odour	
solvent-like	

Odour threshold	
No data available	

pH value	
Not applicable	

Boiling point / boiling range				
Value	106 - 140 °C			
Reference substance	EC 920-750-0			
Source	supplier			

Melting point / melting range	
No data available	

Decomposition point / decomposition range	
No data available	

Flash point					
Value	~	0	°C		

Ignition temperature				
Value	256 °C			
Reference substance	EC 920-750-0			
Source	supplier			

Auto-ignition temperature
No data available

Oxidising properties
not oxidizing

Explosive properties
This product is not explosive. In and after use danger of production of inflammable compounds.

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

Flammability (solid, gas)								
No data available								
Lower flammability or explosive limits								
Value		0,9	% vol					
Reference substance	EC 920-750-0							
Source	supplier							
Upper flammability or explosive limits								
Value		7	% vol					
Reference substance	EC 920-750-0							
Source	supplier							
Vapour pressure								
No data available								
Vapour density								
No data available								
Evaporation rate								
No data available								
Relative density								
Value		0,78						

Solubility in water		
Commonts	immiscible	

Solubility(ies)	
No data available	

Partition coefficient: n-octanol/water No data available

Viscosity	scosity				
Value	46,154 mm²/s				
Reference temperature	40 °C				

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

Density

No data available

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Static discharges.

10.5 Incompatible materials

strong oxidizing agents; strong acids; strong bases

10.6 Hazardous decomposition products

None, if handled according to intended use.

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity							
No	Substance name		CAS no.		EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	ines,	-		920-750-0			
	cyclics							
LD50 >		>		5840	mg/kg bodyweight			
Species		rat						
Sou	rce	ECHA						

Acu	Acute dermal toxicity							
No	Substance name			CAS no.			EC no.	
1	Hydrocarbons, C7-C9, n-alkanes, isoalk	anes,		-			920-750-0	
	cyclics							
LD5	0	>	2800		-	3100	mg/kg bodyweight	
Spec	cies	rat						
Source		ECHA						

Acu	Acute inhalational toxicity							
No	Substance name		CAS no.		EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes,	-		920-750-0			
	cyclics							
LC5	LC50 >			23,3	mg/l			
Dura	ation of exposure			4	h			
State of aggregation		Vapour						
Spe	cies	rat						
Soul	rce	ECHA						

Skir	Skin corrosion/irritation							
No	Substance name		CAS no.	EC no.				
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes,	-	920-750-0				
	cyclics							
Spe	cies	rabbit						
Meth	hod	OECD 404						
Source		ECHA						
Eval	Evaluation							

Seri	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	Hydrocarbons, C7-C9, n-alkanes, isoalk	anes,		920-750-0		
	cyclics					
Spec	cies	rabbit				
Sour	rce	ECHA				
Eval	uation	non-irritant				

Res	Respiratory or skin sensitisation				
No	Substance name	CAS	S no.	EC no.	
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0	
	cyclics				
Rou	te of exposure	Skin			
Spe	cies	guinea pig			
Soul	rce	ECHA			
Eval	uation	non-sensitizing			

Ger	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	Hydrocarbons, C7-C9, n-alkanes, isoalkanes,	-	920-750-0		
	cyclics				

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Rep	Reproduction toxicity					
No	Substance name	CAS no.	EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	ines, -	920-750-0			
	cyclics					
Source ECHA		ECHA				
Evaluation/classification Based on available data, the classification criteria are not met			assification criteria are not met			

No data available

STOT - single exposure

No data available

STO	STOT - repeated exposure					
No	Substance name		CAS no.	EC no.		
1	Hydrocarbons, C7-C9, n-alkanes, isoalka cyclics	anes,	-	920-750-0		
Rou	te of exposure	inhalational				
Spec	cies	rat				
Soul	rce	ECHA				
Eval	uation/classification	Based on av	ailable data, the cl	assification criteria are not met.		

Aspiration hazard	
No data available	

SECTION 12: Ecological information

12.1 Toxicity

Toxi	icity to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0	
	cyclics				
LL50	0	3	- 10	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Oncorhynchus mykiss			
Metl	hod	OECD 203			
Sou	rce	ECHA			

Toxi	Toxicity to fish (chronic)					
No	Substance name	CAS no.		EC no.		
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0		
	cyclics					
NOE	ELR		0,57	mg/l		
Dura	ation of exposure		28	day(s)		
Spe	cies	Oncorhynchus mykiss				
Meth	hod	(Q)SAR				
Soul	rce	ЕСНА				

Toxi	Toxicity to Daphnia (acute)						
No	Substance name	CAS no.			EC no.		
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -			920-750-0		
	cyclics						
EL50	0	4,6	-	10	mg/l		
Dura	ation of exposure			48	h		
Spec	cies	Daphnia magna					
Meth	nod	OECD 202					
Soul	rce	ECHA					

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

Toxi	Toxicity to Daphnia (chronic)						
No	Substance name	CAS no.		EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0			
	cyclics						
NOE	ELR	1	- 1,6	mg/l			
Dura	ation of exposure		21	day(s)			
Spe	cies	Daphnia magna					
Metl	hod	OECD 211					
Sou	rce	ECHA					

Tox	Toxicity to algae (acute)						
No	Substance name	CAS	no.	EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0			
	cyclics						
EL5	0	10	- 30	mg/l			
Dura	ation of exposure		72	h			
Spe	cies	Pseudokirchneriella	subcapitata				
Metl	hod	OECD 201					
Sou	rce	ECHA					

Toxi	Toxicity to algae (chronic)						
No	Substance name	CAS no.		EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0			
	cyclics						
NOELR			6,3	mg/l			
Duration of exposure			3	day(s)			
Species		Pseudokirchneriella subcapitata					
Method		OECD 201					
Source		ECHA					

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

_ <u>: :</u>	in El Sistemos una acgradability						
Biodegradability							
No	Substance name	CAS no.		EC no.			
1	Hydrocarbons, C7-C9, n-alkanes, isoalka	anes, -		920-750-0			
	cyclics						
Туре		aerobic biodegradation					
Value			98	%			
Duration			28	day(s)			
Method		OECD 301 F					
Source		ECHA					
Evaluation		readily biodegradable					

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment						
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.					
vPvB assessment	According to the information provided in the supply chain, the					

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not let enter the product into drains or waterways and do not store on public depositories.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 3
Classification code F1
Packing group II
Hazard identification no. 33
UN number UN1993

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Technical name Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Special Provision 640 640D
Tunnel restriction code D/E
Label 3

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 3
Packing group II
UN number UN1993

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Technical name Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

EmS F-E, S-E

Label 3

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 3
Packing group II
UN number UN1993

Proper shipping name Flammable liquid, n.o.s.

Technical name Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Label

14.4 Other information

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe No 3, 40 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

E2, P5b

If the properties of the substance/product give rise to more than one classification, for the purposes of 2012/18/UE, the lowest qualifying quantities set out in Part 1 and Part 2 of Annex I shall apply.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H304 May be fatal if swallowed and enters airways.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

EU safety data sheet

KochChemie® ExcellenceForExperts.

Trade name: Gummi- & Kunststoffpflege glänzend

Product no.: 295999

Current version: 1.0.0, issued: 09.09.2020 Replaced version: -, issued: - Region: IE

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769449