Trade name: Gummifix Product no.: 48999 Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

Gummifix

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

care product for plastic

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

H225

H319

H336

Hazardous component(s) to be indicated on label: propan-2-ol

Hazard statement(s)

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Trade name: Gummifix Product no.: 48999

Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P261	Avoid breathing vapours/spray.
P280	Wear eye protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378	In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP)		Concentration		%	
	REACH no					
1	propan-2-ol					
	67-63-0	Eye Irrit. 2; H319	>=	70,00 - <	90,00	%-b.w.
	200-661-7	Flam. Liq. 2; H225				
	603-117-00-0	STOT SE 3; H336				
	01-2119457558-25					
E.III	200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225	/-	70,00 - <	90,00	

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Product no.: 48999

Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Keep away from ignition sources.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area.

Advice on protection against fire and explosion

Product no.: 48999

Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

Vapours can form an explosive mixture with air. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Use explosion-proof equipment/fittings and non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	no
	Route of exposure Exposure time Effect			Value	
1	propan-2-ol				
	dermal	Long term (chronic)	systemic	888	mg/kg/day
	inhalative	Long term (chronic)	systemic	500	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC	no
	Route of exposure Exposure time		Effect	Value	
1	propan-2-ol			67-63-0	
				200-661-	7
	oral	Long term (chronic)	systemic	26	mg/kg/day
	dermal	Long term (chronic)	systemic	319	mg/kg/day
	inhalative	Long term (chronic)	systemic	89	mg/m³

PNEC values

No	Substance name		CAS / EC	no
	ecological compartment	Туре	Value	
1	propan-2-ol		67-63-0	
			200-661-7	7
	water	fresh water	140,9	mg/L
	water	Aqua intermittent	140,9	mg/L
	water	marine water	140,9	mg/L
	water	fresh water sediment	552	mg/L
	water	marine water sediment	552	mg/L
	soil	-	28	mg/kg
	sewage treatment plant	-	2251	mg/L
	secondary poisoning	-	160	mg/kg
	with reference to: food			

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and

Trade name: Gummifix Product no.: 48999 Current version : 1.0.0, issued: 08.09.2020 Region: MT Replaced version: -, issued: solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn. Personal protective equipment **Respiratory protection** If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus. Eye / face protection Safety glasses with side protection shield (EN 166) Hand protection Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material butyl Material thickness > 0,5 mm Breakthrough time > 120 min Other Chemical-resistant work clothes. **Environmental exposure controls**

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour						
liquid						
blue						
Odour						
alcohol-like						
Odour threshold						
No data available						
pH value						
Value		6,8	- 7,2			
Boiling point / boiling range						
Value			80	°C		
			00	5		
Melting point / melting range						
Value	<		-40	°C		
Decomposition point / decomposition ran	ige					
No data available						
Flash point						
Value	~		14	°C		
Auto-ignition temperature No data available						
Oxidising properties						
not oxidizing						
Explosive properties						
This product is not explosive. In and after us	e danger	of product	tion of inflar	nmable compoun	ds.	
		1				

Trade name: Gummifix Product no.: 48999					
Current version : 1.0.0, issued: 08.09.2020	Replaced	d version: - , iss	ued: -		Region: MT
Flammability (solid, gas) No data available					
Lower flammability or explosive limits No data available					
Upper flammability or explosive limits No data available					
Vapour pressure Value		3,8	kPa		
Vapour density No data available					
Evaporation rate No data available					
Relative density No data available					
Density Value Reference temperature		0,84 20	g/cm³ °C		
Solubility in water Comments	miscible				
Solubility(ies) No data available					
Partition coefficient: n-octanol/waterNoSubstance name		CAS no.		EC no.	
1 propan-2-ol log Pow Reference temperature Source Source	ECHA	67-63-0	0,05 25	200-661-7 °C	
Viscosity No data available					
9.2 Other informationOther informationNo data available.					
SECTION 10: Stability and reactivity					
10.1 Reactivity No data available.					

- **10.2 Chemical stability** Stable under recommended storage and handling conditions (See section 7).
- **10.3 Possibility of hazardous reactions** None, when used as directed.
- 10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Static discharges.

- **10.5** Incompatible materials strong oxidizing agents
- **10.6 Hazardous decomposition products** None, if handled according to intended use.

Product no.: 48999

Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity			
No Substance name		CAS no.	EC no.
1 propan-2-ol		67-63-0	200-661-7
LD50		5	840 mg/kg bodyweight
Species	rat		5×5 5 5
Method	OECD 401		
Source	ECHA		
Evaluation/classification	-	able data, the cla	assification criteria are not met.
Acute dermal toxicity	·		
No data available			
Acute inhalational toxicity			
No Substance name		CAS no.	EC no.
1 propan-2-ol		67-63-0	200-661-7
LC50	>	1	0000 ppmV
Duration of exposure		6	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on avail	able data, the cla	assification criteria are not met.
Skin corrosion/irritation			
No Substance name		CAS no.	EC no.
1 propan-2-ol		67-63-0	200-661-7
Species	rabbit		200 001 /
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification		able data, the cla	assification criteria are not met.
		·····; ·····;	
Sociale ava damada/irritation			
Serious eye damage/irritation		CAS no	EC no
No Substance name		CAS no.	EC no.
NoSubstance name1propan-2-ol		CAS no. 67-63-0	EC no. 200-661-7
No Substance name 1 propan-2-ol Species	rabbit		
No Substance name 1 propan-2-ol Species Method	rabbit OECD 405		
No Substance name 1 propan-2-ol Species Method Source Source	rabbit OECD 405 ECHA		
No Substance name 1 propan-2-ol Species Method Source Evaluation	rabbit OECD 405 ECHA irritant	67-63-0	200-661-7
No Substance name 1 propan-2-ol Species Method Source Source	rabbit OECD 405 ECHA irritant	67-63-0	
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation Evaluation Respiratory or skin sensitisation	rabbit OECD 405 ECHA irritant Based on avail	able data, the cla	200-661-7 assification criteria are met.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name	rabbit OECD 405 ECHA irritant Based on avail	able data, the cla CAS no.	200-661-7 assification criteria are met. EC no.
No Substance name 1 propan-2-ol Species Method Method Source Evaluation Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol	rabbit OECD 405 ECHA irritant Based on avail	able data, the cla	200-661-7 assification criteria are met.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation/classification Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure	rabbit OECD 405 ECHA irritant Based on avail	able data, the cla CAS no.	200-661-7 assification criteria are met. EC no.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species	rabbit OECD 405 ECHA irritant Based on avail	able data, the cla CAS no.	200-661-7 assification criteria are met. EC no.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species Method Species	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406	able data, the cla CAS no.	200-661-7 assification criteria are met. EC no.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species Method Source	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA	57-63-0 lable data, the cla CAS no. 57-63-0	200-661-7 assification criteria are met. EC no.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation/classification Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species Method Source Evaluation Source	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA non-sensitizing	57-63-0 lable data, the cla CAS no. 57-63-0	200-661-7 assification criteria are met. EC no. 200-661-7
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation/classification Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species Method Source	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA non-sensitizing	57-63-0 lable data, the cla CAS no. 57-63-0	200-661-7 assification criteria are met. EC no.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation/classification Evaluation/classification Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species Method Source Evaluation Source	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA non-sensitizing	57-63-0 lable data, the cla CAS no. 57-63-0	200-661-7 assification criteria are met. EC no. 200-661-7
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation/classification Evaluation/classification Respecies Route of exposure Species Species Method Source Evaluation/classification	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA non-sensitizing Based on avail	57-63-0 lable data, the cla CAS no. 57-63-0	200-661-7 assification criteria are met. EC no. 200-661-7
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation/classification Evaluation/classification Respecies Route of exposure Species Species Method Source Evaluation/classification Species Method Source Evaluation/classification Evaluation/classification Evaluation/classification	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA non-sensitizing Based on avail	27-63-0 able data, the cla CAS no. 57-63-0 able data, the cla	200-661-7 assification criteria are met. EC no. 200-661-7 assification criteria are not met.
No Substance name 1 propan-2-ol Species Method Source Evaluation Evaluation Evaluation Evaluation/classification Motion Respiratory or skin sensitisation No Substance name 1 propan-2-ol Route of exposure Species Method Source Evaluation Evaluation Evaluation Evaluation Evaluation Evaluation Bource Evaluation Source Evaluation Source Evaluation Source Evaluation Source Evaluation Source Evaluation Evaluation Evaluation Evaluation Evaluation Bourdet Collogeneration Evaluation Substance name Evaluation Bourdet Collogeneration Evaluation Bourdet Collogeneration Evaluation Bourdet Collogeneration Evaluation Bourdet Collogeneration Evaluation	rabbit OECD 405 ECHA irritant Based on avail Skin guinea pig OECD 406 ECHA non-sensitizing Based on avail	CAS no. CAS no. CAS no. CAS no. CAS no.	200-661-7 assification criteria are met. EC no. 200-661-7 assification criteria are not met. EC no.

Product no.: 48999

Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

Reproduction to	xicity		
No data available			
Carcinogenicity			
No data available			
STOT - single ex	posure		
No data available			
STOT - repeated	exposure		
No Substance	name	CAS no.	EC no.
1 propan-2-o		67-63-0	200-661-7
Route of exposur	е	inhalational	
Source		ECHA	
Evaluation/classi	ication	Based on available data, the clas	sification criteria are not met.
Aspiration haza	ď		

No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.	
1	propan-2-ol	67-63-0		200-661-7	
LC5			9640	mg/l	
	ation of exposure		96	h	
Spe		Pimephales promelas			
Meth		OECD 203			
Sou	rce	ECHA			
Toxi	city to fish (chronic)				
	lata available				
T . 1					
	city to Daphnia (acute)	010		50	
No	Substance name	CAS no.		EC no.	
1 EC5	propan-2-ol	67-63-0 >	10000	200-661-7	
	o ation of exposure	7	24	mg/l h	
Spe		Daphnia magna	24	11	
Meth		OECD 202			
Sou		ECHA			
	city to Daphnia (chronic)				
No c	lata available				
Toxi	city to algae (acute)				
	lata available				
Toxicity to algae (chronic)					
No data available					
Bac	teria toxicity				
	lata available				

12.2 Persistence and degradability

Biod	legradability			
No	Substance name		CAS no.	EC no.
1	propan-2-ol		67-63-0	200-661-7
Туре)	BOD/COD		
Valu	e		53	%
Dura	ation		5	day(s)

Trade name: Gummifix Product no.: 48999 Current version : 1.0.0, issued: 08.09.2020 Replaced version: -, issued: Region: MT

Source	ECHA
Evaluation	readily biodegradable

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water							
No	Substance name		CAS no.		EC no.		
1	propan-2-ol		67-63-0		200-661-7		
log Pow				0,05			
Reference temperature				25	°C		
Sou	rce	ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.		
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.		

12.6 Other adverse effects

No data available.

12.7 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1219
Proper shipping name	ISOPROPANOL solution
Tunnel restriction code	D/E
Label	3

KochChemie[®] ExcellenceForExperts.

Trade name: Gummifix Product no.: 48999 Current version : 1.0.0, issued: 08.09.2020 Region: MT Replaced version: -. issued: -14.2 Transport IMDG 3 Class Packing group Ш **UN** number UN1219 **ISOPROPANOL** solution Proper shipping name F-E, S-D EmS I abel 3 14.3 Transport ICAO-TI / IATA 3 Class Packing group п **UN** number UN1219 Isopropanol solution Proper shipping name Label 3 14.4 Other information No data available. 14.5 Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3. 14.6 Special precautions for user No data available. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not relevant **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES					
The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.	No 3, 40				

 Directive 2012/18/EU
 on the control of major-accident hazards involving dangerous substances

 This product is subject to Part I of Annex I, risk category:
 P5b

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Trade name: Gummifix Product no.: 48999

Current version : 1.0.0, issued: 08.09.2020

Replaced version: -, issued: -

Region: MT

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164. National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767977