Trade name: Hallenreiniger mild-sauer Product no.: 301999 Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

Hallenreiniger mild-sauer

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Cleaner

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna +49-2303-9 86 70-0 Telephone no. Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Tra	de name: Hallenreiniger	mild-sauer
Pro	duct no.: 301999	
Curr	rent version : 2.0.0, issued: 30.0	D6.2021 Replaced version: 1.0.0, issued: 10.09.2020 Region: GB
1	Danger	
	Hazardous componer phosphoric acid methanesulphonic-acid 2-propylheptane-1-ol, e	
	Hazard statement(s) H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
	Precautionary statem	ent(s)
	P260 P280	Do not breathe vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Substance name				
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration	%	
	REACH no					
1	phosphoric acid					
	7664-38-2	Met. Corr. 1; H290	>=	10.00 - < 25.00	wt%	
	231-633-2	Skin Corr. 1B; H314				
	015-011-00-6	Acute Tox. 4; H302				
	01-2119485924-24	Eye Dam. 1; H318				
2	methanesulphonic-acid					
	75-75-2	Skin Corr. 1B; H314	>=	5.00 - < 10.00	wt%	
	200-898-6	Met. Corr. 1; H290				
	607-145-00-4	Acute Tox. 4; H302				
	01-2119491166-34	Acute Tox. 4; H312				
		STOT SE 3; H335				
3	2-propylheptane-1-	ol, ethoxylated				
	160875-66-1	Eye Dam. 1; H318	<	5.00	wt%	
	-	Acute Tox. 4; H302				
	-					
	-					
Full	Text for all H-phrases	and EUH-phrases: pls. see section 16	•		•	

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25% Eye Dam. 1; H318: C >= 25%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	500 mg/kg bodyweight				
2	649 mg/kg bodyweight	1001 mg/kg bodyweight			

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas. Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Phosphorus oxides; Nitrogen oxides (NOx); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dilute with plenty of water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	phosphoric acid	7664-38-2		231-633-2
	List of approved workplace exposure limits (WELs) /	EH40		
	Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	
	2000/39/EC			
	Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

DNEL, DMEL and PNEC values

DNEL values (worker)

DNEL value (consumer)

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	phosphoric acid			7664-38-2 231-633-2	
	inhalative	Long term (chronic)	local	1	mg/m³
	inhalative	Short term (acut)	local	2	mg/m³
	inhalative	Long term (chronic)	systemic	10.7	mg/m³
2	methanesulphonic-aci	d		75-75-2 200-898-6	3
	dermal	Long term (chronic)	systemic	19.44	mg/kg/day
	inhalative	Long term (chronic)	systemic	6.76	mg/m³
	inhalative	Long term (chronic)	local	0.7	mg/m³

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	phosphoric acid			7664-38-2	
				231-633-2	
	oral	Long term (chronic)	systemic	0.1	mg/kg/day
	inhalative	Long term (chronic)	local	0.36	mg/m³
	inhalative	Long term (chronic)	systemic	4.57	mg/m³
2	methanesulphonic-acid			75-75-2	
				200-898-6	
	oral	Long term (chronic)	systemic	8.33	mg/kg/day
	dermal	Long term (chronic)	systemic	8.33	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.44	mg/m³
	inhalative	Long term (chronic)	local	0.42	mg/m³

PNEC values

No	Substance name		CAS / EC no	1
	ecological compartment	Туре	Value	
1	methanesulphonic-acid		75-75-2 200-898-6	
	water	fresh water	0.012	mg/L
	water	marine water	0.001	mg/L
	water	Aqua intermittent	0.12	mg/L
	water	fresh water sediment	0.044	mg/kg
	water	marine water sediment	0.004	mg/kg
	soil	-	0.002	mg/kg
	sewage treatment plant	-	100	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Trade name: Hallenreiniger mild-sauer Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	neoprene		
Appropriate Material	Polychloroprene		
Appropriate Material	butyl rubber		
Material thickness	>	0.5	mm
Breakthrough time	>	30	min
Othor			

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation
liquid
Form/Colour
liquid
red
Odour
characteristic
pH value
Value < 1
Boiling point / boiling range
No data available
Melting point/freezing point
No data available
Decomposition temperature
No data available
Flash point
Not applicable
Ignition temperature
No data available
Oxidising properties
not oxidizing
Flammability
No data available
Lower explosion limit
No data available
Upper explosion limit
No data available
Vapour pressure
No data available

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

Relative density					
No data available					
Density					
Value	1.12 g/cm ³				
Reference temperature	20 °C				
Solubility in water					
Comments	miscible				
Solubility					
No data available					
Partition coefficient n-octanol/wat	er (log value)				
No data available					
Viscosity					
No data available					
Particle characteristics					
No data available					

Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials strong bases; strong oxidizing agents

10.6 Hazardous decomposition products None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No	Product Name	
1	Hallenreiniger mild-sauer	
Corr	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

No Substance name	CAS no.	EC no.
1 phosphoric acid	7664-38-2	231-633-2
LD50	300 -	
Species	rat	
Method	OECD 423	
Source	ECHA	
2 methanesulphonic-acid	75-75-2	200-898-6
LD50		649 mg/kg bodyweight
Species	rat	
Method	OECD 401	
Source	ECHA	
Evaluation/classification	Based on available data, the	e classification criteria are met.
Acute dermal toxicity (result of the ATE calc	ulation for the mixture)	
No Product Name		
1 Hallenreiniger mild-sauer		
Comments		culation method according to the
		1272/2008 (CLP), Paragraph 3.1.3.6,
		the values that imply a classification / ording to table 3.1.1 defining the
	respective categories (ATE	
Acute dermal toxicity		
No Substance name	CAS no.	EC no.
1 methanesulphonic-acid	75-75-2	200-898-6
LD50	>=	1000 mg/kg bodyweight
Species	rabbit	
Method	OECD 402	
Source	ECHA	
Evaluation/classification	Based on available data, the	e classification criteria are met.
Acute inhalational toxicity		
No data available		
Skin corrosion/irritation		
No data available		
Serious eye damage/irritation No Substance name	CAS ===	FO no
No Substance name 1 phosphoric acid	CAS no. 7664-38-2	EC no. 231-633-2
		231-633-2
Species Source	rabbit ECHA	
Evaluation	strongly corrosive	
2 methanesulphonic-acid	75-75-2	200-898-6
Species	rabbit	
Method	OECD 405	
Source	ECHA	
Evaluation	Irreversible effects on the ey	/e
Evaluation/classification	Based on available data, the	e classification criteria are met.
Respiratory or skin sensitisation		
No data available		
Germ cell mutagenicity No Substance name		EC no.
	CAS no.	EC no.
1 phosphoric acid	7664-38-2 ECHA	231-633-2
Sourco		
Source Evaluation/classification		classification criteria are not met
Evaluation/classification		e classification criteria are not met.
		e classification criteria are not met. EC no.

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

1	phosphoric acid	7664-38-2	231-633-2
Sou		ECHA	201 000 2
	luation/classification	Based on available data, the class	sification criteria are not met.
0			
	cinogenicity		
No	data available		
ST	OT - single exposure		
No	data available		
ST	DT - repeated exposure		
No	data available		
As	biration hazard		
	data available		

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

0	Substance name		CAS no.		EC no.	
	methanesulphonic-acid		75-75-2		200-898-6	
C50	0			73	mg/l	
	ation of exposure			96	h	
	cies	Oncorhyr	ichus mykiss			
/leth		OECD 20	3			
Sour	rce	ECHA				
	city to fish (chronic)					
lo d	lata available					
oxi	city to Daphnia (acute)					
lo	Substance name		CAS no.		EC no.	
	phosphoric acid		7664-38-2		231-633-2	
C5		>		100	mg/l	
	ation of exposure			48	h	
	cies	Daphnia ı				
/leth		OECD 20	2			
Sour		ECHA				
	methanesulphonic-acid		75-75-2		200-898-6	
C5				260	mg/l	
	ation of exposure	.		48	h	
	cies	Daphnia I				
/leth		OECD 20	2			
Sour	CCe	ECHA				
	city to Daphnia (chronic)					
lo d	lata available					
oxi	city to algae (acute)					
ю	Substance name		CAS no.		EC no.	
	phosphoric acid		7664-38-2		231-633-2	
C5	0	>		100	mg/l	
	ation of exposure			72	h	

Trade name: Hallenreiniger mild-sauer Product no.: 301999 Region: GB Current version : 2.0.0, issued: 30.06.2021 Replaced version: 1.0.0, issued: 10.09.2020 Species Desmodesmus subspicatus Method **OECD 201** Source **ECHA** 2 methanesulphonic-acid 75-75-2 200-898-6 EC50 12 24 mg/l 72 Duration of exposure h Species Pseudokirchneriella subcapitata Method **OECD 201** Source **ECHA** Toxicity to algae (chronic)

No data available

Bac	Bacteria toxicity				
No	Substance name	CAS	no.	EC no.	
1	phosphoric acid	7664-	-38-2	231-633-2	
EC5	0	>	1000	mg/l	
Dura	ation of exposure		3	h	
Spe	cies	activated sludge			
Met	hod	OECD 209			
Sou	rce	ECHA			

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assess	ment
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement

Produ	name: Hallenreiniger mild-saud ict no.: 301999		Bagian: CD
Curren		Replaced version: 1.0.0, issued: 10.09.2020 company. packaging and when emptied completely disposed of in accordance wit completely emptied packaging must be disposed of in the form of dispose	
SEC	TION 14: Transport informa	ation	
14.1	Transport ADR/RID/ADN Class Classification code Packing group Hazard identification no. UN number Proper shipping name Tunnel restriction code Label	8 C9 II 80 UN1760 CORROSIVE LIQUID, N.O.S. E 8	
14.2	Transport IMDG Class Packing group UN number Proper shipping name EmS Label	8 II UN1760 CORROSIVE LIQUID, N.O.S. F-A, S-B 8	
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label	8 II UN1760 Corrosive liquid, n.o.s. 8	
14.4	Other information No data available.		
14.5	Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.		
14.6	Special precautions for user No data available.		
14.7	Maritime transport in bulk according to IMO instruments Not relevant		
SEC	TION 15: Regulatory inform	nation	
15.1	Safety, health and environm <u>EU regulations</u>	ental regulations/legislation specific for the substance or mix	xture

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Product no.: 301999

Current version : 2.0.0, issued: 30.06.2021

Replaced version: 1.0.0, issued: 10.09.2020

Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII. Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

В

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769562