Trade name: Hochglanztrockner Product no.: 178999 Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

Hochglanztrockner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture drying additive for use in car wash systems

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Irrit. 2; H315

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger Hazardous component(s) to be indicated on label:

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts) Hazard statement(s) H315 Causes skin irritation.

11010	
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement	(s)
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additi	onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%
	REACH no				
1	2-butoxyethanol				
	111-76-2	Acute Tox. 4; H302	>=	10.00 - < 25.00	wt%
	203-905-0	Acute Tox. 4; H312			
	603-014-00-0	Acute Tox. 4; H332			
	01-2119475108-36	Eye Irrit. 2; H319			
		Skin Irrit. 2; H315			
2	1-Propanamine, 2-I	hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-,			
	ester with fatty acids, C18 unsaturated, Me sulphates (salts)				
	-	Aquatic Chronic 3; H412	>=	10.00 - < 25.00	wt%
	939-685-4	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
	01-2119983493-26				
3	Acetic acid				
	64-19-7	Flam. Liq. 3; H226	<	2.50	wt%
	200-580-7	Skin Corr. 1A; H314			
	607-002-00-6	Eye Dam. 1; H318			
	01-2119475328-30				
4	octamethylcyclote	trasiloxane	pls. re	fer to footnote (2)	
	556-67-2	Flam. Liq. 3; H226	<	0.10	wt%
	209-136-7	Repr. 2; H361f			
	014-018-00-1	Aquatic Chronic 1; H410			
	01-2119529238-36				

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	В	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25% Skin Corr. 1A; H314: C >= 90%	-	-
4	-	-	-	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative			
1	1746 mg/kg bodyweight					
	· · · · · ·					

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Seek medical advice immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Extinguishing measures to suit surroundings.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); Nitrogen oxides (NOx); Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Substances to be avoided, see section 10.

Incompatible products

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of approved workplace exposure limits (WELs) / EH40				
	2-Butoxyethanol				

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

		0.40	1.2		
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	123	mg/m³	25	ppm
	Comments	Sk, BMG	ïV		
2	Acetic acid	64-19-7		200-580	-7
	2017/164/EU				
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm
	List of approved workplace exposure limits (WE	Ls) / EH40			
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

Substance name	Substance name		CAS / EC no	,
Route of exposure	Exposure time	Effect	Value	
2-butoxyethanol		·	111-76-2	
			203-905-0	
inhalative	Long term (chronic)	systemic	98.00	mg/m³
inhalative	Short term (acut)	systemic	1091.00	mg/m³
inhalative	Long term (chronic)	local	246.00	mg/m³
1-Propanamine, 2-hydrox	y-N-(2-hydroxypropyl)-N,N	I-dimethyl-, ester with	-	
fatty acids, C18 unsaturat	ted, Me sulphates (salts)	-	939-685-4	
dermal	Long term (chronic)	systemic	112.5	mg/kg/day
inhalative	Long term (chronic)	systemic	8.72	mg/m³
Acetic acid		· · · · · · · · · · · · · · · · · · ·	64-19-7	
			200-580-7	
inhalative	Long term (chronic)	local	25	mg/m³
inhalative	Short term (acut)	local	25	mg/m³
	Route of exposure 2-butoxyethanol inhalative inhalative inhalative 1-Propanamine, 2-hydrox fatty acids, C18 unsatural dermal inhalative Acetic acid inhalative	Route of exposure Exposure time 2-butoxyethanol	Route of exposure Exposure time Effect 2-butoxyethanol inhalative Long term (chronic) systemic inhalative Short term (acut) systemic inhalative inhalative Long term (chronic) local 1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts) dermal dermal Long term (chronic) systemic inhalative Long term (chronic) systemic	Route of exposure Exposure time Effect Value 2-butoxyethanol 111-76-2 203-905-0 203-905-0 inhalative Long term (chronic) systemic 98.00 inhalative Short term (acut) systemic 1091.00 inhalative Long term (chronic) local 246.00 1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts) - - dermal Long term (chronic) systemic 112.5 inhalative Long term (chronic) systemic 8.72 Acetic acid 64-19-7 200-580-7 inhalative Long term (chronic) local 25

DNEL value (consumer)

No	Substance name			CAS / EC n	0
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol			111-76-2 203-905-0	
	oral	Long term (chronic)	systemic	6.30	mg/kg/day
	oral	Short term (acut)	systemic	26.70	mg/kg/day
	inhalative	Long term (chronic)	systemic	59.00	mg/m³
	inhalative	Short term (acut)	systemic	426.00	mg/m³
	inhalative	Long term (chronic)	local	147.00	mg/m³
2	1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with			-	
	fatty acids, C18 unsatura	ated, Me sulphates (salts)	939-685-4	
	oral	Long term (chronic)	systemic	1.25	mg/kg/day
	dermal	Long term (chronic)	systemic	56.25	mg/kg/day
	inhalative	Long term (chronic)	systemic	2.17	mg/m³
3	Acetic acid			64-19-7	
				200-580-7	
	inhalative	Long term (chronic)	local	25	mg/m³
	inhalative	Short term (acut)	local	25	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	2-butoxyethanol		111-76-2	
	-		203-905-0	
	water	fresh water	8.80	mg/L

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

	water	marine water	0.88	mg/L
	water	fresh water sediment	34.60	mg/kg
	with reference to: dry weight			
	water	marine water sediment	3.46	mg/kg
	water	Aqua intermittent	26.4	mg/L
	soil	-	2.33	mg/kg dry weight
	sewage treatment plant	-	463.00	mg/L
	secondary poisoning	-	0.02	mg/kg food
2	1-Propanamine, 2-hydroxy-N-(2	2-hydroxypropyl)-N,N-dimethyl-, ester with	-	
	fatty acids, C18 unsaturated, N	le sulphates (salts)	939-685-4	
	water	fresh water	0.017	mg/L
	water	marine water	0.002	mg/L
	water	fresh water sediment	1.7	mg/kg dry weight
	water	marine water sediment	0.17	mg/kg dry weight
	soil	-	0.331	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
3	Acetic acid		64-19-7 200-580-7	
	water	fresh water	3.058	mg/L
	water	marine water	0.3058	mg/L
	water	fresh water sediment	11.36	mg/kg
	water	marine water sediment	1.136	mg/kg
	water	Aqua intermittent	30.58	mg/L
	soil	-	0.47	mg/kg
	sewage treatment plant	-	85	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Multi-purpose filter ABEK

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Appropriate Material	PVC		
Material thickness	>	0.5	mm
Breakthrough time	>	120	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

Trade name: Hochglanztrockner Product no.: 178999 Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation liquid				
Form/Colour				
liquid red				
Odour characteristic				
pH value				
Value		4.5		
Boiling point / boiling range No data available				
Melting point/freezing point				
No data available				
Decomposition temperature No data available				
Flash point				
No data available				
Ignition temperature No data available				
Flammability No data available				
Lower explosion limit No data available				
Upper explosion limit No data available				
Vapour pressure No data available				
Relative vapour density No data available				
Relative density No data available				
Density				
Value Reference temperature		0.98 20	g/cm³ °C	
Solubility				
No data available				
Partition coefficient n-octanol/water (log valu No Substance name	ue)	<u> </u>		EC no.
No Substance name 1 2-butoxyethanol		CAS no. 111-76-2		203-905-0
log Pow Reference temperature			0.81 20	°C
Method	calculated			

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

Source

ECHA

Viscosity No data available

Particle characteristics

No data available

9.2 Other information

Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions Dangerous reactions are not to be expected when handling product according to its intended use.

- **10.4 Conditions to avoid** None, if handled according to intended use.
- **10.5** Incompatible materials strong oxidizing agents
- **10.6 Hazardous decomposition products** None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)					
No	Product Name					
1	Hochglanztrockner					
Com	iments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).				

Acu	te oral toxicity						
No	Substance name	CAS no.		EC no.			
1	2-butoxyethanol	111-76-2		203-905-0			
LD5)		1746	mg/kg bodyweight			
Spec	cies	rat					
Method		OECD 401					
Source		ECHA					
-							
Acu	te dermal toxicity (result of the ATE calcu	ulation for the mixture)					
No	Product Name						
1	Hochglanztrockner						
Com	ments	The result of the applied calculation method according to the					
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6,					
		Part 3 of Annex I is outside the values that imply a classification /					
		labelling of this mixture a	ccording to tabl	e 3.1.1 defining the			
		respective categories (AT	E dermal > 200)0 mg/kg).			

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

Acu	te dermal toxicity								
No	Substance name		CAS no.		EC no.				
1	2-butoxyethanol		111-76-2		203-905-0				
LD5		>		2000	mg/kg bodyweight				
Spee		guinea pig							
Meth		OECD 402							
Sou	rce	ECHA							
Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)								
	Product Name			<u> </u>					
1	Hochglanztrockner								
Corr	iments	The result of	the applied calc	ulation meth	od according to the				
		European Re	gulation (EC) 1	272/2008 (C	LP), Paragraph 3.1.3.6,				
		Part 3 of Ann	nex I is outside	the values th	at imply a classification /				
					3.1.1 defining the				
					> 20.000 ppmV (gases), >				
		20 mg/l (vap	ours), > 5 mg/l (dusts/mists).					
Acu	te inhalational toxicity								
No	Substance name		CAS no.		EC no.				
1	2-butoxyethanol		111-76-2		203-905-0				
ATE				1.5	mg/l				
	ation of exposure			4	h				
	e of aggregation	Dust/mist							
Spee	CIES	rat							
Skin	corrosion/irritation								
No	Substance name		CAS no.		EC no.				
1	2-butoxyethanol		111-76-2		203-905-0				
Dura	ation of exposure			4	h				
Spee		rabbit							
Meth	hod	EU B.4							
Sou		ECHA							
Eval	uation	irritant							
Seri	ous eye damage/irritation								
-	Substance name		CAS no.		EC no.				
1	2-butoxyethanol		111-76-2		203-905-0				
Dura	ation of exposure			24	h				
Spee		rabbit							
Meth		OECD 405							
Sou		ECHA							
Eval	uation	Irritating to e	yes						
Res	piratory or skin sensitisation								
No	Substance name		CAS no.		EC no.				
1	2-butoxyethanol		111-76-2		203-905-0				
	te of exposure	Skin							
Spee		guinea pig							
Meth		OECD 406							
Sou		ECHA							
Eval	uation	non-sensitizi	ng						
Ger	m cell mutagenicity								
	Substance name		CAS no.		EC no.				
1	2-butoxyethanol		111-76-2		203-905-0				
Meth		OECD 471							
Sou		ECHA							
Eval	uation/classification	Based on ava	allable data, the	classification	n criteria are not met.				

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

CAS no.	EC no.
111-76-2	203-905-0
rat	
OECD 451	
ECHA	
Based on available data, the clas	sification criteria are not met.
	111-76-2 rat OECD 451

Aspiration hazard No data available

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	city to fish (acute)			
	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
LC5	0	>	1474	mg/l
	ation of exposure		96	h
Spe		Oncorhynchus mykiss		
Met		OECD 203		
Sou	rce	ECHA		
Tox	city to fish (chronic)			
	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
NOE		>	100	mg/l
	ation of exposure		21	day(s)
Spe		Danio rerio		
Met		OECD 204		
Sou	rce	ECHA		
Tox	city to Daphnia (acute)			
No	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
EC5			690	mg/l
	ation of exposure		48	h
Spe		Daphnia magna		
		OECD 202		
Sou	rce	ECHA		
Tox	city to Daphnia (chronic)			
	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
NOE	C		100	mg/l

Trade name: Hochglanztrockner Product no : 178999

Р	ro	au	τ	no.:	178995	,

Current version : 2.0.0, issued: 31.03.2022		version : 2.0.0, issued: 31.03.2022	Replaced version: 1.0.	Replaced version: 1.0.0, issued: 09.07.2020		
	Dura	ation of exposure		21	day(s)	
	Spe	cies	Daphnia magna			
	Met	hod	OECD 211			
	Sou	rce	ECHA			
	Tox	icity to algae (acute)				
	No	Substance name	CAS no.		EC no.	
_	1	2-butoxyethanol	111-76-2		203-905-0	
	EC5	0		623	mg/l	
	Dura	ation of exposure		72	h	
	Spe	cies	Pseudokirchneriella subc	capitata		
	Met	hod	OECD 201			
	Sou	rce	ECHA			
	Toy	icity to algae (chronic)				
		data available				
	NO C					
	Bac	teria toxicity				
	No o	data available				

12.2 Persistence and degradability

Bioc	legradability		
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Туре	9	aerobic biodegradation	
Valu	e	90	0.4 %
Dura	ation	22	8 day(s)
Meth	nod	OECD 301 B	
Sour	rce	ECHA	
Eval	uation	readily biodegradable	

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	-	CAS no.		EC no.	
1	2-butoxyethanol		111-76-2		203-905-0	
log F	Pow			0.81		
Refe	erence temperature			20	°C	
Met	nod	calculated				
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB asses	sment
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties No data available.

12.7 Other adverse effects

Product no.: 178999

Current version : 2.0.0, issued: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

- **14.5 Environmental hazards** Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- 14.6 Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to aut	horisation)				
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain					
any substances considered as substances requiring authorisation as listed on Annex XIV o	f the REACH regulation				
(EC) 1907/2006.	-				
REACH candidate list of substances of very high concern (SVHC) for authorisation					
According to available data and the information provided by preliminary suppliers, the product does not contain					
substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject					
to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.					
Description (EC) No 4007/2006 (DEACH) Amou VI/IL DESTRICTIONS ON THE MANUE					
Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUF					
THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND	ARTICLES				
The product is considered being subject to REACH regulation (EC) 1907/2006 annex	No 3				
XVII.					
The product contains following substance(s) that are considered being subject to REACH r	egulation (EC) 1907/2006				

Product no.: 178999

• • •		04.00.0000
Current version	: 2.0.0, issued	: 31.03.2022

Replaced version: 1.0.0, issued: 09.07.2020

Region: GB

1	2-butoxyethanol	111-76-2	203-905-0	75	
2	Acetic acid	64-19-7	200-580-7	75	
3	octamethylcyclotetrasiloxane	556-67-2	209-136-7	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H410	Very toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763332