Trade name: KC Refresher Fluid

**Product no.:** 500001

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

### KC Refresher Fluid

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

deodorizer

### Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

### **Address**

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

### **Advice on Safety Data Sheet**

sdb info@umco.de

### 1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification information

EG/1272/2008, 2.6.4.5: "Liquids with a flash point of more than 35 °C need not be classified in Category 3 if negative results have been obtained in the sustained combustibility test L.2, Part III, section 32 of the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria."

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### **Hazard pictograms**

### Signal word

-

### Hazard statement(s)

-

### Hazard statements (EU)

EUH208 Contains citral, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-

7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic

reaction.

EUH210 Safety data sheet available on request.

Trade name: KC Refresher Fluid

**Product no.:** 500001

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

### Precautionary statement(s)

### Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

### 2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

### vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additio		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
	REACH no				
1	propan-2-ol				
	67-63-0	Eye Irrit. 2; H319	>=	5,00 - < 10,00	wt%
	200-661-7	Flam. Liq. 2; H225			
	603-117-00-0	STOT SE 3; H336			
	-				
2	citral				
	5392-40-5	Eye Irrit. 2; H319	<	2,50	wt%
	226-394-6	Skin Irrit. 2; H315			
	605-019-00-3	Skin Sens. 1; H317			
	-				
3	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.		pls. refer to footnote (1)		
	247-500-7] and 2-m	ethyl-2H -isothiazol-3-one [EC no. 220-239-6]			
	(3:1)				
	55965-84-9	Acute Tox. 3; H301	<	0,10	wt%
	-	Acute Tox. 3; H311			
	613-167-00-5	Acute Tox. 3; H331			
	-	Skin Corr. 1B; H314			
		Skin Sens. 1; H317			
		Eye Dam. 1; H318			
		Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EUH071			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	-	Skin Sens. 1A; H317: C >= 0,0015% Skin Irrit. 2; H315: C >= 0,06% Eye Irrit. 2; H319: C >= 0,06%	-	-

Trade name: KC Refresher Fluid

**Product no.: 500001** 

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

	Skin Corr. 1C; H314: C >= 0,6%	
	Eye Dam. 1; H318: C >= 0,6%	

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

### After inhalation

Ensure supply of fresh air.

### After skin contact

When in contact with the skin, clean with soap and water.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

### After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water spray jet; Carbon dioxide; Extinguishing powder

### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section

Trade name: KC Refresher Fluid

**Product no.:** 500001

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

8. Information regarding waste disposal, see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from heat and direct sunlight.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### Incompatible products

Substances to be avoided, see section 10.

### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.	EC no.	
1	propan-2-ol	67-63-0	200-661-7	
	List of Chemical Agents and Occupational Exposure	Limit Values (Code of Prac	ctice)	
	Isopropyl alcohol			
	WEL short-term (15 min reference period)		400	ppm
	WEL long-term (8-hr TWA reference period)		200	ppm
	Comments	Sk	•	

### 8.2 Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

### Eye / face protection

Safety glasses (EN 166)

### Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

### Other

Chemical-resistant work clothes.

### **Environmental exposure controls**

No data available.

Trade name: KC Refresher Fluid

**Product no.:** 500001

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form/Colour iquid Various, depending on coloration					
Various, depending on coloration					
-					
acur					
characteristic					
maracteristic					
Odour threshold					
No data available					
oH value					
Value		5,5	_	6,6	
		-,-		-,-	
Boiling point / boiling range	1			00	00
/alue				82	°C
Melting point / melting range					
No data available					
Decomposition point / decomposition range	•				
No data available					
Flash point √alue				56	°C
/alue				56	U
Auto-ignition temperature					
/alue				425	°C
Oxidising properties					
No data available					
Explosive properties  No data available					
vo data avallable					
Flammability (solid, gas)					
No data available					
ower flammability or explosive limits					
√alue				2	% vol
I					
Jpper flammability or explosive limits /alue				12	% vol
/alue				12	% VOI
/apour pressure					
/alue				48	hPa
Reference temperature				20	°C
/apour density					
No data available					
Evaporation rate					
vo data available					
Relative density					
No data available					
Density					
/alue		0,98	-	0,99	g/cm³
Reference temperature				20	°C
Solubility in water					

Trade name: KC Refresher Fluid

**Product no.: 500001** 

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

No data available

### Solubility(ies)

No data available

### Partition coefficient: n-octanol/water

No data available

### Viscosity

No data available

### 9.2 Other information

### Other information

No data available.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

### 10.5 Incompatible materials

strong oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute oral toxicity

No data available

### Acute dermal toxicity

No data available

### Acute inhalational toxicity

No data available

### Skin corrosion/irritation

No data available

### Serious eye damage/irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Reproduction toxicity

No data available

### Carcinogenicity

No data available

# KochChemie<sup>®</sup> ExcellenceForExperts.

Trade name: KC Refresher Fluid

**Product no.: 500001** 

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

STOT - single exposure

No data available

STOT - repeated exposure

No data available

**Aspiration hazard** 

No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish (acute)

No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

**Bacteria toxicity** 

No data available

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

### 12.6 Other adverse effects

No data available.

### 12.7 Other information

	_	-	-	_	-
Oth	<u> </u>	· ir	form	ation	

Do not discharge product unmonitored into the environment.

Trade name: KC Refresher Fluid

**Product no.:** 500001

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### **Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### **SECTION 14: Transport information**

### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

## Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Trade name: KC Refresher Fluid

**Product no.: 500001** 

Current version: 1.0.0, issued: 26.11.2020 Replaced version: -, issued: - Region: IE

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

### **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.
H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 770873