Replaced version: -, issued: -

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

KocFloc spezial

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Water treatment

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) For information in the event of an emergency during transport: +44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Irrit. 2; H319 Met. Corr. 1; H290

Classification information

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Warning

Replaced version: -, issued: -

Region: GB

Hazard statement(s) H290 H319	May be corrosive to metals. Causes serious eye irritation.
Precautionary statemen	t(s)
P264	Wash skin thoroughly after handling.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in a corrosion-resistant container with a resistant inner liner.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Addit	ional informatio	on	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration		%
	REACH no					
1	reaction mass of a	luminium hydroxide and aluminium nitrate and				
	aluminium sulphat	e				
	-	Met. Corr. 1; H290	>=	25.00 - <	50.00	wt%
	914-920-3	Eye Dam. 1; H318				
	-	-				
	01-2119880602-36					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: GB

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3** Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Nitrogen oxides (NOx); Sulphur oxides (SxOy)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

KochChemie[®] ExcellenceForExperts.

Trade name: KocFloc spezial

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: GB

Technical measures and storage conditions

Keep container tightly closed. Store in a dry place. Keep from freezing.

Recommended storage temperature

Value

Room temperature

Requirements for storage rooms and vessels Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no		
	Route of exposure Exposure time Effect				Value	
1	reaction mass of aluminit	-				
	aluminium sulphate			914-920-3		
	dermal	Long term (chronic)	systemic	4.063	mg/kg/day	
	inhalative	Long term (chronic)	systemic	28.658	mg/m³	

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	0	chloroprene		
Material thickness		>=	0.65	mm
Appropriate Material		neoprene		
Material thickness		>=	0.65	mm
Breakthrough time		>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

Replaced version: -, issued: -

Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid colourless				
Odour				
non specific				
pH value	-			
Value		2	- 3	
Boiling point / boiling range				
Value	>		100	C
Melting point/freezing point				
Value		-12	10	°C
Decomposition temperature				
No data available				
Flash point				
Not applicable				
Ignition temperature No data available				
Flammability No data available				
Lower explosion limit No data available				
Upper explosion limit No data available				
Vapour pressure Value	1	14	- 22	hPa
value		14	- 22	nPa
Relative vapour density				
No data available				
Relative density				
No data available				
Density	•			
Value			1.27	g/cm³
Reference temperature			20	°C
Solubility in water	I			
Comments	soluble	е		
Solubility				
No data available				
Partition coefficient n-octanol/water (log value)	ue)			
No data available				
Viscosity				
Value			38	mPa*s
Reference temperature			20	°C

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: GB

Method

ISO 2431

Particle characteristics

No data available

9.2 Other information

Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

- **10.4** Conditions to avoid Temperatures > 25°C
- **10.5** Incompatible materials strong bases; Corrosive to metals.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity				
No data available				
Acute dermal toxicity				
No data available				
Acute inhalational toxicity				
No data available				
Skin corrosion/irritation				
No data available				
Serious eye damage/irritation				
No Product Name				
1 KocFloc spezial				
Source	ECHA			
Comments	pH > 2			
Evaluation	irritant			
Respiratory or skin sensitisation				
No data available				
Germ cell mutagenicity				
No data available				
Reproduction toxicity				
No data available				
Carcinogenicity				
No data available				

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: GB

STOT - single exposure No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.		
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.		

12.6 Endocrine disrupting properties

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: GB

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1	Transport ADR/RID/ADN Class Classification code Packing group Hazard identification no. UN number Proper shipping name Technical name Tunnel restriction code Label	8 C1 III 80 UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. reaction mass of aluminium hydroxide and aluminium nitrate and aluminium sulphate E 8
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label	8 III UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. reaction mass of aluminium hydroxide and aluminium nitrate and aluminium sulphate F-A, S-B 8
14.3	Class Packing group UN number Proper shipping name Technical name Label	8 III UN3264 Corrosive liquid, acidic, inorganic, n.o.s. reaction mass of aluminium hydroxide and aluminium nitrate and aluminium sulphate 8

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Replaced version: -, issued: -

Region: GB

14.6 Special precautions for user No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES				
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3			

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318

Causes serious eye damage.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

KochChemie[®] ExcellenceForExperts.

Trade name: KocFloc spezial Product no.: 292030 Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: GB

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 773846