Trade name: KocFloc spezial Product no.: 292030 Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name

KocFloc spezial

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Water treatment Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet sdb info@umco.de

1.4 Emergency telephone number +353 1 809 2166 (National Poisons Information Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Irrit. 2; H319

Met. Corr. 1; H290

Classification information

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Warning Hazard statement(s) H290 H319

May be corrosive to metals. Causes serious eye irritation.

Trade name: KocFloc spezial Product no.: 292030 Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

Precautionary statement(s)

P264Wash skin thoroughly after handling.P280Wear eye protection/face protection.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, in present and easy to do. Continue rinsing.P337+P313If eye irritation persists: Get medical advice/attention.P390Absorb spillage to prevent material damage.P406Store in a corrosion-resistant container with a resistant inner liner.	i rooudtionary otatomont	
P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, it present and easy to do. Continue rinsing.P337+P313If eye irritation persists: Get medical advice/attention.P390Absorb spillage to prevent material damage.	P264	Wash skin thoroughly after handling.
P337+P313present and easy to do. Continue rinsing.P390If eye irritation persists: Get medical advice/attention.P390Absorb spillage to prevent material damage.	P280	Wear eye protection/face protection.
P390 Absorb spillage to prevent material damage.	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313	If eye irritation persists: Get medical advice/attention.
P406 Store in a corrosion-resistant container with a resistant inner liner.	P390	Absorb spillage to prevent material damage.
	P406	Store in a corrosion-resistant container with a resistant inner liner.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Addit	ional informatio	on	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	reaction mass of a	luminium hydroxide and aluminium nitrate and				
	aluminium sulphat	e				
	-	Met. Corr. 1; H290	>=	25,00 - <	50,00	wt%
	914-920-3	Eye Dam. 1; H318				
	-					
	01-2119880602-36					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

Trade name: KocFloc spezial Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

- **4.2 Most important symptoms and effects, both acute and delayed** No data available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture In the event of fire, the following can be released: Nitrogen oxides (NOx); Sulphur oxides (SxOy)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed. Store in a dry place. Keep from freezing.

Recommended storage temperature

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

Value

Room temperature

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	reaction mass of aluminium hydroxide and		914-920-3
	aluminium nitrate and aluminium sulphate		
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Practice)
	Aluminium oxides, respirable dust		
	WEL long-term (8-hr TWA reference period)	4	mg/m³
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Practice)
	Aluminium oxides, total inhalable dust		
	WEL long-term (8-hr TWA reference period)	10	mg/m³

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name		CAS / EC	no	
	Route of exposure Exposure time		Effect	Value	
1	reaction mass of aluminium hydroxide and alumini		inium nitrate and	-	
	aluminium sulphate			914-920-3	
	dermal	Long term (chronic)	systemic	4,063	mg/kg/day
	inhalative	Long term (chronic)	systemic	28,658	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	chloroprene		
Material thickness	>=	0,65	mm

Product no.: 292030 Current version : 1.0.0, issued: 24.03.2021 Replaced version: -, issued: -Region: IE Appropriate Material neoprene 0.65 Material thickness >= mm Breakthrough time > 480 min Other Chemical-resistant work clothes. **Environmental exposure controls** No data available. **SECTION 9: Physical and chemical properties** Information on basic physical and chemical properties 9.1 State of aggregation liquid Form/Colour liquid colourless Odour non specific pH value Value 2 3 _ Boiling point / boiling range > 100 °C Value Melting point/freezing point °C -12 -10 Value **Decomposition temperature** No data available Flash point Not applicable Ignition temperature No data available Flammability No data available Lower explosion limit No data available Upper explosion limit No data available Vapour pressure Value 14 22 hPa **Relative vapour density** No data available **Relative density** No data available Density Value 1,27 g/cm³ Reference temperature 20 °C Solubility in water Comments soluble

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

No data available Partition coefficient n-octanol/water (log value) No data available Viscosity			
No data available			
Viscosity			
Value	38	mPa*s	
Reference temperature	20	°C	
Method ISO 2431			

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

- Temperatures > 25°C
- **10.5 Incompatible materials** strong bases; Corrosive to metals.

10.6 Hazardous decomposition products No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity		
No data available		
Acute dermal toxicity		
No data available		
Acute inhalational toxicity		
No data available		
Skin corrosion/irritation		
No data available		
Serious eye damage/irritation		
No Product Name		
1 KocFloc spezial		
Source	ECHA	
Comments	pH > 2	
Evaluation	irritant	
Respiratory or skin sensitisation		
No data available		

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

Germ cell mutagenicity No data available

Reproduction toxicity

No data available

Carcinogenicity No data available

STOT - single exposure No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	
No data available	
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
No data available	
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No data available	
Toxicity to algae (chronic)	
No data available	
Bacteria toxicity	
No data available	

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the
	mixture does not contain > 0.1% of a substance that is considered to be PBT.

Product no.: 292030

Current version : 1.0.0, issued: 24.03.2021	Replaced version: -, issued: -	Region: IE

vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.	

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

	Class Classification code Packing group Hazard identification no. UN number Proper shipping name Technical name Tunnel restriction code Label	8 C1 III 80 UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. reaction mass of aluminium hydroxide and aluminium nitrate and aluminium sulphate E 8
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label	8 III UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. reaction mass of aluminium hydroxide and aluminium nitrate and aluminium sulphate F-A, S-B 8
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name	8 III UN3264 Corrosive liquid, acidic, inorganic, n.o.s.

Current version : 1.0.0, issued: 24.03.2021		Replaced version: -, issued: -	Region: IE
	Technical name	reaction mass of aluminium hydroxide and aluminium nitrate and a sulphate	luminium
	Label	8	
14.4	Other information No data available.		
14.5	Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.		
14.6	Special precautions for user No data available.		
14.7	Maritime transport in bulk according to IMO instruments Not relevant		
SEC	TION 15: Regulatory inforr	nation	

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections) H318

Causes serious eye damage.

Creation of the safety data sheet

Trade name: KocFloc spezial Product no.: 292030 Current version : 1.0.0, issued: 24.03.2021

Replaced version: -, issued: -

Region: IE

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 773846