## Trade name: KocKlar Product no.: 75030 Current version : 1.0.0, issued: 21.12.2020

Replaced version: -, issued: -

Region: MT

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier** 

Trade name

KocKlar

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Disinfectant biocide

Uses advised against No data available.

## 1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

**1.4 Emergency telephone number** No data available.

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335

## **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

## Hazard pictograms



Signal word Danger

Hazardous component(s) to be indicated on label: hydrogen peroxide solution

Hazard statement(s)

## Product no.: 75030

Current version :	1.0.0.	issued: 21.12.2020
ourrent version.	1.0.0,	133000. 21.12.2020

Replaced version: -, issued: -

Region: MT

H302+H332 H315 H318 H335	Harmful if swallowed or if inhaled Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Precautionary statemen	t(s)
P261	Avoid breathing vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

## 2.3 Other hazards

No data available.

## **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not applicable. The product is not a substance.

## 3.2 Mixtures

## Hazardous ingredients

No	Substance name		Addit	Additional information		
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP)		Conc	Concentration		
	REACH no					
1	hydrogen peroxide	solution				
	7722-84-1	Acute Tox. 4; H302	>=	25,00 - <	50,00	wt%
	231-765-0	Acute Tox. 4; H332				
	008-003-00-9	Ox. Liq. 1; H271				
	01-2119485845-22	Skin Corr. 1A; H314				
		Aquatic Chronic 3; H412				
		Eye Dam. 1; H318				
		STOT SE 3; H335				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Eye Irrit. 2; H319: C >= 5%	-	-
		Eye Dam. 1; H318: C >= 8%		
		Skin Irrit. 2; H315: C >= 35%		
		STOT SE 3; H335: C >= 35%		
		Skin Corr. 1B; H314: C >= 50%		
		Ox. Liq. 2; H272: C >= 50%		
		Aquatic Chronic 3; H412: C >= 63%		
		Ox. Liq. 1; H271: C >= 70%		
		Skin Corr. 1A; H314: C >= 70%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acu	Acute toxicity estimate (ATE) values						
No	oral	dermal	inhalative				
1	693,7 mg/kg bodyweight		11 mg/l				

## SECTION 4: First aid measures

## 4.1 Description of first aid measures

Product no.: 75030

Current version : 1.0.0, issued: 21.12.2020

Replaced version: -, issued: -

Region: MT

## **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Irregular breathing/no breathing: artificial respiration.

### After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

## **4.2 Most important symptoms and effects, both acute and delayed** No data available.

**4.3 Indication of any immediate medical attention and special treatment needed** No data available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray jet; Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher

#### Unsuitable extinguishing media High power water jet

## 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Oxidizing due to release of oxygen.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Heat causes increase in pressure and risk of bursting. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

Product no.: 75030

Current version : 1.0.0, issued: 21.12.2020

Replaced version: -, issued: -

Region: MT

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### **Recommended storage temperature**

10

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Provide ventilation of containers.

- 30

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

Value

No data available.

## **SECTION 8:** Exposure controls/personal protection

### 8.1 Control parameters

## **DNEL, DMEL and PNEC values**

**DNEL** values (worker)

No	Substance name			CAS / EC no		
	Route of exposure Exposure time Effect					
1	hydrogen peroxide solution				7722-84-1	
				231-765-0		
	inhalative	Short term (acut)	local	3	mg/m³	
	inhalative	Long term (chronic)	local	1,4	mg/m³	

DNEL value (consumer)

No	Substance name			CAS / EC no		
	Route of exposure Exposure time Effect					
1	hydrogen peroxide solution				7722-84-1	
				231-765-0		
	inhalative	Short term (acut)	local	1,93	mg/m³	
	inhalative	Long term (chronic)	local	0,21	mg/m³	

PNEC values

No	Substance name C			CAS / EC no	
	ecological compartment	Туре	Value		
1	hydrogen peroxide solution		7722-84-1		
			231-765-0		
	water	fresh water	0,0126	mg/L	
	water	marine water	0,0126	mg/L	
	water	fresh water sediment	0,047	mg/kg dry	
				weight	

#### Product no.: 75030

Current version : 1.0.0, issued: 21.12.2020

Replaced version: -, issued: -

Region: MT

water	Aqua intermittent	1,38	mg/L
soil	-	0,0019	mg/kg moist
			mass
soil	-	0,0023	mg/kg dry weight
sewage treatment plant	-	4,66	mg/L

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection mask with combination filter. Respirator NO-P3

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

	9.0100.		
Appropriate Material	butyl rubber		
Appropriate Material	NBR		
Material thickness	>	0,7	mm
Breakthrough time	>	480	min

#### Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

State of aggregation					
liquid					
Form/Colour					
liquid					
colourless					
Odour					
pungent					
pH value					
Value	2	-	4		
Concentration			500	g/l	
Boiling point / boiling range					
Value			114	°C	
Melting point/freezing point					

Trade name: KocKlar					
Product no.: 75030 Current version : 1.0.0, issued: 21.12.2020	Renlace	d version: -, issu	ued: -		Region: MT
	Replace	u version, issu	ueu		Region. MI
Value		-52	°C		
Decomposition temperature					
No data available					
Flash point					
No data available					
Ignition temperature No data available					
Oxidising properties					
not oxidizing					
Explosive properties					
The product does not have explosive properties	i.				
Flammability					
No data available					
Lower explosion limit					
No data available					
Upper explosion limit No data available					
Vapour pressure					
Value	0,5	- 1	hPa		
Reference temperature		30	°C		
Relative vapour density No data available					
Relative density No data available					
Density	-				
Value Reference temperature	1,1	- 1,4 20	g/cm³ °C		
· · · ·		20			
Solubility in water Comments	Completely	miscible			
Solubility					
No data available					
Partition coefficient n-octanol/water (log value	ue)				
NoSubstance name1hydrogen peroxide solution		CAS no. 7722-84-1		EC no. 231-765-0	
log Pow		//22-04-1	-1,57	231-705-0	
Source	ECHA				
Viscosity					
No data available					
Particle characteristics No data available					
9.2 Other information Other information					
No data available.					
SECTION 10: Stability and reactivity					

## 10.1 Reactivity

**Product no.:** 75030

Current version : 1.0.0, issued: 21.12.2020

Replaced version: -, issued: -

Region: MT

No data available.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

- **10.3 Possibility of hazardous reactions** Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)
- **10.4 Conditions to avoid** Heat, naked flames and other ignition sources.
- **10.5** Incompatible materials Reducing agents; Alkali metals; organic materials; Amines; Aldehydes; Alcohols; Bases; Acids; Metal as powder
- **10.6 Hazardous decomposition products** No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No	Product Name		
1	KocKlar		
ATE	(Mixture)	1401,41 mg/kg	
Meth	nod	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.	

Acu	te oral toxicity			
No	Substance name	CAS no.		EC no.
1	hydrogen peroxide solution	7722-84-1		231-765-0
LD5	0		693,7	mg/kg bodyweight
Spee	cies	rat (female)		
with	reference to	70% Solution		
Meth	nod	OECD 401		
Sour	rce	ECHA		

Acu	te dermal toxicity			
No	Substance name	CAS n	0.	EC no.
1	hydrogen peroxide solution	7722-8	4-1	231-765-0
LD5	0	>	2000	mg/kg bodyweight
Spe	cies	rabbit		
with	reference to	35% Solution		
Met	hod	OECD 402		
Sou	rce	ECHA		

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	KocKlar				
ATE	(Mixture)	3,0303 mg/l			
Rout	te of exposure / physical from	Dust/mist			
Meth	nod	Calculation method according Regulation (EC) No 1272/2008,			
		(CLP), annex I, part 3, section 3.1.3.6.			

Acute innalational toxicity			
No Substance name	CAS no.		EC no.
LC50		1,5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Source	CEFIC		
LC50		11	mg/l

#### Trade name: KocKlar Product no.: 75030 Current version : 1.0.0, issued: 21.12.2020 Replaced version: -, issued: -Region: MT 4 Duration of exposure h Vapour State of aggregation Species rat Source CEFIC Skin corrosion/irritation No Substance name EC no. CAS no. 1 hydrogen peroxide solution 7722-84-1 231-765-0 rabbit Species with reference to 70% solution **OECD 404** Method Source ECHA Evaluation corrosive Serious eye damage/irritation CAS no. EC no. No Substance name 231-765-0 hydrogen peroxide solution 7722-84-1 1 Species rabbit with reference to 10% Solution Method **OECD 405** Source **ECHA** strongly irritant Evaluation Respiratory or skin sensitisation No Substance name CAS no. EC no. hydrogen peroxide solution 7722-84-1 231-765-0 Skin Route of exposure Source ECHA Evaluation non-sensitizing Germ cell mutagenicity CAS no. No Substance name EC no. 7722-84-1 231-765-0 hydrogen peroxide solution 1 2000 mg/l Type of examination Micronucleus test Species mouse Method **OECD 474** Source **ECHA** Evaluation/classification Based on available data, the classification criteria are not met. **Reproduction toxicity** No data available Carcinogenicity No Substance name CAS no. EC no. hydrogen peroxide solution 7722-84-1 231-765-0 1 ECHA Source Evaluation/classification Based on available data, the classification criteria are not met. STOT - single exposure No Substance name CAS no. EC no. hydrogen peroxide solution 7722-84-1 1 231-765-0 26 mg/kg bw/d Duration of exposure 90 day(s) Mouse (male) Species 35% Solution with reference to Method **OECD 408** Source **ECHA** STOT - repeated exposure CAS no. EC no.

## Product no.: 75030

Current v	<b>version :</b> 1.0.0, issued: 21.12.2020	Replaced version: -, issued: -
4	budrogen nerovide colution	7700 04 4

Region: MT

1 hydrogen peroxide solution		7722-84-1		231-765-0	
Duration of exposure			2,9 28	mg/kg day(s)	
Species Method Source	rat OECD 412 ECHA				
Aspiration hazard No data available					

## 11.2 Information on other hazards

Endocrine disrupting properties No data available.

## Other information

No data available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish (acute)		
No Substance name	CAS no.	EC no.
1 hydrogen peroxide solution	7722-84-1	231-765-0
LC50	16,	,4 mg/l
Duration of exposure	96	h
Species	Pimephales promelas	
Method	EPA	
Source	ECHA	
Toxicity to fish (chronic)		
No data available		
Toxicity to Daphnia (acute)		
No Substance name	CAS no.	EC no.
1 hydrogen peroxide solution	7722-84-1	231-765-0
EC50	2,4	mg/l
Duration of exposure	48	h
Species	Daphnia pulex	
Method	EPA	
Method	EPA	
Method Source	EPA	
Method Source Toxicity to Daphnia (chronic)	EPA	
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name	EPA	EC no.
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute)	EPA ECHA	EC no. 231-765-0
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name	EPA ECHA CAS no.	231-765-0
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution	EPA ECHA CAS no. 7722-84-1	<b>231-765-0</b> 32 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure Species	EPA ECHA CAS no. 7722-84-1 2,6	<b>231-765-0</b> 32 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure	EPA ECHA CAS no. 7722-84-1 2,6 72	<b>231-765-0</b> 32 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure Species	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum	<b>231-765-0</b> 32 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure Species Method	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum OECD 201	<b>231-765-0</b> 32 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure Species Method Source	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum OECD 201	<b>231-765-0</b> 32 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure Species Method Source Toxicity to algae (chronic)	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum OECD 201 ECHA	231-765-0 :2 mg/l h
Method Source         Toxicity to Daphnia (chronic)         No data available         Toxicity to algae (acute)         No         Substance name         1       hydrogen peroxide solution         ErC50         Duration of exposure         Species         Method         Source	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum OECD 201 ECHA ECHA CAS no.	231-765-0 i2 mg/l h EC no. 231-765-0
Method         Source         Toxicity to Daphnia (chronic)         No data available         Toxicity to algae (acute)         No         Substance name         1       hydrogen peroxide solution         ErC50         Duration of exposure         Species         Method         Source         Toxicity to algae (chronic)         No         Substance name         1         hydrogen peroxide solution	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum OECD 201 ECHA CAS no. 7722-84-1	231-765-0 i2 mg/l h EC no. 231-765-0 i3 mg/l
Method Source Toxicity to Daphnia (chronic) No data available Toxicity to algae (acute) No Substance name 1 hydrogen peroxide solution ErC50 Duration of exposure Species Method Source Toxicity to algae (chronic) No Substance name 1 hydrogen peroxide solution NOEC	EPA ECHA CAS no. 7722-84-1 2,6 72 Skeletonema costatum OECD 201 ECHA CAS no. 7722-84-1 0,6	231-765-0 i2 mg/l h EC no. 231-765-0 i3 mg/l

## Product no.: 75030

Current version : 1.0.0, issued: 21.12.2020	Replaced version: -, issued: -		Region: MT
Source	ECHA		
Bacteria toxicity			
No data available			
12.2 Persistence and degradability Biodegradability			
No Substance name	CAS no.	EC no.	
1 hydrogen peroxide solution	7722-84-1	231-765-0	
Source	ECHA		
Evaluation	readily biodegradable		

### 12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS no.	E	C no.		
1	hydrogen peroxide solution	7722-84-1	2	31-765-0		
log F	Pow		-1,57			
Sou	rce	ECHA				

## 12.4 Mobility in soil

No data available.

- **12.5 Results of PBT and vPvB assessment** No data available.
- **12.6 Endocrine disrupting properties** No data available.
- 12.7 Other adverse effects

No data available.

#### 12.7 Other information

#### Other information

Do not discharge product unmonitored into the environment.

## **SECTION** 13: Disposal considerations

### 13.1 Waste treatment methods

## Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

•		
	Class	5.1
	Classification code	OC1
	Packing group	II
	Hazard identification no.	58
	UN number	UN2014
	Proper shipping name	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
	Tunnel restriction code	E
	Label	5.1+8

## KochChemie<sup>®</sup> ExcellenceForExperts.

Trade	name: KocKlar		
Produ	<b>ict no.:</b> 75030		
Current version : 1.0.0, issued: 21.12.2020		Replaced version: -, issued: -	
14.2	Transport IMDG		
	Class Subsidiary Risk Packing group UN number Proper shipping name EmS Label	5.1 8 II UN2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION F-H, S-Q 5.1+8	
14.3	<b>Transport ICAO-TI / IATA</b> Class Subrisk UN number Proper shipping name Label Comments	5.1 8 UN2014 Keine Angabe - Beförderung verboten (A2) 5.1+8 Transport forbidden.	
14.4	Other information No data available.		
14.5	Environmental hazards Information on environmental haz	ards, if relevant, please see 14.1 - 14.3.	
14.6	Special precautions for user No data available.		
14.7	Maritime transport in bulk ac Not relevant	cording to IMO instruments	
SEC	TION 15: Regulatory inform	ation	
15.1	Safety, health and environme	ental regulations/legislation specific for the substance or mix	ture
	EU regulations		
P	evention (EC) No 4007/2006 (DEA	CH) Annov XIV (List of substances subject to sutherisetics)	
		ACH) Annex XIV (List of substances subject to authorisation) specifications supplied by upstream suppliers, this product does not complete the supplication of the	ontain
an		nces requiring authorisation as listed on Annex XIV of the REACH regul	

## REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex
 No 3

 XVII.
 XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### **REGULATION (EU) No 528/2012 concerning the making available on the market and use of biocidal products** Use biocides safely.

Always read the label and product information before use.

hydrogen peroxide solution 495 g/kg

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

Product no.: 75030

Current version : 1.0.0, issued: 21.12.2020

Replaced version: -, issued: -

Region: MT

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

## Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 770877