

Trade name: Lkw- & Planenreiniger**Product no.:** 170999**Current version :** 1.1.0, issued: 01.04.2021**Replaced version:** 1.0.0, issued: 14.09.2020**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

Lkw- & Planenreiniger**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1A; H314

STOT SE 3; H335

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05



GHS07

Signal word

Danger

Trade name: Lkw- & Planenreiniger**Product no.:** 170999**Current version :** 1.1.0, issued: 01.04.2021**Replaced version:** 1.0.0, issued: 14.09.2020**Region:** GB**Hazardous component(s) to be indicated on label:**2-aminoethanol
sodium hydroxide
2-propylheptane-1-ol, ethoxylated**Hazard statement(s)**H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.**Precautionary statement(s)**P260 Do not breathe vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P390 Absorb spillage to prevent material damage.**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	2-aminoethanol		
	141-43-5 205-483-3 603-030-00-8 01-2119486455-28	Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Chronic 3; H412	>= 10.00 - < 25.00 wt%
2	sodium hydroxide		
	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	>= 5.00 - < 10.00 wt%
3	2-propylheptane-1-ol, ethoxylated		
	160875-66-1 - -	Eye Dam. 1; H318 Acute Tox. 4; H302	< 5.00 wt%

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

	-			
4	trisodium-nitritotriacetate			
	5064-31-3 225-768-6 607-620-00-6 01-2119519239-36	Acute Tox. 4*; H302 Carc. 2; H351 Eye Irrit. 2; H319	< 5.00	wt%
5	sodium p-cumenesulphonate			
	15763-76-5 239-854-6 - 01-2119489411-37	Eye Irrit. 2; H319	< 5.00	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	STOT SE 3; H335: C >= 5%	-	-
2	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
4	-	Carc. 2; H351: C >= 5%	-	-

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
1	1089 mg/kg bodyweight	1100 mg/kg bodyweight	11 mg/l
4	1740 mg/kg bodyweight		

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Irregular breathing/no breathing: artificial respiration.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Nitrogen oxides (NO_x); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Do not inhale vapours.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
	2006/15/EC		
	2-Aminoethanol		
	WEL short-term (15 min reference period)	7.6 mg/m ³	3 ppm
	WEL long-term (8-hr TWA reference period)	2.5 mg/m ³	1 ppm
	Skin resorption / sensibilisation	Skin	
	List of approved workplace exposure limits (WELs) / EH40		
	2-Aminoethanol		
	WEL short-term (15 min reference period)	7.6 mg/m ³	3 ppm
	WEL long-term (8-hr TWA reference period)	2.5 mg/m ³	1 ppm
	Comments	SK	
2	sodium hydroxide	1310-73-2	215-185-5
	List of approved workplace exposure limits (WELs) / EH40		
	Sodium hydroxide		
	WEL short-term (15 min reference period)	2 mg/m ³	

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	2-aminoethanol			
	dermal	Long term (chronic)	systemic	1 mg/kg/day
	inhalative	Long term (chronic)	local	3.3 mg/m ³
2	sodium hydroxide			
	inhalative	Long term (chronic)	local	1 mg/m ³
3	trisodium-nitritotriacetate			
	inhalative	Short term (acut)	systemic	2.4 mg/cm ²
	inhalative	Long term (chronic)	systemic	0.8 mg/cm ²
4	sodium p-cumenesulphonate			
	dermal	Long term (chronic)	systemic	7.6 mg/kg/day
	inhalative	Long term (chronic)	systemic	53.6 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	2-aminoethanol			
	oral	Long term (chronic)	local	3.75 mg/kg/day
	dermal	Long term (chronic)	systemic	0.24 mg/kg/day
	inhalative	Long term (chronic)	local	2 mg/m ³
2	sodium hydroxide			
	inhalative	Long term (chronic)	local	1 mg/m ³
3	trisodium-nitritotriacetate			
	oral	Short term (acut)	systemic	0.9 mg/kg
	oral	Long term (chronic)	systemic	0.3 mg/kg
	dermal	Short term (acut)	systemic	
	inhalative	Short term (acut)	systemic	9.6 mg/cm ²

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

	inhalative	Long term (chronic)	systemic	3.2	mg/cm ²
4	sodium p-cumenesulphonate			15763-76-5	239-854-6
	oral	Long term (chronic)	systemic	3.8	mg/kg/day
	dermal	Long term (chronic)	systemic	3.8	mg/kg/day
	inhalative	Long term (chronic)	systemic	13.2	mg/m ³

PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	2-aminoethanol		141-43-5 205-483-3
	water	fresh water	0.085 mg/L
	water	marine water	0.0085 mg/L
	water	Aqua intermittent	0.028 mg/L
	water	fresh water sediment	0.434 mg/L
	water	marine water sediment	0.0434 mg/L
	soil	-	0.0367 mg/kg dry weight
	sewage treatment plant	-	100 mg/L
2	trisodium-nitrilotriacetate		5064-31-3 225-768-6
	water	fresh water	0.93 mg/L
	water	marine water	0.093 mg/L
	sewage treatment plant	-	270 mg/L
3	sodium p-cumenesulphonate		15763-76-5 239-854-6
	water	fresh water	0.23 mg/L
	water	Aqua intermittent	2.3 mg/L
	sewage treatment plant	-	100 mg/L

8.2 Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection mask with combination filter.

Respirator A2 P2

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber
Material thickness > 0.5 mm
Breakthrough time > 120 min

Other

Chemical-resistant work clothes.

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
liquid	
Form/Colour	
liquid	
green	
Odour	
characteristic	
pH value	
Value	13.5
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Not applicable	
Ignition temperature	
No data available	
Oxidising properties	
not oxidizing	
Explosive properties	
The product does not have explosive properties.	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value	1.1 g/cm ³
Reference temperature	20 °C
Solubility in water	
Comments	miscible

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
log Pow		-2.3	
Reference temperature		25	°C
Method		OECD 107	
Source		ECHA	

Viscosity	
No data available	

Particle characteristics	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

strong oxidizing agents; strong acids

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Lkw- & Planenreiniger
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
LD50		1089	mg/kg bodyweight
Species		rat	
Method		OECD 401	
Source		ECHA	
2	trisodium-nitilotriacetate	5064-31-3	225-768-6

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

LD50		1740	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
LD50	>	7000	mg/kg bodyweight
Species	rat		
with reference to	CAS 28348-53-0		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity (result of the ATE calculation for the mixture)**No Product Name****1 Lkw- & Planenreiniger**

Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).
----------	---

Acute dermal toxicity**No Substance name****CAS no.****EC no.****1 2-aminoethanol****141-43-5****205-483-3**

LD50		2504	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

2 sodium p-cumenesulphonate**15763-76-5****239-854-6**

LD50	>	2000	mg/kg bodyweight
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity (result of the ATE calculation for the mixture)**No Product Name****1 Lkw- & Planenreiniger**

Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).
----------	---

Acute inhalational toxicity**No Substance name****CAS no.****EC no.****1 2-aminoethanol****141-43-5****205-483-3**

LC50	>	1.487	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		

2 trisodium-nitritotriacetate**5064-31-3****225-768-6**

LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Source	ECHA		

3 sodium p-cumenesulphonate**15763-76-5****239-854-6**

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

LC50	>	6.41	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
with reference to	CAS 28348-53-0		
Source	ECHA		

Skin corrosion/irritation

No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	corrosive		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Species	rabbit		
Source	ECHA		
Evaluation	non-irritant		
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 404		
Source	ECHA		
Evaluation	low-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Serious eye damage/irritation

No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	corrosive		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		

Respiratory or skin sensitisation

No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Route of exposure	Skin		
Species	guinea pig		
Source	ECHA		
Evaluation	non-sensitizing		
2	sodium hydroxide	1310-73-2	215-185-5
Route of exposure	Skin		
Species	Human		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	trisodium-nitritotriacetate	5064-31-3	225-768-6
Route of exposure	Skin		

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing
4	sodium p-cumenesulphonate 15763-76-5 239-854-6
Route of exposure	Skin
Species with reference to	guinea pig
Method	CAS 28348-53-0
Source	OECD 406
Evaluation	ECHA
	non-sensitizing

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
Type of examination with reference to	Chromosome aberration test		
Method	CAS 28348-53-0		
Source	OECD 474		
Evaluation/classification	ECHA		
	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No data available			

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Route of exposure	oral		
NOAEL	300	mg/kg bw/d	
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
NOEC	10	mg/m ³	
Species	rat		
Method	OECD 412		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6

Trade name: Lkw- & Planenreiniger**Product no.:** 170999**Current version :** 1.1.0, issued: 01.04.2021**Replaced version:** 1.0.0, issued: 14.09.2020**Region:** GB

Route of exposure	dermal
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	oral
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard

No data available

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
LC50		349	mg/l
Duration of exposure		96	h
Species	Cyprinus carpio		
Method	440/2008/EC C.1.		
Source	ECHA		
2	trisodium-nitilotriacetate	5064-31-3	225-768-6
LC50		114	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Source	ECHA		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
NOEC		1.24	mg/l
Duration of exposure		41	day(s)
Species	Oryzias latipes		
Method	OECD 210		
Source	ECHA		
2	trisodium-nitilotriacetate	5064-31-3	225-768-6
NOEC	>	54	mg/l
Duration of exposure		224	day(s)
Species	Pimephales promelas		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
EC50		65	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	440/2008/EC C.2.		
Source	ECHA		

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

2	sodium hydroxide	1310-73-2	215-185-5
EC50		40.4	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia spec		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
NOEC		0.85	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Source	ECHA		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC		9.3	mg/l
Duration of exposure		147	day(s)
Species	Daphnia magna		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
EC50		2.8	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
2	trisodium-nitritotriacetate	5064-31-3	225-768-6
ErC50	>	91.5	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC		1.43	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
EC10	>	1000	mg/l
Duration of exposure		30	min
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
Type	aerobic biodegradation		
Value	>	90	%
Duration		21	day(s)
Method	OECD 301 A		

Trade name: Lkw- & Planenreiniger

Product no.: 170999

Current version : 1.1.0, issued: 01.04.2021

Replaced version: 1.0.0, issued: 14.09.2020

Region: GB

Source Evaluation	ECHA readily biodegradable
2	trisodium-nitrilotriacetate 5064-31-3 225-768-6
Value	100 %
Duration	14 d
Method	OECD 301 E
Source	ECHA
Evaluation	readily biodegradable

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)		
No	Substance name	CAS no. EC no.
1	2-aminoethanol	141-43-5 205-483-3
BCF	2.3	- 9.2
Method	Calculation model used (Q)SAR	
Source	ECHA	

Partition coefficient n-octanol/water (log value)		
No	Substance name	CAS no. EC no.
1	2-aminoethanol	141-43-5 205-483-3
log Pow	-2.3	
Reference temperature	25	°C
Method	OECD 107	
Source	ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Trade name: Lkw- & Planenreiniger**Product no.:** 170999**Current version :** 1.1.0, issued: 01.04.2021**Replaced version:** 1.0.0, issued: 14.09.2020**Region:** GB**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C9
Packing group	II
Hazard identification no.	80
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	2-aminoethanol sodium hydroxide
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	2-aminoethanol sodium hydroxide
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1760
Proper shipping name	Corrosive liquid, n.o.s.
Technical name	2-aminoethanol sodium hydroxide
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

Trade name: Lkw- & Planenreiniger**Product no.:** 170999**Current version :** 1.1.0, issued: 01.04.2021**Replaced version:** 1.0.0, issued: 14.09.2020**Region:** GB**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.
The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767962