Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Trade name

#### Lkw- & Planenreiniger

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Cleaner

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### **Address**

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

+49-2303-9 86 70-0 Telephone no. Fax no. +49-2303-9 86 70-26

#### 1.4 **Emergency telephone number**

No data available.

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314 STOT SE 3; H335

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms







Signal word

Danger

#### Hazardous component(s) to be indicated on label:

2-aminoethanol sodium hydroxide

2-propylheptane-1-ol, ethoxylated

Hazard statement(s)

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statement(s)

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

#### 2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

#### vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Hazardous ingredients**

No	Substance name		Additio	onal information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conce	ntration	%
1	2-aminoethanol				
	141-43-5	Acute Tox. 4; H302	>=	10,00 - < 25,00	wt%
	205-483-3	Acute Tox. 4; H312			
	603-030-00-8	Acute Tox. 4; H332			
	01-2119486455-28	Skin Corr. 1B; H314			
		Eye Dam. 1; H318			
		STOT SE 3; H335			
		Aquatic Chronic 3; H412			
2	sodium hydroxide				
	1310-73-2	Skin Corr. 1A; H314	>=	5,00 - < 10,00	wt%
	215-185-5	Met. Corr. 1; H290			
	011-002-00-6	Eye Dam. 1; H318			
	01-2119457892-27				
3	2-propylheptane-1-				
	160875-66-1	Eye Dam. 1; H318	<	5,00	wt%
	-	Acute Tox. 4; H302			
	-				
	-				
4	trisodium-nitrilotri	acetate			
	5064-31-3	Acute Tox. 4*; H302	<	5,00	wt%
	225-768-6	Carc. 2; H351			
	607-620-00-6	Eye Irrit. 2; H319			
	01-2119519239-36				

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

5	sodium p-cumenes	sulphonate			
	15763-76-5	Eye Irrit. 2; H319	<	5,00	wt%
	239-854-6				
	_				
	01-2119489411-37				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	STOT SE 3; H335: C >= 5%	-	-
2	-	Skin Irrit. 2; H315: C >= 0,5% Eye Irrit. 2; H319: C >= 0,5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
4	-	Carc. 2; H351: C >= 5%	-	-

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	1089 mg/kg bodyweight	1100 mg/kg bodyweight	11 mg/l		
4	1740 mg/kg bodyweight				

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Irregular breathing/no breathing: artificial respiration.

#### After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

(NOx); Corrosive gases/vapours

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Do not inhale vapours.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3
	Occupational Exposure Limit Values (Schedule V	, Occupational Health	and Safety Authority Act)

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

2-Aminoethanol				
WEL short-term (15 min reference period)	7.6	mg/m³	3	ppm
WEL long-term (8-hr TWA reference period)	2.5	mg/m³	1	ppm
Comments	Skin			
2006/15/EC				
2-Aminoethanol				
WEL short-term (15 min reference period)	7,6	mg/m³	3	ppm
WEL long-term (8-hr TWA reference period)	2,5	mg/m³	1	ppm
Skin resorption / sensibilisation	Skin	•		

#### **DNEL, DMEL and PNEC values**

#### **DNEL values (worker)**

DIVLE Values (WOIKEI)				
Substance name			CAS / EC n	0
Route of exposure	Exposure time	Effect	Value	
2-aminoethanol			141-43-5	
			205-483-3	
dermal	Long term (chronic)	systemic	1	mg/kg/day
inhalative	Long term (chronic)	local	3,3	mg/m³
sodium hydroxide			1310-73-2	
			215-185-5	
inhalative	Long term (chronic)	local	1	mg/m³
trisodium-nitrilotriacetate	9		5064-31-3	
			225-768-6	
inhalative	Short term (acut)	systemic	2,4	mg/cm²
inhalative	Long term (chronic)	systemic	0,8	mg/cm²
sodium p-cumenesulpho	nate		15763-76-5	
			239-854-6	
dermal	Long term (chronic)	systemic	7,6	mg/kg/day
inhalative	Long term (chronic)	systemic	53,6	mg/m³
	Substance name Route of exposure 2-aminoethanol  dermal inhalative sodium hydroxide  inhalative trisodium-nitrilotriacetate inhalative inhalative sodium p-cumenesulpho  dermal	Substance name   Route of exposure   Exposure time	Substance name   Route of exposure   Exposure time   Effect	Route of exposure   Exposure time   Effect   Value

#### **DNEL** value (consumer)

No	Substance name			CAS / EC n	0
	Route of exposure	Exposure time	Effect	Value	
1	2-aminoethanol			141-43-5 205-483-3	
	oral	Long term (chronic)	local	3,75	mg/kg/day
	dermal	Long term (chronic)	systemic	0,24	mg/kg/day
	inhalative	Long term (chronic)	local	2	mg/m³
2	sodium hydroxide			1310-73-2 215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
3	trisodium-nitrilotriacetate	9		5064-31-3 225-768-6	
	oral	Short term (acut)	systemic	0,9	mg/kg
	oral	Long term (chronic)	systemic	0,3	mg/kg
	dermal	Short term (acut)	systemic		
	inhalative	Short term (acut)	systemic	9,6	mg/cm²
	inhalative	Long term (chronic)	systemic	3,2	mg/cm²
4	sodium p-cumenesulpho	nate		15763-76-5 239-854-6	
	oral	Long term (chronic)	systemic	3,8	mg/kg/day
	dermal	Long term (chronic)	systemic	3,8	mg/kg/day
	inhalative	Long term (chronic)	systemic	13,2	mg/m³

#### **PNEC** values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

1	2-aminoethanol		141-43-5 205-483-3	
	water	fresh water	0,085	mg/L
	water	marine water	0,0085	mg/L
	water	Aqua intermittent	0,028	mg/L
	water	fresh water sediment	0,434	mg/L
	water	marine water sediment	0,0434	mg/L
	soil	-	0,0367	mg/kg dry weight
	sewage treatment plant	-	100	mg/L
2	trisodium-nitrilotriacetate		5064-31-3 225-768-6	
	water	fresh water	0,93	mg/L
	water	marine water	0,093	mg/L
	sewage treatment plant	-	270	mg/L
3	sodium p-cumenesulphonate		15763-76-5 239-854-6	
	water	fresh water	0,23	mg/L
	water	Aqua intermittent	2,3	mg/L
	sewage treatment plant	-	100	mg/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection mask with combination filter.

Respirator A2 P2

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness > 0,5 mm
Breakthrough time > 120 min

#### Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	

#### Form/Colour

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

liquid

green

Odour

characteristic

pH value

Value 13,5

Boiling point / boiling range

No data available

Melting point/freezing point

No data available

**Decomposition temperature** 

No data available

Flash point

Not applicable

Ignition temperature

No data available

**Oxidising properties** 

not oxidizing

**Explosive properties** 

The product does not have explosive properties.

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure
No data available

D. L. C. . . . . . . . . . . .

Relative vapour density

No data available

Relative density
No data available

Density

Value 1,1 g/cm³
Reference temperature 20 °C

Solubility in water

Comments miscible

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	2-aminoethanol		141-43-5		205-483-3	
log F	Pow			-2,3		
Refe	erence temperature			25	°C	
Meth	nod	OECD 107				
Soul	rce	ECHA				

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

Viscosity

No data available

**Particle characteristics** 

No data available

#### 9.2 Other information

Other information

No data available.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

#### 10.4 Conditions to avoid

None, if handled according to intended use.

#### 10.5 Incompatible materials

strong oxidizing agents; strong acids

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.

#### **SECTION** 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)					
No Product Name					
1 Lkw- & Planenreiniger					
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).				

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	2-aminoethanol		141-43-5		205-483-3
LD5	0			1089	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Soul	rce	ECHA			
2	trisodium-nitrilotriacetate		5064-31-3		225-768-6
LD5	0			1740	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Soul	rce	ECHA			
3	sodium p-cumenesulphonate		15763-76-5		239-854-6
LD5	0	>		7000	mg/kg bodyweight
Spe	cies	rat			
with	reference to	CAS 28348-	53-0		
Meth	nod	OECD 401			
Soul	rce	ECHA			

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)						
No	Product Name						
1	Lkw- & Planenreiniger						
Com	ments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).					

Acu	Acute dermal toxicity					
No	Substance name		CAS no.		EC no.	
1	2-aminoethanol		141-43-5		205-483-3	
LD5	0			2504	mg/kg bodyweight	
Spec	cies	rabbit				
Meth	hod	OECD 402				
Sour	rce	ECHA				
2	sodium p-cumenesulphonate		15763-76-5		239-854-6	
LD5	0	>		2000	mg/kg bodyweight	
Spec	cies	rabbit				
with	reference to	CAS 28348-	53-0			
Meth	hod	OECD 402				
Sour	rce	ECHA				

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)						
No	No Product Name						
1	1 Lkw- & Planenreiniger						
Con	Comments  The result of the applied calculation European Regulation (EC) 1272/20 Part 3 of Annex I is outside the value labelling of this mixture according to respective categories (ATE for inhal 20 mg/l (vapours), > 5 mg/l (dusts/m	08 (CLP), Paragraph 3.1.3.6, les that imply a classification / table 3.1.1 defining the ation: > 20.000 ppmV (gases), >					

Acute inhalational toxicity					
No Substance name		CAS no.		EC no.	
1 2-aminoethanol		141-43-5		205-48	3-3
LC50	>		1,487		mg/l
Duration of exposure			4		h
State of aggregation	Vapour				
Species	rat				
Method	OECD 403				
Source	ECHA				
2 trisodium-nitrilotriacetate		5064-31-3		225-76	8-6
LC50	>		5		mg/l
Duration of exposure			4		h
State of aggregation	Dust				
Species	rat				
Source	ECHA				
3 sodium p-cumenesulphonate		15763-76-5		239-85	4-6
LC50	>		6,41		mg/l
Duration of exposure			4		h
State of aggregation	Dust/mist				
Species	rat				
with reference to	CAS 28348-5	53-0			
Source	ECHA				

Skir	n corrosion/irritation		
No	Substance name	CAS no.	EC no.
1	2-aminoethanol	141-43-5	205-483-3

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

Spec	cies	rabbit		
Meth		OECD 404		
Sour	ce	ECHA		
Evalu	uation	corrosive		
2	trisodium-nitrilotriacetate		5064-31-3	225-768-6
Spec	cies	rabbit		
Sour	ce	ECHA		
Evalu	uation	non-irritant		
3	sodium p-cumenesulphonate		15763-76-5	239-854-6
Spec	cies	rabbit		
with	reference to	CAS 28348-5	53-0	
Meth	nod	OECD 404		
Sour	ce	ECHA		
Evalu	uation	low-irritant		
Eval	uation/classification	Based on ava	ailable data, the classif	ication criteria are not met.

Seri	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	2-aminoethanol		141-43-5	205-483-3		
Spe	cies	rabbit				
Met	hod	OECD 405				
Sou	rce	ECHA				
Eva	luation	corrosive				
2	trisodium-nitrilotriacetate		5064-31-3	225-768-6		
Spe	cies	rabbit				
Met	hod	OECD 405				
Sou	rce	ECHA				
Eva	luation	irritant				
3	sodium p-cumenesulphonate		15763-76-5	239-854-6		
Spe	cies	rabbit				
Met	hod	OECD 405				
Sou	rce	ECHA				
Eva	luation	irritant				

Respiratory or skin sensitisation					
No Substance name	CAS no.	EC no.			
1 2-aminoethanol	141-43-5	205-483-3			
Route of exposure	Skin				
Species	guinea pig				
Source	ECHA				
Evaluation	non-sensitizing				
2 sodium hydroxide	1310-73-2	215-185-5			
Route of exposure	Skin				
Species	Human				
Source	ECHA				
Evaluation	non-sensitizing				
Evaluation/classification	Based on available data, the classification	r criteria are not met.			
3 trisodium-nitrilotriacetate	5064-31-3	225-768-6			
Route of exposure	Skin				
Species	guinea pig				
Method	OECD 406				
Source	ECHA				
Evaluation	non-sensitizing				
4 sodium p-cumenesulphonate	15763-76-5	239-854-6			
Route of exposure	Skin				
Species	guinea pig				
with reference to	CAS 28348-53-0				
Method	OECD 406				
Source	ECHA				

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Method

Source

Evaluation/classification

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

Eval	uation	non-sensitizing							
Geri	Germ cell mutagenicity								
No	Substance name	CAS no.	EC no.						
1	2-aminoethanol	141-43-5	205-483-3						
Soul	ce	ECHA							
Eval	uation/classification	Based on available data, the classification criteria are not met.							
2	trisodium-nitrilotriacetate	5064-31-3	225-768-6						
Soul	rce	ECHA							
Eval	uation/classification	Based on available data, the classification	n criteria are not met.						
3	sodium p-cumenesulphonate	15763-76-5	239-854-6						
Туре	e of examination	Chromosome aberration test							
with	reference to	CAS 28348-53-0							

OECD 474 ECHA

Rep	Reproduction toxicity							
No	Substance name	CAS no.	EC no.					
1	2-aminoethanol	141-43-5	205-483-3					
Sou	rce	ECHA						
Evaluation/classification Based on available data, the			ssification criteria are not met.					
2	trisodium-nitrilotriacetate	5064-31-3	225-768-6					
Spe	cies	rat						
Metl	hod	OECD 416						
Sou	rce	ECHA						
	Evaluation/classification Based on available data, the classification criteria are not met.							

Based on available data, the classification criteria are not met.

### Carcinogenicity No data available

### STOT - single exposure No data available

STO	T - repeated exposure				
No	Substance name	CAS no.		EC no.	
1	2-aminoethanol	141-43-5		205-483-3	
Rout	e of exposure	oral			
NOA	EL		300	mg/kg bw/d	
Spec		rat			
Meth	od	OECD 416			
Sour	ce	ECHA			
Evalu	uation/classification	Based on available data,	the classification	n criteria are not met.	
Rout	e of exposure	inhalational			
NOE	C		10	mg/m³	
Spec		rat			
Meth	od	OECD 412			
Sour	ce	ECHA			
	uation/classification	Based on available data,	the classification		
2	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
Rout	e of exposure	dermal			
Sour	ce	ECHA			
Evalu	uation/classification	Based on available data,	the classification	n criteria are not met.	
Rout	e of exposure	inhalational			
Sour	ce	ECHA			
Evalu	uation/classification	Based on available data, the classification criteria are not met.			
Rout	e of exposure	oral			
Sour		ECHA			
Evalu	uation/classification	Based on available data,	the classification	n criteria are not met.	

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

**Aspiration hazard** 

No data available

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxi	city to fish (acute)				
No	Substance name	CAS no.		EC no.	
1	2-aminoethanol	141-43-5		205-483-3	
LC5	0		349	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Cyprinus carpio			
Metl	nod	440/2008/EC C.1.			
Sou	rce	ECHA			
2	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
LC5	0		114	mg/l	
Dura	ation of exposure		96	h	
•		Pimephales promelas			
Sou	rce	ECHA			

Toxi	Toxicity to fish (chronic)						
No	Substance name	CAS no.		EC no.			
1	2-aminoethanol	141-43-5		205-483-3			
NOE	:C		1,24	mg/l			
Dura	ation of exposure		41	day(s)			
Spec	cies	Oryzias latipes					
Meth	nod	OECD 210					
Soul	ce	ECHA					
2	trisodium-nitrilotriacetate	5064-31-3		225-768-6			
NOE	:C	>	54	mg/l			
Dura	ation of exposure		224	day(s)			
Spec	cies	Pimephales promelas					
Soul	ce	ECHA					

Toxi	city to Daphnia (acute)			
No	Substance name	CAS no.		EC no.
1	2-aminoethanol	141-43-5		205-483-3
EC5	0		65	mg/l
Dura	ation of exposure		48	h
Spec	cies	Daphnia magna		
Meth	nod	440/2008/EC C.2.		
Soul	rce	ECHA		
2	sodium hydroxide	1310-73-2		215-185-5
EC5	0		40,4	mg/l
Dura	tion of exposure		48	h
Spec	cies	Ceriodaphnia spec		
Sou	rce rce	ECHA		

Toxi	Toxicity to Daphnia (chronic)						
No	Substance name	CAS no.	EC no.				
1	2-aminoethanol	141-43-5	205-483-3				
NOE	EC	0,85	mg/l				

Trade name: Lkw- & Planenreiniger

**Product no.:** 170999

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

Duration	n of exposure		21	day(s)
Species		Daphnia magna		
Source		ECHA		
2 tris	sodium-nitrilotriacetate	5064-31-3		225-768-6
NOEC			9,3	mg/l
	n of exposure		9,3 147	mg/l day(s)
	•	Daphnia magna	•	

Toxi	Toxicity to algae (acute)						
No	Substance name	CAS no	).	EC no.			
1	2-aminoethanol	141-43-	.5	205-483-3			
EC5	50		2,8	mg/l			
Dura	ation of exposure		72	h			
Spe	cies	Pseudokirchneriella si	ubcapitata				
Metl	hod	OECD 201					
Sou	rce	ECHA					
2	trisodium-nitrilotriacetate	5064-31	1-3	225-768-6			
ErC:	50	>	91,5	mg/l			
Dura	ation of exposure		72	h			
Species		Desmodesmus subsp	icatus				
Metl	hod	OECD 201					
Sou	rce	ECHA					

Toxi	icity to algae (chronic)				
No	Substance name	CAS no.		EC no.	
1	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
NOE	EC		1,43	mg/l	
Dura	ation of exposure		72	h	
Spe	cies	Desmodesmus subspicatus			
Metl	hod	OECD 201			
Sou	rce	ECHA			

Bac	teria toxicity			
No	Substance name	CAS no.		EC no.
1	2-aminoethanol	141-43-5		205-483-3
EC1	0	>	1000	mg/l
Dura	ation of exposure		30	min
Spe	cies	activated sludge		
Method		OECD 209		
Sou	rce	ECHA		

12.2 Persistence and degradability

Biod	degradability				
No	Substance name	CAS no.		EC no.	
1	2-aminoethanol	141-43-5		205-483-3	
Туре	e	aerobic biodegradation			
Valu	е	>	90	%	
Dura	ation		21	day(s)	
Meth	nod	OECD 301 A		- · ·	
Soul	rce	ECHA			
Eval	uation	readily biodegradable			
2	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
Valu	e		100	%	
Dura	ation		14	d	
Meth	nod	OECD 301 E			
Soul	rce	ECHA			
Eval	uation	readily biodegradable			

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

#### 12.3 Bioaccumulative potential

Biocono	centration factor (BCF)				
No Su	ıbstance name	CAS n	10.	EC no.	
1 2-a	aminoethanol	141-43	141-43-5 205-48		
BCF		2,3	- 9,2		
Method		Calculation model used (Q)SAR			
Source		ECHA	, ,		

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	2-aminoethanol		141-43-5		205-483-3		
log l	Pow			-2,3			
Refe	erence temperature			25	°C		
Met	hod	OECD 107					
Sou	rce	ECHA					

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

Class 8

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version : 1.1.0, issued: 01.04.2021Replaced version: 1.0.0, issued: 14.09.2020Region: MT

Classification code C9
Packing group II
Hazard identification no. 80
UN number UN1760

Proper shipping name CORROSIVE LIQUID, N.O.S.

Technical name 2-aminoethanol sodium hydroxide

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group II
UN number UN1760

Proper shipping name CORROSIVE LIQUID, N.O.S.

Technical name 2-aminoethanol sodium hydroxide

EmS F-A, S-B Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN1760

Proper shipping name Corrosive liquid, n.o.s.

Technical name 2-aminoethanol sodium hydroxide

Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

### Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII.

Trade name: Lkw- & Planenreiniger

**Product no.: 170999** 

Current version: 1.1.0, issued: 01.04.2021 Replaced version: 1.0.0, issued: 14.09.2020 Region: MT

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

The surfactants contained in this product comply with the DetVO 648/2004/EC.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 767962