- GB (RL M)

Page 1 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish Art.: 241999

### Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### NanoCrystal Polish

Art.: 241999

### 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Polish

#### **Uses advised against:**

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna Telefon: +49 (0) 2303 /

Telefon: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26 info@koch-chemie.com www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

#### **Emergency information services / official advisory body:**

(IRL)

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:

+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)

+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

#### Telephone number of the company in case of emergencies:

+1 872 5888271 (KCC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)
Hazard class Hazard category Hazard statement

Hazard class Hazard category Hazard statement
Skin Irrit. 2 H315-Causes skin irritation.

Eye Dam. 1 H318-Causes serious eye damage.

#### 2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

GB (RL) (M

Page 2 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish Art.: 241999



Danger

H315-Causes skin irritation. H318-Causes serious eye damage.

P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, C18-unsatd., Me sulfates

Àmides, C12-18 (even-numbered), N-[3-(dimethylamino)propyl], N'-oxides

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

### n.a. 3 9 Mixtures

| J.Z WIIALUI 65   |                             |
|--|-----------------------------|
| Amides, C12-18 (even-numbered), N-[3-(dimethylamino)propyl], N'- |                             |
| oxides   |                             |
| Registration number (REACH)                                      | 01-2119978229-22-XXXX       |
| Index  |                             |
| EINECS, ELINCS, NLP, REACH-IT List-No.                           | 939-581-9                   |
| CAS  | 1471314-81-4                |
| content %  | 10-<25                      |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-  | Acute Tox. 4, H302          |
| factors  | Skin Irrit. 2, H315         |
|  | Eye Dam. 1, H318            |
|  | Aquatic Acute 1, H400 (M=1) |
|  | Aguatic Chronic 3, H412     |

| Phenolpolyethoxylate  |                    |
|---|--------------------|
| Registration number (REACH)                                     |                    |
| Index   |                    |
| EINECS, ELINCS, NLP, REACH-IT List-No.                          | 500-013-6          |
| CAS   | 9004-78-8          |
| content %   | 5-<10              |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Acute Tox. 4, H302 |
| factors   |                    |

### KochChemie<sup>®</sup> ExcellenceForExperts.

- GB (RL) M

Page 3 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

| Citric acid monohydrate   |                       |
|---|-----------------------|
| Registration number (REACH)                                     | 01-2119457026-42-XXXX |
| Index   | 607-750-00-3          |
| EINECS, ELINCS, NLP, REACH-IT List-No.                          | 201-069-1             |
| CAS   | 5949-29-1             |
| content %   | 5-<10                 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M- | Eye Irrit. 2, H319    |
| factors   | STOT SE 3, H335       |

| 1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, C18-unsatd., Me sulfates (salts) |                         |
|---|-------------------------|
| Registration number (REACH)   | 01-2119983493-26-XXXX   |
| Index   |                         |
| EINECS, ELINCS, NLP, REACH-IT List-No.  | 939-685-4               |
| CAS   |                         |
| content %   | 1-<5                    |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-   | Skin Irrit. 2, H315     |
| factors   | Eye Dam. 1, H318        |
|   | Aquatic Chronic 3, H412 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist.

#### Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. eyes, reddened

watering eyes

Irritation of the eyes

Drying of the skin.

Dermatitis (skin inflammation)

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

- GB (RL M

Page 4 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish Art.: 241999

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

#### Unsuitable extinguishing media

None known

#### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Oxides of sulphur

Toxic gases

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

#### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

#### **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

- GB (RL) M

Page 5 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

Observe directions on label and instructions for use. Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Protect from frost.

#### 7.3 Specific end use(s)

No information available at present.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

| Area of application | Exposure route / Environmental compartment                 | Effect on health            | Descripto<br>r | Value        | Unit          | Note |
|---------------------|--|-----------------------------|----------------|--------------|---------------|------|
|                     | Environment - freshwater                                   |                             | PNEC           | 0,0303       | mg/l          |      |
|                     | Environment - marine                                       |                             | PNEC           | 0,00303      | mg/l          |      |
|                     | Environment - water,<br>sporadic (intermittent)<br>release |                             | PNEC           | 0,0068       | mg/l          |      |
|                     | Environment - sediment, freshwater                         |                             | PNEC           | 0,214        | mg/kg dw      |      |
|                     | Environment - sediment, marine                             |                             | PNEC           | 0,0214       | mg/kg dw      |      |
|                     | Environment - soil   |                             | PNEC           | 0,00002<br>5 | mg/kg dw      |      |
|                     | Environment - oral (animal feed)                           |                             | PNEC           | 0,5          | mg/kg<br>feed |      |
|                     | Environment - sewage treatment plant                       |                             | PNEC           | 9,7          | mg/l          |      |
| Consumer            | Human - oral   | Long term, systemic effects | DNEL           | 0,05         | mg/kg<br>bw/d |      |
| Consumer            | Human - dermal   | Long term, systemic effects | DNEL           | 2,5          | mg/kg<br>bw/d |      |
| Consumer            | Human - inhalation   | Long term, systemic effects | DNEL           | 0,87         | mg/m3         |      |
| Workers / employees | Human - dermal   | Long term, systemic effects | DNEL           | 5            | mg/kg<br>bw/d |      |
| Workers / employees | Human - inhalation   | Long term, systemic effects | DNEL           | 3,52         | mg/m3         |      |

| Citric acid monohydrate |                          |                  |           |       |      |      |
|-------------------------|--------------------------|------------------|-----------|-------|------|------|
| Area of application     | Exposure route /         | Effect on health | Descripto | Value | Unit | Note |
|                         | Environmental            |                  | r         |       |      |      |
|                         | compartment              |                  |           |       |      |      |
|                         | Environment - freshwater |                  | PNEC      | 0,44  | mg/l |      |
|                         | Environment - marine     |                  | PNEC      | 0,044 | mg/l |      |

- GB (RL) (M)

Page 6 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

| Environment - sewage    | PNEC | 1000 | mg/l      |
|-------------------------|------|------|-----------|
| treatment plant         |      |      |           |
| Environment - sediment, | PNEC | 34,6 | mg/kg dry |
| freshwater              |      |      | weight    |
| Environment - sediment, | PNEC | 3,46 | mg/kg dry |
| marine                  |      |      | weight    |
| Environment - soil      | PNEC | 33,1 | mg/kg dry |
|                         |      |      | weight    |

| Area of application | Exposure route /                     | Effect on health            | Descripto | Value | Unit          | Note |
|---------------------|--------------------------------------|-----------------------------|-----------|-------|---------------|------|
|                     | Environmental                        |                             | r         |       |               |      |
|                     | compartment                          |                             |           |       |               |      |
|                     | Environment - freshwater             |                             | PNEC      | 0,017 | mg/l          |      |
|                     | Environment - sediment, freshwater   |                             | PNEC      | 1,7   | mg/kg dw      |      |
|                     | Environment - marine                 |                             | PNEC      | 0,002 | mg/l          |      |
|                     | Environment - sediment, marine       |                             | PNEC      | 0,17  | mg/kg dw      |      |
|                     | Environment - sewage treatment plant |                             | PNEC      | 10    | mg/l          |      |
|                     | Environment - soil                   |                             | PNEC      | 0,331 | mg/kg dw      |      |
| Consumer            | Human - inhalation                   | Long term, systemic effects | DNEL      | 2,17  | mg/m3         |      |
| Consumer            | Human - dermal                       | Long term, systemic effects | DNEL      | 56,25 | mg/kg<br>bw/d |      |
| Consumer            | Human - oral                         | Long term, systemic effects | DNEL      | 1,25  | mg/kg<br>bw/d |      |
| Workers / employees | Human - inhalation                   | Long term, systemic effects | DNEL      | 8,72  | mg/m3         |      |
| Workers / employees | Human - dermal                       | Long term, systemic effects | DNEL      | 112,5 | mg/kg<br>bw/d |      |

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves made of butyl (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Protective Neoprene® / polychloroprene gloves (EN ISO 374).

Protective PVC gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

- GB (RL M

Page 7 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

Permeation time (penetration time) in minutes:

> 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

#### 8.2.3 Environmental exposure controls

No information available at present.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Yellow, Green
Characteristic

Odour: Characteristic Melting point/freezing point: There is no inf

Melting point/freezing point:

There is no information available on this parameter.

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

Flammability: There is no information available on this parameter.

Lower explosion limit:

Upper explosion limit:

There is no information available on this parameter.

Auto-ignition temperature:

There is no information available on this parameter.

pH:

Kinematic viscosity:

Solubility:

There is no information available on this parameter.
Soluble

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density: 1,03 g/ml

Relative vapour density:

There is no information available on this parameter.

Particle characteristics: Does not apply to liquids.

#### 9.2 Other information

No information available at present.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

-GB (RL M

Page 8 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish Art.: 241999

#### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

#### 10.4 Conditions to avoid

None known

#### 10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

Avoid contact with strong alkalis. Avoid contact with strong acids.

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

| NanaCrystal Ballah  | lealin enecis, | See Section | Z. I (Classificat | 1011).   |             |                  |
|---|----------------|-------------|-------------------|----------|-------------|------------------|
| NanoCrystal Polish  |                |             |                   |          |             |                  |
| Art.: 241999  |                |             |                   |          | T           | 1                |
| Toxicity / effect   | Endpoint       | Value       | Unit              | Organism | Test method | Notes            |
| Acute toxicity, by oral route:                                | ATE            | >2000       | mg/kg             |          |             | calculated value |
| Acute toxicity, by dermal route:                              |                |             |                   |          |             | n.d.a.           |
| Acute toxicity, by inhalation:                                |                |             |                   |          |             | n.d.a.           |
| Skin corrosion/irritation:                                    |                |             |                   |          |             | n.d.a.           |
| Serious eye   |                |             |                   |          |             | n.d.a.           |
| damage/irritation:  |                |             |                   |          |             |                  |
| Respiratory or skin   |                |             |                   |          |             | n.d.a.           |
| sensitisation:  |                |             |                   |          |             |                  |
| Germ cell mutagenicity:                                       |                |             |                   |          |             | n.d.a.           |
| Carcinogenicity:  |                |             |                   |          |             | n.d.a.           |
| Reproductive toxicity:  |                |             |                   |          |             | n.d.a.           |
| Specific target organ toxicity - single exposure (STOT-SE):   |                |             |                   |          |             | n.d.a.           |
| Specific target organ toxicity - repeated exposure (STOT-RE): |                |             |                   |          |             | n.d.a.           |
| Aspiration hazard:  |                |             |                   |          |             | n.d.a.           |
| Symptoms:   |                |             |                   |          |             | n.d.a.           |

| Amides, C12-18 (even-numbered), N-[3-(dimethylamino)propyl], N'-oxides |          |          |       |            |                       |                 |  |  |
|--|----------|----------|-------|------------|-----------------------|-----------------|--|--|
| Toxicity / effect  | Endpoint | Value    | Unit  | Organism   | Test method           | Notes           |  |  |
| Acute toxicity, by oral route:   | LD50     | 500-1000 | mg/kg | Rat        | OECD 423 (Acute       |                 |  |  |
|  |          |          |       |            | Oral Toxicity - Acute |                 |  |  |
|  |          |          |       |            | Toxic Class Method)   |                 |  |  |
| Acute toxicity, by dermal  | LD50     | >2000    | mg/kg | Rat        | OECD 402 (Acute       |                 |  |  |
| route:   |          |          |       |            | Dermal Toxicity)      |                 |  |  |
| Skin corrosion/irritation:   |          |          |       | Rabbit     | OECD 404 (Acute       | Irritant        |  |  |
|  |          |          |       |            | Dermal                |                 |  |  |
|  |          |          |       |            | Irritation/Corrosion) |                 |  |  |
| Serious eye  |          |          |       | Rabbit     | OECD 405 (Acute       | Risk of serious |  |  |
| damage/irritation:   |          |          |       |            | Eye                   | damage to       |  |  |
|  |          |          |       |            | Irritation/Corrosion) | eyes.           |  |  |
| Respiratory or skin  |          |          |       | Guinea pig | OECD 406 (Skin        | No (skin        |  |  |
| sensitisation:   |          |          |       |            | Sensitisation)        | contact)        |  |  |
| Germ cell mutagenicity:  |          |          |       |            | OECD 471 (Bacterial   | Negative        |  |  |
|  |          |          |       |            | Reverse Mutation      |                 |  |  |
|  |          |          |       |            | Test)                 |                 |  |  |

®®®™

Page 9 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish Art.: 241999

| Reproductive toxicity (Effects on fertility):                       | NOEL  | 100 | mg/kg<br>bw/d | Rat | OECD 421<br>(Reproduction/Develop<br>mental Toxicity<br>Screening Test) |    |
|---|-------|-----|---------------|-----|---|----|
| Aspiration hazard:  |       |     |               |     |   | No |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 50  | mg/kg<br>bw/d | Rat | OECD 408 (Repeated<br>Dose 90-Day Oral<br>Toxicity Study in<br>Rodents) |    |

| Phenolpolyethoxylate           |          |          |       |          |                       |                  |  |  |
|--------------------------------|----------|----------|-------|----------|-----------------------|------------------|--|--|
| Toxicity / effect              | Endpoint | Value    | Unit  | Organism | Test method           | Notes            |  |  |
| Acute toxicity, by oral route: | LD50     | 500-2000 | mg/kg | Rat      | OECD 423 (Acute       |                  |  |  |
|                                |          |          |       |          | Oral Toxicity - Acute |                  |  |  |
|                                |          |          |       |          | Toxic Class Method)   |                  |  |  |
| Acute toxicity, by dermal      | LD50     | 2140     | mg/kg | Rabbit   | ·                     |                  |  |  |
| route:                         |          |          |       |          |                       |                  |  |  |
| Aspiration hazard:             |          |          |       |          |                       | No               |  |  |
| Symptoms:                      |          |          |       |          |                       | gastrointestinal |  |  |
|                                |          |          |       |          |                       | disturbances     |  |  |

| Toxicity / effect  | Endpoint | Value | Unit  | Organism                  | Test method  | Notes  |
|--|----------|-------|-------|---------------------------|--|--|
| Acute toxicity, by oral route:   | LD50     | 3000  | mg/kg | Rat                       |  |  |
| Acute toxicity, by dermal route:   | LD50     | >2000 | mg/kg | Rat                       | OECD 402 (Acute Dermal Toxicity)                                     |  |
| Skin corrosion/irritation:   |          |       |       | Rabbit                    | OECD 404 (Acute<br>Dermal<br>Irritation/Corrosion)                   | Not irritant   |
| Serious eye damage/irritation:   |          |       |       | Rabbit                    | OECD 405 (Acute<br>Eye<br>Irritation/Corrosion)                      | Eye Irrit. 2   |
| Germ cell mutagenicity:  |          |       |       | Rat                       | OECD 475<br>(Mammalian Bone<br>Marrow Chromosome<br>Aberration Test) | Negative   |
| Germ cell mutagenicity:  |          |       |       | Salmonella<br>typhimurium | OECD 471 (Bacterial<br>Reverse Mutation<br>Test)                     | Negative   |
| Specific target organ toxicity -<br>repeated exposure (STOT-<br>RE), oral: | NOAEL    | 1200  | mg/kg | Rat                       |  |  |
| Symptoms:  |          |       |       |                           |  | vomiting,<br>cornea opacity,<br>coughing,<br>stomach pain,<br>mucous<br>membrane<br>irritation |

| 1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids, C18-unsatd., Me sulfates (salts) |          |       |       |          |                       |       |  |  |  |  |
|---|----------|-------|-------|----------|-----------------------|-------|--|--|--|--|
| Toxicity / effect   | Endpoint | Value | Unit  | Organism | Test method           | Notes |  |  |  |  |
| Acute toxicity, by oral route:  | LD50     | >2000 | mg/kg | Mouse    | OECD 423 (Acute       |       |  |  |  |  |
|   |          |       |       |          | Oral Toxicity - Acute |       |  |  |  |  |
|   |          |       |       |          | Toxic Class Method)   |       |  |  |  |  |
| Acute toxicity, by dermal   | LD50     | >2000 | mg/kg | Rabbit   | OECD 402 (Acute       |       |  |  |  |  |
| route:  |          |       |       |          | Dermal Toxicity)      |       |  |  |  |  |

-GB (RL M)-

Page 10 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

| Skin corrosion/irritation:         |       |      |       | Rabbit     | OECD 404 (Acute       | Skin Irrit. 2     |
|------------------------------------|-------|------|-------|------------|-----------------------|-------------------|
|                                    |       |      |       |            | Dermal                |                   |
|                                    |       |      |       |            | Irritation/Corrosion) |                   |
| Serious eye                        |       |      |       | Rabbit     | OECD 405 (Acute       | Eye Dam. 1        |
| damage/irritation:                 |       |      |       |            | Eye                   |                   |
|                                    |       |      |       |            | Irritation/Corrosion) |                   |
| Respiratory or skin sensitisation: |       |      |       | Guinea pig |                       | Not sensitizising |
| Germ cell mutagenicity:            |       |      |       | Mouse      | OECD 476 (In Vitro    | Negative,         |
|                                    |       |      |       |            | Mammalian Cell Gene   | Analogous         |
|                                    |       |      |       |            | Mutation Test)        | conclusion        |
| Reproductive toxicity:             | NOAEL | 1000 | mg/kg | Rat        | OECD 414 (Prenatal    | Analogous         |
|                                    |       |      | bw/d  |            | Developmental         | conclusion        |
|                                    |       |      |       |            | Toxicity Study)       |                   |
| Symptoms:                          |       |      |       |            |                       | gastrointestinal  |
|                                    |       |      |       |            |                       | disturbances      |
| Specific target organ toxicity -   | NOAEL | 500  | mg/kg | Rat        | OECD 407 (Repeated    |                   |
| repeated exposure (STOT-           |       |      |       |            | Dose 28-Day Oral      |                   |
| RE), oral:                         |       |      |       |            | Toxicity Study in     |                   |
|                                    |       |      |       |            | Rodents)              |                   |

#### 11.2. Information on other hazards

| NanoCrystal Polish   |          |       |      |          |             |                 |
|----------------------|----------|-------|------|----------|-------------|-----------------|
| Art.: 241999         |          |       |      |          |             |                 |
| Toxicity / effect    | Endpoint | Value | Unit | Organism | Test method | Notes           |
| Endocrine disrupting |          |       |      |          |             | Does not apply  |
| properties:          |          |       |      |          |             | to mixtures.    |
| Other information:   |          |       |      |          |             | No other        |
|                      |          |       |      |          |             | relevant        |
|                      |          |       |      |          |             | information     |
|                      |          |       |      |          |             | available on    |
|                      |          |       |      |          |             | adverse effects |
|                      |          |       |      |          |             | on health.      |

#### **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification).

| NanoCrystal Polish       |          |      |       |      |          |             |        |
|--------------------------|----------|------|-------|------|----------|-------------|--------|
| Art.: 241999             |          |      |       |      |          |             |        |
| Toxicity / effect        | Endpoint | Time | Value | Unit | Organism | Test method | Notes  |
| 12.1. Toxicity to fish:  |          |      |       |      |          |             | n.d.a. |
| 12.1. Toxicity to        |          |      |       |      |          |             | n.d.a. |
| daphnia:                 |          |      |       |      |          |             |        |
| 12.1. Toxicity to algae: |          |      |       |      |          |             | n.d.a. |

- GB (RL M)-

Page 11 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Amides, C12-18 (even-numbered), N-[3-(dimethylamino)propyl], N'-oxides

Time

28d

Value

3-71

Unit

%

%

Organism

Test method

OECD 301 B

Biodegradability -Co2 Evolution Test)

(Ready

Notes

Biodegradable

Endpoint

BCF

Toxicity / effect

degradability:

potential:

12.2. Persistence and

12.3. Bioaccumulative

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

| 12.2. Persistence and   |     |  |   |  | The              |
|-------------------------|-----|--|---|--|------------------|
| degradability:          |     |  |   |  | surfactant(s)    |
| , , ,                   |     |  |   |  | contained in     |
|                         |     |  |   |  | this mixture     |
|                         |     |  |   |  | complies(compl   |
|                         |     |  |   |  | y) with the      |
|                         |     |  |   |  | biodegradability |
|                         |     |  |   |  | criteria as laid |
|                         |     |  |   |  | down in          |
|                         |     |  |   |  |                  |
|                         |     |  |   |  | Regulation       |
|                         |     |  |   |  | (EC)             |
|                         |     |  |   |  | No.648/2004      |
|                         |     |  |   |  | on detergents.   |
|                         |     |  |   |  | Data to support  |
|                         |     |  |   |  | this assertion   |
|                         |     |  |   |  | are held at the  |
|                         |     |  |   |  | disposal of the  |
|                         |     |  |   |  | competent        |
|                         |     |  |   |  | authorities of   |
|                         |     |  |   |  | the Member       |
|                         |     |  |   |  | States and will  |
|                         |     |  |   |  | be made          |
|                         |     |  |   |  | available to     |
|                         |     |  |   |  | them, at their   |
|                         |     |  |   |  | direct request   |
|                         |     |  |   |  | or at the        |
|                         |     |  |   |  | request of a     |
|                         |     |  |   |  | detergent        |
|                         |     |  |   |  | manufacturer.    |
| 12.3. Bioaccumulative   |     |  |   |  | n.d.a.           |
| potential:              |     |  |   |  |                  |
| 12.4. Mobility in soil: |     |  |   |  | n.d.a.           |
| 12.5. Results of PBT    |     |  |   |  | n.d.a.           |
| and vPvB assessment     |     |  |   |  | _                |
| 12.6. Endocrine         |     |  |   |  | Does not apply   |
| disrupting properties:  |     |  |   |  | to mixtures.     |
| 12.7. Other adverse     |     |  |   |  | No information   |
| effects:                |     |  |   |  | available on     |
|                         |     |  |   |  | other adverse    |
|                         |     |  |   |  | effects on the   |
|                         |     |  |   |  | environment.     |
| Other information:      |     |  |   |  | DOC-             |
|                         |     |  |   |  | elimination      |
|                         |     |  |   |  | degree(complex   |
|                         |     |  |   |  | ing organic      |
|                         |     |  |   |  | substance)>=     |
|                         |     |  |   |  | 80%/28d: Yes     |
| Other information:      | AOV |  | % |  | According to     |
|                         | AOX |  |   |  |                  |
|                         | AUX |  |   |  | the recipe,      |
|                         | AUX |  |   |  |                  |

(B) (R) (M)

Page 12 of 18 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001 Valid from: 12.12.2022

PDF print date: 12.12.2022 NanoCrystal Polish Art.: 241999

| 12.1. Toxicity to fish:                  | LC50      | 96h | 0,68  | mg/l | Oncorhynchus<br>mykiss              | OECD 203<br>(Fish, Acute<br>Toxicity Test)   |   |
|--|-----------|-----|-------|------|-------------------------------------|--|---|
| 12.1. Toxicity to fish:                  | NOEC/NOEL | 15d | 0,495 | mg/l | Pimephales promelas                 | U.S. EPA<br>ECOTOX<br>Database   |   |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d | 0,7   | mg/l | Daphnia magna                       | OECD 211<br>(Daphnia magna<br>Reproduction<br>Test)                                      |   |
| 12.1. Toxicity to daphnia:               | EC50      | 48h | 19,9  | mg/l | Daphnia magna                       | OECD 202<br>(Daphnia sp.<br>Acute<br>Immobilisation<br>Test)                             |   |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h | 0,303 | mg/l | Pseudokirchnerie<br>Ila subcapitata | OECD 201<br>(Alga, Growth<br>Inhibition Test)  |   |
| 12.1. Toxicity to algae:                 | EC20      | 72h | 0,705 | mg/l | Pseudokirchnerie<br>Ila subcapitata | OECD 201<br>(Alga, Growth<br>Inhibition Test)  |   |
| Toxicity to bacteria:                    | EC50      | 3h  | 970   | mg/l | activated sludge                    | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) |   |
| Other information:                       | Koc       |     | 34,41 |      |                                     | ,,   | 20°C                                      |
| Other information:                       | H (Henry) |     | 17,2  |      |                                     |  | 25°C                                      |
| 12.5. Results of PBT and vPvB assessment |           |     |       |      |                                     |  | No PBT<br>substance, No<br>vPvB substance |

| Phenolpolyethoxylate    |          |      |       |      |               |                    |                |
|-------------------------|----------|------|-------|------|---------------|--------------------|----------------|
| Toxicity / effect       | Endpoint | Time | Value | Unit | Organism      | Test method        | Notes          |
| 12.2. Persistence and   |          | 28d  | 79    | %    |               | OECD 301 F         | Readily        |
| degradability:          |          |      |       |      |               | (Ready             | biodegradable  |
|                         |          |      |       |      |               | Biodegradability - |                |
|                         |          |      |       |      |               | Manometric         |                |
|                         |          |      |       |      |               | Respirometry       |                |
|                         |          |      |       |      |               | Test)              |                |
| 12.5. Results of PBT    |          |      |       |      |               |                    | No PBT         |
| and vPvB assessment     |          |      |       |      |               |                    | substance, No  |
|                         |          |      |       |      |               |                    | vPvB substance |
| 12.1. Toxicity to fish: | LC50     | 96h  | >100  | mg/l |               | OECD 203           |                |
|                         |          |      |       |      |               | (Fish, Acute       |                |
|                         |          |      |       |      |               | Toxicity Test)     |                |
| 12.1. Toxicity to       | EC50     | 48h  | >128  | mg/l | Daphnia pulex | OECD 202           |                |
| daphnia:                |          |      |       |      |               | (Daphnia sp.       |                |
|                         |          |      |       |      |               | Acute              |                |
|                         |          |      |       |      |               | Immobilisation     |                |
|                         |          |      |       |      |               | Test)              |                |

- GB (RL M)-

Page 13 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022

NanoCrystal Polish Art.: 241999

| 12.2. Persistence and | 60d | 40-50 | % |   | OECD 311           |               |
|-----------------------|-----|-------|---|---|--------------------|---------------|
| degradability:        |     |       |   |   | (Anaerobic         |               |
|                       |     |       |   |   | Biodeg. of         |               |
|                       |     |       |   |   | Organic Comp.      |               |
|                       |     |       |   | i | in Digested        |               |
|                       |     |       |   | ; | Sludge - by        |               |
|                       |     |       |   |   | Measurement of     |               |
|                       |     |       |   |   | Gas Production)    |               |
| 12.2. Persistence and |     |       |   |   | OECD 301 B         | Readily       |
| degradability:        |     |       |   |   | (Ready             | biodegradable |
|                       |     |       |   |   | Biodegradability - |               |
|                       |     |       |   |   | Co2 Evolution      |               |
|                       |     |       |   |   | Test)              |               |

| Citric acid monohydra                    | ite      |      |         |      |                         |   |  |
|--|----------|------|---------|------|-------------------------|---|--|
| Toxicity / effect                        | Endpoint | Time | Value   | Unit | Organism                | Test method   | Notes  |
| 12.5. Results of PBT and vPvB assessment |          |      |         |      |                         |   | No PBT<br>substance, No<br>vPvB substance        |
| Other information:                       | ThOD     |      | 686     | mg/g |                         |   |  |
| 12.1. Toxicity to fish:                  | LC50     | 96h  | 440-760 | mg/l | Leuciscus idus          | OECD 203<br>(Fish, Acute<br>Toxicity Test)                                      |  |
| 12.1. Toxicity to daphnia:               | EC50     | 72h  | 120     | mg/l | Daphnia magna           |   |  |
| 12.1. Toxicity to algae:                 | IC5      | 7d   | 640     | mg/l | Scenedesmus quadricauda |   | Anhydrous substance                              |
| 12.2. Persistence and degradability:     |          | 28d  | 97      | %    |                         | OECD 301 B<br>(Ready<br>Biodegradability -<br>Co2 Evolution<br>Test)            | Readily<br>biodegradable                         |
| 12.2. Persistence and degradability:     |          | 28d  | 98      | %    |                         | OECD 302 B<br>(Inherent<br>Biodegradability -<br>Zahn-<br>Wellens/EMPA<br>Test) | Readily<br>biodegradable                         |
| 12.3. Bioaccumulative potential:         | Log Pow  |      | <1      |      |                         | ,   | Bioaccumulatio<br>n is unlikely<br>(LogPow < 1). |
| Toxicity to bacteria:                    | EC50     |      | >10000  | mg/l | Pseudomonas putida      | DIN 38412 T.8   | , , ,  |
| Other information:                       | COD      |      | 665     | mg/g |                         |   |  |
| Other information:                       | BOD5     |      | 481     | mg/g |                         |   |  |

| Toxicity / effect       | Endpoint  | Time | Value | Unit | Organism      | Test method        | Notes         |
|-------------------------|-----------|------|-------|------|---------------|--------------------|---------------|
| 12.1. Toxicity to fish: | NOEC/NOEL | 35d  | 0,686 | mg/l | Pimephales    | U.S. EPA           | Analogous     |
|                         |           |      |       |      | promelas      | ECOTOX             | conclusion    |
|                         |           |      |       |      |               | Database           |               |
| 12.2. Persistence and   |           | 28d  | >60   | %    |               | OECD 301 F         | Readily       |
| degradability:          |           |      |       |      |               | (Ready             | biodegradable |
|                         |           |      |       |      |               | Biodegradability - |               |
|                         |           |      |       |      |               | Manometric         |               |
|                         |           |      |       |      |               | Respirometry       |               |
|                         |           |      |       |      |               | Test)              |               |
| 12.1. Toxicity to       | NOEC/NOEL | 21d  | 1     | mg/l | Daphnia magna | U.S. EPA           | Analogous     |
| daphnia:                |           |      |       |      |               | ECOTOX             | conclusion    |
|                         |           |      |       |      |               | Database           |               |

-GB (RL M)-

Page 14 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

| 12.1. Toxicity to        | EC50      | 48h | >8,6 | mg/l | Daphnia magna    | OECD 202         | Analogous  |
|--------------------------|-----------|-----|------|------|------------------|------------------|------------|
| daphnia:                 |           |     |      |      |                  | (Daphnia sp.     | conclusion |
|                          |           |     |      |      |                  | Acute            |            |
|                          |           |     |      |      |                  | Immobilisation   |            |
|                          |           |     |      |      |                  | Test)            |            |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 0,39 | mg/l | Pseudokirchnerie | OECD 201         | Analogous  |
|                          |           |     |      |      | lla subcapitata  | (Alga, Growth    | conclusion |
|                          |           |     |      |      |                  | Inhibition Test) |            |
| 12.1. Toxicity to algae: | EC50      | 72h | 1,2  | mg/l | Pseudokirchnerie | OECD 201         | Analogous  |
|                          |           |     |      |      | lla subcapitata  | (Alga, Growth    | conclusion |
|                          |           |     |      |      |                  | Inhibition Test) |            |
| 12.1. Toxicity to fish:  | LC50      | 96h | >10  | mg/l | Cyprinus caprio  | OECD 203         | Analogous  |
|                          |           |     |      |      |                  | (Fish, Acute     | conclusion |
|                          |           |     |      |      |                  | Toxicity Test)   |            |
| Toxicity to bacteria:    | EC50      | 6d  | 100  | mg/l | activated sludge |                  | Analogous  |
|                          |           |     |      |      |                  |                  | conclusion |

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

#### **SECTION 14: Transport information**

#### **General statements**

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

Not applicable
14.4. Packing group:

Not applicable
14.5. Environmental hazards:

Not applicable
Tunnel restriction code:

Classification code:

Not applicable
Not applicable
LQ:

Not applicable
Not applicable
Not applicable
Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

- GB (RL M)

Page 15 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicableMarine Pollutant:Not applicableEmS:Not applicableSegregation:Not applicable

Transport by air (IATA)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): REGULATION (EC) No 648/2004

< 0,3 %

15 % or over but less than 30 %

15 % or over but less than 30 non-ionic surfactants less than 5 % cationic surfactants

perfumes
BENZYL SALICYLATE
HEXYL CINNAMAL
LINALOOL
EUGENOL
COUMARIN

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

#### **SECTION 16: Other information**

Revised sections:

n.a.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used                             |
|---|--|
| Skin Irrit. 2, H315   | Classification according to calculation procedure. |
| Eye Dam. 1, H318  | Classification according to calculation procedure. |

### KochChemie<sup>6</sup> **ExcellenceForExperts.**

GB (RL) (M

Page 16 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage Acute Tox. — Acute toxicity - oral

Aguatic Acute — Hazardous to the aguatic environment - acute

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Eye Irrit. — Eye irritation

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

#### **Key literature references and sources for data:**

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

according, according to acc., acc. to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Article number Art., Art. no.

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS **Chemical Abstracts Service** 

Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of CLP substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

dw dry weight

for example (abbreviation of Latin 'exempli gratia'), for instance e.g.

EbCx, EyCx, EbLx (x = 10, 50)Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC **European Community** 

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

- GB (RL M)-

Page 17 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EμCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera EU European Union

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

**IUCLIDInternational Uniform Chemical Information Database** 

IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSHNational Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

(B) (RL) (M)

Page 18 of 18

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 12.12.2022 / 0001

Replacing version dated / version: 12.12.2022 / 0001

Valid from: 12.12.2022 PDF print date: 12.12.2022 NanoCrystal Polish

Art.: 241999

### These statements were made by: Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.