Trade name: NanoMagicShampoo Product no.: 206999 Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier Trade name

# NanoMagicShampoo

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Cleaner **Uses advised against** No data available.

# 1.3 Details of the supplier of the safety data sheet

## Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

### Advice on Safety Data Sheet sdb info@umco.de

1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Aquatic Chronic 3; H412 Eye Irrit. 2; H319 Skin Irrit. 2: H315

### **Classification information**

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

# 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

# Hazard pictograms



Signal word Warning

Hazard statement(s) H315

Causes skin irritation.

# Product no.: 206999

Current version	: 1	.1.0,	issued:	19.04.2021
-----------------	-----	-------	---------	------------

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

H319 H412	Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Precautionary statement	(s)
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

# Supplemental label elements

Regulation (EC) No 648/2004 on detergents (Annex VII): 5-15% amphoteric surfactants 5-15% non-ionic surfactants <5% cationic surfactants Perfumings LINALOOL

# 2.3 Other hazards

### PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

# Hazardous ingredients

No	Substance name		Additi	onal informatio	n	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	1-Propanaminium,	3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-				
	C8-18 (even numbe	ered) acyl derivs., hydroxides, inner salts				
	97862-59-4	Aquatic Chronic 3; H412	>=	10,00 - <	25,00	wt%
	931-296-8	Eye Dam. 1; H318				
	-					
	01-2119488533-30					
2	2-butoxyethanol					
	111-76-2	Acute Tox. 4; H302	>=	5,00 - <	10,00	wt%
	203-905-0	Acute Tox. 4; H312				
	603-014-00-0	Acute Tox. 4; H332				
	01-2119475108-36	Eye Irrit. 2; H319				
		Skin Irrit. 2; H315				
3	Amides, C8-18 (eve	en numbered) and C18- unsatd.,N, N-bis				
	(hydroxyethyl)					
	68155-07-7	Aquatic Chronic 2; H411	<	5,00		wt%

# Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

	931-329-6	Eve Dam. 1; H318			
	931-329-0	5			
	-	Skin Irrit. 2; H315			
	01-2119490100-53				
4		hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-,			
	ester with fatty aci	ds, C18 unsaturated, Me sulphates (salts)			
	-	Aquatic Chronic 3; H412	<	5,00	wt%
	939-685-4	Eye Dam. 1; H318			
	-	Skin Irrit. 2; H315			
	01-2119983493-26				
5	Siloxanes and Silic	cones, di-Me, 3-[3-[(3-coco			
	amidopropyl)dime	thylammonio]-2-hydroxypropoxy]propyl group-			
	terminated, acetate	es (salts)			
	134737-05-6	Aquatic Acute 1; H400	<	2,50	wt%
	-	Aquatic Chronic 2; H411			
	-				
	-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1		Eye Irrit. 2; H319: C >= 4% Eye Dam. 1; H318: C >= 10%	-	-

# Acute toxicity estimate (ATE) values

Acu	Acute toxicity estimate (ALE) values					
No	oral	dermal	inhalative			
2	1746 mg/kg bodyweight					

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

### After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

# After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

## **4.2 Most important symptoms and effects, both acute and delayed** No data available.

# **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

### Unsuitable extinguishing media

### Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

High power water jet

# 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Sulphur oxides (SxOy); Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

### For emergency responders Personal protective equipment (PPE) - see section 8.

## 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

# 7.2 Conditions for safe storage, including any incompatibilities

# Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

# Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

# Incompatible products

Substances to be avoided, see section 10.

# 7.3 Specific end use(s)

No data available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

# **Occupational exposure limit values**

No	Substance name	CAS no.		EC no.		
1	2-butoxyethanol	111-76-2		203-905-0		
	2000/39/EC					
	2-Butoxyethanol					
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm	
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm	
	Skin resorption / sensibilisation	Skin				
	List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)					
	2-Butoxyethanol					
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm	
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm	
	Comments	Sk, IOELV				

# **DNEL, DMEL and PNEC values**

0	Substance name			CAS / EC n	0
	Route of exposure	Exposure time	Effect	Value	
l		mino-N-(carboxymethyl)-N derivs., hydroxides, inner		97862-59-4 931-296-8	
	dermal	Long term (chronic)	systemic	12,5	mg/kg/day
	inhalative	Long term (chronic)	systemic	44	mg/m³
2	2-butoxyethanol			111-76-2 203-905-0	
	dermal	Long term (chronic)	systemic	125,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	98,00	mg/m <sup>3</sup>
	inhalative	Short term (acut)	systemic	1091,00	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	246,00	mg/m <sup>3</sup>
3	Amides, C8-18 (even n	umbered) and C18- unsate	d.,N, N-bis (hydroxyethyl)	68155-07-7 931-329-6	
	dermal	Long term (chronic)	systemic	4,16	mg/kg/day
	dermal	Long term (chronic)	local	0,09	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	73,4	mg/m <sup>3</sup>
1		1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)			-
	dermal	Long term (chronic)	systemic	<b>939-685-4</b> 112,5	ma/ka/day
	inhalative	Long term (chronic)	systemic	8,72	mg/kg/day mg/m³

# DNEL value (consumer)

No	Substance name	ubstance name			l i i i i i i i i i i i i i i i i i i i
	Route of exposure	Exposure time	Effect	Value	
1		no-N-(carboxymethyl)-N,N-		97862-59-4	
	(even numbered) acyl der	ivs., hydroxides, inner sal	ts	931-296-8	
	oral	Long term (chronic)	systemic	7,5	mg/kg/day
	dermal	Long term (chronic)	systemic	7,5	mg/kg/day
2	2-butoxyethanol			111-76-2	
				203-905-0	
	oral	Long term (chronic)	systemic	6,30	mg/kg/day
	oral	Short term (acut)	systemic	26,70	mg/kg/day
	dermal	Long term (chronic)	systemic	75,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	59,00	mg/m³
	inhalative	Short term (acut)	systemic	426,00	mg/m³
	inhalative	Long term (chronic)	local	147,00	mg/m³

Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

3	Amides, C8-18 (even nu	nbered) and C18- unsate	i) and C18- unsatd.,N, N-bis (hydroxyethyl)		-7 S
	oral	Long term (chronic)	systemic	6,25	mg/kg/day
	dermal	Long term (chronic)	systemic	2,5	mg/kg/day
	dermal	Long term (chronic)	local	0,056	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	21,73	mg/m³
4	1-Propanamine, 2-hydro	xy-N-(2-hydroxypropyl)-	N,N-dimethyl-, ester with	-	
	fatty acids, C18 unsatura	ated, Me sulphates (salts	5)	939-685-4	L .
	oral	Long term (chronic)	systemic	1,25	mg/kg/day
	dermal	Long term (chronic)	systemic	56,25	mg/kg/day
	inhalative	Long term (chronic)	systemic	2,17	mg/m <sup>3</sup>

### PNEC values

	Substance name		CAS / EC no	
No		Tune		
4	ecological compartment	Type	Value	
1	1-Propanaminium, 3-amino-N-(carboxy (even numbered) acyl derivs., hydroxid	des, inner salts	97862-59-4 931-296-8	
	water	fresh water	0,013	mg/L
	water	marine water	0,001	mg/L
	water	fresh water sediment	1	mg/kg dry weight
	water	marine water sediment	0,1	mg/kg dry weight
	soil	-	0,8	mg/kg dry weight
	sewage treatment plant	-	3000	mg/L
2	2-butoxyethanol		111-76-2 203-905-0	
	water	fresh water	8,80	mg/L
	water	marine water	0,88	mg/L
	water	fresh water sediment	34,60	mg/kg
	with reference to: dry weight			
	water	marine water sediment	3,46	mg/kg
	water	Aqua intermittent	26,4	mg/L
	soil	-	2,33	mg/kg dry weight
	sewage treatment plant	-	463,00	mg/L
	secondary poisoning	-	0,02	g/kg
3	Amides, C8-18 (even numbered) and C	18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7 931-329-6	
	water	fresh water	7	µg/L
	water	marine water	0,7	µg/L
	water	Aqua intermittent	24	µg/L
	water	fresh water sediment	42,4	µg/kg
	with reference to: dry weight			
	soil	-	18,9	µg/kg
	with reference to: dry weight			
	sewage treatment plant	-	830	mg/L
4	1-Propanamine, 2-hydroxy-N-(2-hydrox fatty acids, C18 unsaturated, Me sulph		- 939-685-4	
	water	fresh water	0,017	mg/L
	water	marine water	0,002	mg/L
	water	fresh water sediment	1,7	mg/kg dry weight
	water	marine water sediment	0,17	mg/kg dry weight
	soil	-	0,331	mg/kg dry weight

### Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021		Replaced version: 1.0.1, issued: 09.09.2020		Region: IE	
	sewage treatment plant	-	10	mg/L	

#### **Exposure controls** 8.2

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

## Personal protective equipment

# **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. If ventilation insufficient, use a respiratory protection apparatus. Respirator A

### Eye / face protection

Tightly fitting safety glasses (EN 166).

### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves

permanent use of protective	, gioves.		
Appropriate Material	butyl		
Material thickness	>	0,5	mm
Breakthrough time	>	120	min

### Other

Chemical-resistant work clothes.

### **Environmental exposure controls**

No data available.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form/Colour		
liquid		
yellow; green		
Odour		
fruity		
pH value		
Value	5,5	
Boiling point / boiling range		
No data available		
Melting point/freezing point		
No data available		
Decomposition temperature		
No data available		
Flash point		
No data available		
Ignition temperature		

# **KochChemie**<sup>®</sup> ExcellenceForExperts.

ade name: NanoMagicShampoo					
oduct no.: 206999					
rrent version : 1.1.0, issued: 19.04.2021	Replaced	version: 1.0.1	, issued: 09.09	.2020	Region:
No data available					
Flammability					
No data available					
Lower explosion limit					
No data available					
Upper explosion limit					
No data available					
Vapour pressure					
No data available					
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
Value		1,01	g/cm³		
Reference temperature		20	°C		
Solubility					
No data available					
Partition coefficient n-octanol/water (lo	g value)				
No Substance name		CAS no. 111-76-2		EC no. 203-905-0	
1 2-butoxyethanol		111-76-2	0,81	203-905-0	
Reference temperature			25	°C	
Source	ECHA				
2 Amides, C8-18 (even numbered) an N-bis (hydroxyethyl)	nd C18- unsatd.,N,	68155-07-7		931-329-6	
log Pow	appr. 1,35		- 4,84		
Reference temperature	11 ,		20	°C	
Method	OECD 117				
Source	ECHA				
Viscosity					
No data available					
Particle characteristics					
No data available					
2 Other information					

# Other information No data available.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

# 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### 10.4 Conditions to avoid

None, if handled according to intended use.

Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

# 10.5 Incompatible materials

No data available.

**10.6 Hazardous decomposition products** None, if handled according to intended use.

# **SECTION** 11: Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

No Product Name	ulation for the mixture)		
1 NanoMagicShampoo			
Comments		) 1272/2008 de the values cording to tab	(CLP), Paragraph 3.1.3.6, that imply a classification / ble 3.1.1 defining the
Acute oral toxicity			
No Substance name	CAS no.		EC no.
1 2-butoxyethanol	111-76-2		203-905-0
LD50		1746	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2 Amides, C8-18 (even numbered) and	C18- unsatd.,N, 68155-07-7		931-329-6
N-bis (hydroxyethyl)			
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Acute dermal toxicity (result of the ATE ca No Product Name 1 NanoMagicShampoo			
Comments	The result of the applied c	alculation me	thod according to the
			(CLP), Paragraph 3.1.3.6,
			that imply a classification /
	labelling of this mixture ac	cording to tak	ble 3.1.1 defining the
	labelling of this mixture ac respective categories (ATE		
Acute dermal toxicity	respective categories (ATE		000 mg/kg).
No Substance name	respective categories (ATE		000 mg/kg). EC no.
No     Substance name       1     2-butoxyethanol	respective categories (ATE CAS no. 111-76-2	E dermal > 20	000 mg/kg). EC no. 203-905-0
No     Substance name       1     2-butoxyethanol       LD50	CAS no. 111-76-2		000 mg/kg). EC no.
No     Substance name       1     2-butoxyethanol       LD50     Species	CAS no. 111-76-2 9 9 9 9	E dermal > 20	000 mg/kg). EC no. 203-905-0
No     Substance name       1     2-butoxyethanol       LD50     Species       Method     Image: Species	respective categories (ATE   CAS no.   111-76-2   > guinea pig   OECD 402	E dermal > 20	000 mg/kg). EC no. 203-905-0
No Substance name   1 2-butoxyethanol   LD50 Species   Method Source	CAS no. CAS no. 111-76-2 Suinea pig OECD 402 ECHA	E dermal > 20	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)	respective categories (ATE CAS no. 111-76-2 > guinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7	<u>E dermal &gt; 20</u> 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50	respective categories (ATE CAS no. 111-76-2 suinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7	E dermal > 20	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50   Species	respective categories (ATE CAS no. 111-76-2 > guinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7 > rabbit	<u>E dermal &gt; 20</u> 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50	respective categories (ATE CAS no. 111-76-2 suinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7	<u>E dermal &gt; 20</u> 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50   Species     Species   Source	respective categories (ATE CAS no. 111-76-2 > guinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7 > rabbit ECHA	E dermal > 20 2000 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50   Species     Source   Source     Acute inhalational toxicity (result of the Additional toxicity)	respective categories (ATE CAS no. 111-76-2 > guinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7 > rabbit ECHA	E dermal > 20 2000 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50   Species     Source   Source     Acute inhalational toxicity (result of the Air No     Product Name	respective categories (ATE CAS no. 111-76-2 > guinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7 > rabbit ECHA	E dermal > 20 2000 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6
No   Substance name     1   2-butoxyethanol     LD50   Species     Method   Source     2   Amides, C8-18 (even numbered) and N-bis (hydroxyethyl)     LD50   Species     Source   Source     Acute inhalational toxicity (result of the Ain No     Product Name	respective categories (ATE CAS no. 111-76-2 > guinea pig OECD 402 ECHA C18- unsatd.,N, 68155-07-7 > rabbit ECHA	<u>E dermal &gt; 20</u> 2000 2000	000 mg/kg). EC no. 203-905-0 mg/kg bodyweight 931-329-6 mg/kg bodyweight

Product no.: 206999

ent V	version : 1.1.0, issued: 19.04.2021	керіасео	version: 1.0.1,	issueu: 09.09	.2020 <b>Regi</b>
		labelling of th respective ca	nis mixture aco	cording to ta for inhalati	s that imply a classification / ble 3.1.1 defining the on: > 20.000 ppmV (gases), ts).
Acu	te inhalational toxicity				
	Substance name		CAS no.		EC no.
1	2-butoxyethanol		111-76-2		203-905-0
ATE				1,5	mg/l
	ation of exposure			4	h
	e of aggregation	Dust/mist			
Spe	cies	rat			
Skir	n corrosion/irritation				
-	Substance name		CAS no.		EC no.
1	2-butoxyethanol		111-76-2		203-905-0
	ation of exposure			4	h
	cies	rabbit			
Meth		EU B.4			
Sou		ECHA			
Eval	luation	irritant			
Seri	ious eye damage/irritation				
No	Product Name				
1	NanoMagicShampoo				
Meth		OECD 437			
Evai	luation	non-corrosive	e		
Res	piratory or skin sensitisation				
No	Substance name		CAS no.		EC no.
1	2-butoxyethanol		111-76-2		203-905-0
	te of exposure	Skin			
	cies	guinea pig			
Metł Sou		OECD 406 ECHA			
	luation	non-sensitizi	na		
		Horr-Schistizh	ing		
	m cell mutagenicity				
	Substance name		CAS no.		EC no.
1 Moth	2-butoxyethanol		111-76-2		203-905-0
Metł Sou		OECD 471 ECHA			
	luation/classification		ailahle data ti	ne classifica	tion criteria are not met.
	roduction toxicity				
No c	data available				
	cinogenicity				
	Substance name		CAS no.		EC no.
1	2-butoxyethanol		111-76-2		203-905-0
	cies	rat			
Meth		OECD 451			
Soui Eval	rce luation/classification	ECHA Based on av	ailable data ti	na classifica	tion criteria are not mot
∟val					tion criteria are not met.
	OT - single exposure				
No c	data available				
STO	OT - repeated exposure				
	data available				

# Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

No data available

### 11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxic	ity to fish (acute)					
No S	Substance name		CAS no.		EC no.	
1 2	2-butoxyethanol		111-76-2		203-905-0	
LC50		>		1474	mg/l	
	ion of exposure			96	h	
Speci		Oncorhynchu	ıs mykiss			
Metho		OECD 203				
Sourc		ECHA				
1	Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl)	C18- unsatd.,N,	68155-07-7		931-329-6	
LC50				2,4	mg/l	
	ion of exposure			96	h	
Speci		Oncorhynchu	us mykiss			
Metho		OECD 203				
Sourc	e	ECHA				
Toxic	ity to fish (chronic)					
No	Substance name		CAS no.		EC no.	
1 2	2-butoxyethanol		111-76-2		203-905-0	
NOEC	0	>		100	mg/l	
	ion of exposure			21	day(s)	
Speci	es	Danio rerio				
Metho		OECD 204				
Sourc	e	ECHA				
Toxic	ity to Daphnia (acute)					
	Substance name		CAS no.		EC no.	
1 2	2-butoxyethanol		111-76-2		203-905-0	
EC50				1550	mg/l	
Durati	ion of exposure			48	h	
Speci				40	11	
Shool	es	Daphnia mag	jna	40		
		Daphnia mag OECD 202	jna	40		
Metho Sourc	od ce	OECD 202 ECHA	-	40		
Metho Sourc 2 /	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl)	OECD 202 ECHA	-		931-329-6	
Metho Sourc 2 / EC50	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl)	OECD 202 ECHA	-	3,2		
Metho Sourc 2 / EC50 Durati	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure	OECD 202 ECHA C18- unsatd.,N,	68155-07-7		931-329-6	
Metho Sourc 2 2 EC50 Durati Specie	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es	OECD 202 ECHA C18- unsatd.,N,	68155-07-7	3,2	<b>931-329-6</b> mg/l	
Metho Sourc 2 1 EC50 Durati Specie Metho	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od	OECD 202 ECHA C18- unsatd.,N, Daphnia mag OECD 202	68155-07-7	3,2	<b>931-329-6</b> mg/l	
Metho Sourc 2 1 EC50 Durati Specie Metho	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od	OECD 202 ECHA C18- unsatd.,N,	68155-07-7	3,2	<b>931-329-6</b> mg/l	
Metho Sourc 2 2 4 1 EC50 Durati Specie Specie Sourc	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od ce	OECD 202 ECHA C18- unsatd.,N, Daphnia mag OECD 202	68155-07-7	3,2	<b>931-329-6</b> mg/l	
Metho Sourc 2 4 EC50 Durati Specie Metho Sourc Toxic	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od	OECD 202 ECHA C18- unsatd.,N, Daphnia mag OECD 202	68155-07-7	3,2	<b>931-329-6</b> mg/l	
Metho Sourc 2 / EC50 Durati Specie Sourc Sourc Toxic No \$	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od ce city to Daphnia (chronic)	OECD 202 ECHA C18- unsatd.,N, Daphnia mag OECD 202	<b>68155-07-7</b> gna	3,2	<b>931-329-6</b> mg/l h	
Methor Source 2 / EC50 Durati Specie Source Toxice No \$ 1 2	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od ce ity to Daphnia (chronic) Substance name 2-butoxyethanol	OECD 202 ECHA C18- unsatd.,N, Daphnia mag OECD 202	68155-07-7 gna CAS no.	3,2	931-329-6 mg/l h	
Metho Source 2 / EC50 Durati Specie Metho Source Toxic No S 1 2 NOEC	od ce Amides, C8-18 (even numbered) and ( N-bis (hydroxyethyl) ion of exposure es od ce ity to Daphnia (chronic) Substance name 2-butoxyethanol	OECD 202 ECHA C18- unsatd.,N, Daphnia mag OECD 202	68155-07-7 gna CAS no.	3,2 48	931-329-6 mg/l h EC no. 203-905-0	

#### Trade name: NanoMagicShampoo Product no.: 206999 Current version : 1.1.0, issued: 19.04.2021 Replaced version: 1.0.1, issued: 09.09.2020 Region: IE **OECD 211** Method ECHA Source Toxicity to algae (acute) No Substance name CAS no. EC no. 2-butoxyethanol 1 111-76-2 203-905-0 EC50 911 mg/l Duration of exposure 72 h Species Pseudokirchneriella subcapitata Method **OECD 201** ECHA Source Toxicity to algae (chronic) No data available **Bacteria toxicity** No data available 12.2 Persistence and degradability **Biodegradability** No Substance name CAS no. EC no. 1 2-butoxyethanol 111-76-2 203-905-0 Туре aerobic biodegradation 90,4 Value % Duration 28 dav(s)

Method		OECD 301 B		
Sou	rce	ECHA		
Eval	uation	readily biodegradable		
2	Amides, C8-18 (even numbered) and C18	8- unsatd.,N, 68155-07-7		931-329-6
	N-bis (hydroxyethyl)			
Valu	e	appr.	92,5	%
Dura	ation		28	day(s)
Meth	nod	OECD 301 B		
Source		ECHA		
Eval	uation	readily biodegradable		

# 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.	
1	2-butoxyethanol		111-76-2		203-905-0	
log F	Pow			0,81		
Refe	erence temperature			25	°C	
Sou	rce	ECHA				
2	Amides, C8-18 (even numbered) and C1	8- unsatd.,N,	68155-07-7		931-329-6	
	N-bis (hydroxyethyl)					
log F	Pow	appr. 1,35	-	4,84		
Refe	erence temperature			20	°C	
Meth	nod	OECD 117				
Sou	rce	ECHA				

# 12.4 Mobility in soil

No data available.

# 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

# Trade name: NanoMagicShampoo Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021	Replaced version: 1.0.1, issued: 09.09.2020	Region: IE
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is consider be vPvB.	

### **12.6 Endocrine disrupting properties** No data available.

# 12.7 Other adverse effects

No data available.

# 12.8 Other information

# Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

# **SECTION 14: Transport information**

# 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

# 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

### **14.4 Other information** No data available.

- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation

No 3

# Trade name: NanoMagicShampoo

## Product no.: 206999

Current version : 1.1.0, issued: 19.04.2021

Replaced version: 1.0.1, issued: 09.09.2020

Region: IE

# (EC) 1907/2006.

# REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

**Directive 2012/18/EU** on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

# 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

# Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763191