

**Trade name:** NanoMagic Polish**Product no.:** 210999**Current version :** 1.2.0, issued: 23.03.2022**Replaced version:** 1.1.0, issued: 19.04.2021**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

**NanoMagic Polish****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**1.4 Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Eye Irrit. 2; H319

Skin Irrit. 2; H315

**Classification information**

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS07

**Signal word**

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

Warning

**Hazard statement(s)**

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statement(s)**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

**Supplemental label elements**

Regulation (EC) No 648/2004 on detergents (Annex VII):  
 5-15% amphoteric surfactants  
 5-15% non-ionic surfactants  
 <5% cationic surfactants  
 Perfumings  
 LINALOOL

**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts</b>			
	97862-59-4 931-296-8 - 01-2119488533-30	Aquatic Chronic 3; H412 Eye Dam. 1; H318	>= 10.00 - < 25.00	wt%
2	<b>2-butoxyethanol</b>			
	111-76-2 203-905-0 603-014-00-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 5.00 - < 10.00	wt%

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

3	<b>Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)</b>			
	68155-07-7 931-329-6 - 01-2119490100-53	Aquatic Chronic 2; H411 Eye Dam. 1; H318 Skin Irrit. 2; H315	< 5.00	wt%
4	<b>1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)</b>			
	- 939-685-4 - 01-2119983493-26	Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Irrit. 2; H315	< 5.00	wt%
5	<b>Siloxanes and Silicones, di-Me, 3-[3-[(3-coco amidopropyl)dimethylammonio]-2-hydroxypropoxy]propyl group-terminated, acetates (salts)</b>			
	134737-05-6 - - -	Aquatic Acute 1; H400 Aquatic Chronic 2; H411	< 2.50	wt%
6	<b>octamethylcyclotetrasiloxane</b>		<b>pls. refer to footnote (2)</b>	
	556-67-2 209-136-7 014-018-00-1 01-2119529238-36	Flam. Liq. 3; H226 Repr. 2; H361f Aquatic Chronic 1; H410	< 0.10	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 4% Eye Dam. 1; H318: C >= 10%	-	-
6	-	-	-	M = 10

**Acute toxicity estimate (ATE) values**

No	oral	dermal	inhalative
2	1746 mg/kg bodyweight		

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

**After skin contact**

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

**After ingestion**

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

**Trade name:** NanoMagic Polish

**Product no.:** 210999

**Current version :** 1.2.0, issued: 23.03.2022

**Replaced version:** 1.1.0, issued: 19.04.2021

**Region:** GB

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

##### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>); Sulphur oxides (S<sub>x</sub>O<sub>y</sub>); Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Do not allow run-off from fire fighting to enter drains or water courses.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

##### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

##### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
	<b>2000/39/EC</b>				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m <sup>3</sup>	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m <sup>3</sup>	20	ppm
	Skin resorption / sensibilisation	Skin			
	<b>List of approved workplace exposure limits (WELs) / EH40</b>				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m <sup>3</sup>	50	ppm
	WEL long-term (8-hr TWA reference period)	123	mg/m <sup>3</sup>	25	ppm
	Comments	Sk, BMGV			

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts</b>			<b>97862-59-4 931-296-8</b>	
	dermal	Long term (chronic)	systemic	12.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	44	mg/m <sup>3</sup>
2	<b>2-butoxyethanol</b>			<b>111-76-2 203-905-0</b>	
	inhalative	Long term (chronic)	systemic	98.00	mg/m <sup>3</sup>
	inhalative	Short term (acute)	systemic	1091.00	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	246.00	mg/m <sup>3</sup>
3	<b>Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)</b>			<b>68155-07-7 931-329-6</b>	
	dermal	Long term (chronic)	systemic	4.16	mg/kg/day
	dermal	Long term (chronic)	local	0.09	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	73.4	mg/m <sup>3</sup>
4	<b>1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)</b>			<b>- 939-685-4</b>	
	dermal	Long term (chronic)	systemic	112.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	8.72	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts</b>			<b>97862-59-4 931-296-8</b>	
	oral	Long term (chronic)	systemic	7.5	mg/kg/day

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

	dermal	Long term (chronic)	systemic	7.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	13.04	mg/m <sup>3</sup>
2	<b>2-butoxyethanol</b>			<b>111-76-2</b> <b>203-905-0</b>	
	oral	Long term (chronic)	systemic	6.30	mg/kg/day
	oral	Short term (acut)	systemic	26.70	mg/kg/day
	inhalative	Long term (chronic)	systemic	59.00	mg/m <sup>3</sup>
	inhalative	Short term (acut)	systemic	426.00	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	147.00	mg/m <sup>3</sup>
3	<b>Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)</b>			<b>68155-07-7</b> <b>931-329-6</b>	
	oral	Long term (chronic)	systemic	6.25	mg/kg/day
	dermal	Long term (chronic)	systemic	2.5	mg/kg/day
	dermal	Long term (chronic)	local	0.056	mg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	21.73	mg/m <sup>3</sup>
4	<b>1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)</b>			<b>-</b> <b>939-685-4</b>	
	oral	Long term (chronic)	systemic	1.25	mg/kg/day
	dermal	Long term (chronic)	systemic	56.25	mg/kg/day
	inhalative	Long term (chronic)	systemic	2.17	mg/m <sup>3</sup>

## PNEC values

No	Substance name	CAS / EC no
	ecological compartment	Type
		Value
1	<b>1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts</b>	<b>97862-59-4</b> <b>931-296-8</b>
	water	fresh water
	water	marine water
	water	fresh water sediment
	water	marine water sediment
	soil	-
	sewage treatment plant	-
		0.013 mg/L
		0.001 mg/L
		11.1 mg/kg dry weight
		1.11 mg/kg dry weight
		0.85 mg/kg dry weight
		3000 mg/L
2	<b>2-butoxyethanol</b>	<b>111-76-2</b> <b>203-905-0</b>
	water	fresh water
	water	marine water
	water	fresh water sediment
		with reference to: dry weight
	water	marine water sediment
	water	Aqua intermittent
	soil	-
	sewage treatment plant	-
	secondary poisoning	-
		8.80 mg/L
		0.88 mg/L
		34.60 mg/kg
		3.46 mg/kg
		26.4 mg/L
		2.33 mg/kg dry weight
		463.00 mg/L
		0.02 mg/kg food
3	<b>Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)</b>	<b>68155-07-7</b> <b>931-329-6</b>
	water	fresh water
	water	marine water
	water	Aqua intermittent
	water	fresh water sediment
		with reference to: dry weight
	soil	-
		with reference to: dry weight
	sewage treatment plant	-
		7 µg/L
		0.7 µg/L
		24 µg/L
		42.4 µg/kg
		18.9 µg/kg
		830 mg/L
4	<b>1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with</b>	<b>-</b>

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

fatty acids, C18 unsaturated, Me sulphates (salts)		939-685-4	
water	fresh water	0.017	mg/L
water	marine water	0.002	mg/L
water	fresh water sediment	1.7	mg/kg dry weight
water	marine water sediment	0.17	mg/kg dry weight
soil	-	0.331	mg/kg dry weight
sewage treatment plant	-	10	mg/L

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. If ventilation insufficient, use a respiratory protection apparatus.

Respirator A

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl		
Material thickness	>	0.5	mm
Breakthrough time	>	120	min

#### Other

Chemical-resistant work clothes.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>State of aggregation</b>	
liquid	
<b>Form/Colour</b>	
liquid	
yellow; green	
<b>Odour</b>	
fruity	
<b>pH value</b>	
Value	5.5
<b>Boiling point / boiling range</b>	
No data available	

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

<b>Melting point/freezing point</b>			
No data available			
<b>Decomposition temperature</b>			
No data available			
<b>Flash point</b>			
No data available			
<b>Ignition temperature</b>			
No data available			
<b>Flammability</b>			
No data available			
<b>Lower explosion limit</b>			
No data available			
<b>Upper explosion limit</b>			
No data available			
<b>Vapour pressure</b>			
No data available			
<b>Relative vapour density</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
Value	1.01	g/cm <sup>3</sup>	
Reference temperature	20	°C	
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
1	2-butoxyethanol	111-76-2	203-905-0
log Pow		0.81	
Reference temperature		20	°C
Method	calculated		
Source	ECHA		
2	Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7	931-329-6
log Pow	appr. 1.35	- 4.84	
Reference temperature		20	°C
Method	OECD 117		
Source	ECHA		
<b>Viscosity</b>			
No data available			
<b>Particle characteristics</b>			
No data available			
<b>9.2 Other information</b>			
<b>Other information</b>			
No data available.			

**SECTION 10: Stability and reactivity**



Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

**10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use.

**10.4 Conditions to avoid**

None, if handled according to intended use.

**10.5 Incompatible materials**

No data available.

**10.6 Hazardous decomposition products**

None, if handled according to intended use.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	NanoMagic Polish
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
LD50		1746	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7	931-329-6
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	NanoMagic Polish
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
LD50	>	2000	mg/kg bodyweight
Species	guinea pig		
Method	OECD 402		

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

Source	ECHA		
<b>2</b>	<b>Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)</b>	<b>68155-07-7</b>	<b>931-329-6</b>
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Source	ECHA		

**Acute inhalational toxicity (result of the ATE calculation for the mixture)**

No	Product Name
<b>1</b>	<b>NanoMagic Polish</b>
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

**Acute inhalational toxicity**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>2-butoxyethanol</b>	<b>111-76-2</b>	<b>203-905-0</b>
ATE		1.5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		

**Skin corrosion/irritation**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>2-butoxyethanol</b>	<b>111-76-2</b>	<b>203-905-0</b>
Duration of exposure		4	h
Species	rabbit		
Method	EU B.4		
Source	ECHA		
Evaluation	irritant		

**Serious eye damage/irritation**

No	Product Name
<b>1</b>	<b>NanoMagic Polish</b>
Method	OECD 437
Evaluation	non-corrosive

**Respiratory or skin sensitisation**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>2-butoxyethanol</b>	<b>111-76-2</b>	<b>203-905-0</b>
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		

**Germ cell mutagenicity**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>2-butoxyethanol</b>	<b>111-76-2</b>	<b>203-905-0</b>
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Reproduction toxicity**

No data available

**Carcinogenicity**

No	Substance name	CAS no.	EC no.
----	----------------	---------	--------

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

1	2-butoxyethanol	111-76-2	203-905-0
Species	rat		
Method	OECD 451		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available.

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
LC50	>	1474	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7	931-329-6
LC50		2.4	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

<b>Toxicity to fish (chronic)</b>			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
NOEC	>	100	mg/l
Duration of exposure		21	day(s)
Species	Danio rerio		
Method	OECD 204		
Source	ECHA		

<b>Toxicity to Daphnia (acute)</b>			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC50		690	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7	931-329-6

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

EC50	3.2	mg/l
Duration of exposure	48	h
Species	Daphnia magna	
Method	OECD 202	
Source	ECHA	

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
NOEC	100	mg/l	
Duration of exposure	21	day(s)	
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC50	623	mg/l	
Duration of exposure	72	h	
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No data available			

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Type	aerobic biodegradation		
Value	90.4	%	
Duration	28	day(s)	
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
2	Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7	931-329-6
Value	appr. 92.5	%	
Duration	28	day(s)	
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
log Pow	0.81		
Reference temperature	20	°C	
Method	calculated		
Source	ECHA		
2	Amides, C8-18 (even numbered) and C18- unsatd.,N, N-bis (hydroxyethyl)	68155-07-7	931-329-6
log Pow	appr. 1.35 - 4.84		
Reference temperature	20	°C	

**Trade name:** NanoMagic Polish**Product no.:** 210999**Current version :** 1.2.0, issued: 23.03.2022**Replaced version:** 1.1.0, issued: 19.04.2021**Region:** GB

Method Source	OECD 117 ECHA
------------------	------------------

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

Other information
Do not discharge into drains or waters and do not dispose of in public landfills.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

Trade name: NanoMagic Polish

Product no.: 210999

Current version : 1.2.0, issued: 23.03.2022

Replaced version: 1.1.0, issued: 19.04.2021

Region: GB

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	2-butoxyethanol	111-76-2	203-905-0	75
2	Acetic acid	64-19-7	200-580-7	75
3	citral	5392-40-5	226-394-6	75
4	linalool	78-70-6	201-134-4	75
5	octamethylcyclotetrasiloxane	556-67-2	209-136-7	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.

---

**Trade name:** NanoMagic Polish**Product no.:** 210999**Current version :** 1.2.0, issued: 23.03.2022**Replaced version:** 1.1.0, issued: 19.04.2021**Region:** GB

---

H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

**Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769552