Trade name: Powerful Dry & Care Product no.: 451999 Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier Trade name

# Powerful Dry & Care

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture drying additive for use in car wash systems

**Uses advised against** No data available.

#### 1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet sdb info@umco.de

# 1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Dam. 1; H318 Skin Irrit. 2: H315

# Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

# 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms



**Signal word** Danger

#### Hazardous component(s) to be indicated on label:

1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)

Hazard statement(s) H315

Causes skin irritation.

# Trade name: Powerful Dry & Care Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021		04.2021	Replaced version: -, issued: -	Region: IE
	H318	Causes ser	ous eye damage.	
	Precautionary statem	ent(s)		
	P280	Wear protect	ctive gloves/protective clothing/eye protection/face pro	tection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. present and easy to do. Continue rinsing.		•	ove contact lenses, if	
	P310	Immediately	call a POISON CENTER/doctor.	
• •				

# 2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Additi	onal info	rmation	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration		%
	REACH no					
1	2-butoxyethanol					
	111-76-2	Acute Tox. 4; H302	>=	10,00 -	< 25,00	wt%
	203-905-0	Acute Tox. 4; H312				
	603-014-00-0	Acute Tox. 4; H332				
	01-2119475108-36	Eye Irrit. 2; H319				
		Skin Irrit. 2; H315				
2	1-Propanamine, 2-I	hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-,				
		ds, C18 unsaturated, Me sulphates (salts)				
	-	Aquatic Chronic 3; H412	>=	10,00 -	< 25,00	wt%
	939-685-4	Eye Dam. 1; H318				
	-	Skin Irrit. 2; H315				
	01-2119983493-26					
3	Butene, homopoly					
	68937-10-0	Flam. Liq. 3; H226	>=	5,00 -	< 10,00	wt%
	-	Asp. Tox. 1; H304				
	-					
	-					
4	poly(oxy-1,2-ethan	ediyl), .alphaphenylomegahydroxy-				
	9004-78-8	Acute Tox. 4*; H302	>=	5,00 -	< 10,00	wt%
	500-13-6					
	-					
	-					
5	Acetic acid					
	64-19-7	Flam. Liq. 3; H226	<	2,50		wt%
	200-580-7	Skin Corr. 1A; H314				
	607-002-00-6	Eye Dam. 1; H318				
	01-2119475328-30					
	64-19-7 200-580-7 607-002-00-6	Skin Corr. 1A; H314	<	2,50		wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*,\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

#### Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
5	В	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25%	-	-
		Skin Corr. 1A; H314: C >= 90%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acute toxicity estimate (ATE) values					
No	oral	dermal	inhalative		
1	1746 mg/kg bodyweight				

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

#### After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### **4.2 Most important symptoms and effects, both acute and delayed** No data available.

# **4.3** Indication of any immediate medical attention and special treatment needed No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Unsuitable extinguishing media High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Sulphur oxides (SxOy); Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
	2000/39/EC				
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Skin resorption / sensibilisation	Skin			
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Prac	ctice)	
	2-Butoxyethanol				
	WEL short-term (15 min reference period)	246	mg/m³	50	ppm
	WEL long-term (8-hr TWA reference period)	98	mg/m³	20	ppm
	Comments	Sk, IOELV			

Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

2	Acetic acid	64-19-7		200-580	-7
	2017/164/EU				
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm
	List of Chemical Agents and Occupational Expo	osure Limit Valu	les (Code of P	ractice)	
	Acetic acid				
	WEL short-term (15 min reference period)	50	mg/m³	20	ppm
	WEL long-term (8-hr TWA reference period)	25	mg/m³	10	ppm
	Comments	IOELV			

# **DNEL, DMEL and PNEC values**

## DNEL values (worker)

No	Substance name			CAS / EC no	)
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol	•		111-76-2	
				203-905-0	
	dermal	Long term (chronic)	systemic	125,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	98,00	mg/m³
	inhalative	Short term (acut)	systemic	1091,00	mg/m³
	inhalative	Long term (chronic)	local	246,00	mg/m³
2	1-Propanamine, 2-hydrox	y-N-(2-hydroxypropyl)-N,N	I-dimethyl-, ester with	-	
	fatty acids, C18 unsatura	ted, Me sulphates (salts)		939-685-4	
	dermal	Long term (chronic)	systemic	112,5	mg/kg/day
	inhalative	Long term (chronic)	systemic	8,72	mg/m³
3	Acetic acid			64-19-7	
				200-580-7	
	inhalative	Long term (chronic)	local	25	mg/m³
	inhalative	Short term (acut)	local	25	mg/m³

#### DNEL value (consumer)

No	Substance name				C
	Route of exposure	Exposure time	Effect	Value	
1	2-butoxyethanol			111-76-2 203-905-0	
	oral	Long term (chronic)	systemic	6,30	mg/kg/day
	oral	Short term (acut)	systemic	26,70	mg/kg/day
	dermal	Long term (chronic)	systemic	75,00	mg/kg/day
	dermal	Short term (acut)	systemic	89,00	mg/kg/day
	inhalative	Long term (chronic)	systemic	59,00	mg/m³
	inhalative	Short term (acut)	systemic	426,00	mg/m³
	inhalative	Long term (chronic)	local	147,00	mg/m³
2	1-Propanamine, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, ester with fatty acids, C18 unsaturated, Me sulphates (salts)			- 939-685-4	
	oral	Long term (chronic)	systemic	1,25	malkaldov
	dermal	Long term (chronic)	systemic	56,25	mg/kg/day mg/kg/day
	inhalative	Long term (chronic)	systemic	2,17	mg/m <sup>3</sup>
}	Acetic acid			64-19-7 200-580-7	
	inhalative	Long term (chronic)	local	25	mg/m³
	inhalative	Short term (acut)	local	25	mg/m <sup>3</sup>

# **PNEC** values

No	Substance name		CAS / EC no
	ecological compartment	Туре	Value
1	2-butoxyethanol		111-76-2

Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

			203-905-0	
	water	fresh water	8,80	mg/L
	water	marine water	0,88	mg/L
	water	fresh water sediment	34,60	mg/kg
	with reference to: dry weight		-	
	water	marine water sediment	3,46	mg/kg
	water	Aqua intermittent	26,4	mg/L
	soil	-	2,33	mg/kg dry weight
	sewage treatment plant	-	463,00	mg/L
	secondary poisoning	-	0,02	g/kg
2	1-Propanamine, 2-hydroxy-N-(2	-		
	fatty acids, C18 unsaturated, N		939-685-4	
	water	fresh water	0,017	mg/L
	water	marine water	0,002	mg/L
	water	fresh water sediment	1,7	mg/kg dry weight
	water	marine water sediment	0,17	mg/kg dry weight
	soil	-	0,331	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
3	Acetic acid		64-19-7 200-580-7	•
	water	fresh water	3,058	mg/L
	water	marine water	0,3058	mg/L
	water	fresh water sediment	11,36	mg/kg
	water	marine water sediment	1,136	mg/kg
	water	Aqua intermittent	30,58	mg/L
	soil	-	0,47	mg/kg
	sewage treatment plant	-	85	mg/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0,7	mm
Breakthrough time	>	120	min

#### Other

Chemical-resistant work clothes.

## Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

#### Environmental exposure controls No data available.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid				
red				
Odour				
characteristic				
pH value Value	l	4		
		4		
Boiling point / boiling range				
No data available				
Melting point/freezing point				
No data available				
Decomposition temperature				
No data available				
Flash point				
Value	[	62	°C	
		-	-	
Ignition temperature No data available				
Flammability				
No data available				
Lower explosion limit				
No data available				
Upper explosion limit				
No data available				
Vapour pressure				
No data available				
Relative vapour density				
No data available				
Relative density No data available				
Density		0.00		
Value Reference temperature		0,98 20	g/cm³ °C	
· ·		20	0	
Solubility				
No data available				
Partition coefficient n-octanol/water (log value	ie)			
No Substance name		CAS no.		EC no.
1 2-butoxyethanol		111-76-2	0.94	203-905-0
log Pow Reference temperature			0,81 25	°C

#### **Product no.:** 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

Source

ECHA

Viscosity No data available

#### Particle characteristics No data available

# 9.2 Other information

Other information

No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### **10.4 Conditions to avoid** None, if handled according to intended use.

10.5 Incompatible materials

None known.

**10.6 Hazardous decomposition products** None, if handled according to intended use.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity (result of the ATE o	calculation for the mixture)		
No	Product Name			
1	Powerful Dry & Care			
	Interviewering by droare       The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.         Part 3 of Annex I is outside the values that imply a classificat labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).         Imments       The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.         Part 3 of Annex I is outside the values that imply a classificat labelling of this mixture according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.         Part 3 of Annex I is outside the values that imply a classificat labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).		(CLP), Paragraph 3.1.3.6, that imply a classification / ole 3.1.1 defining the mg/kg). ethod according to the (CLP), Paragraph 3.1.3.6, that imply a classification / ole 3.1.1 defining the	
Acu	te oral toxicity			
No	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
LD5	0		1746	mg/kg bodyweight
Species		rat		
Method		OECD 401		
Source		ECHA		
	te dermal toxicity (result of the AT Product Name	E calculation for the mixture)		

# 1 Powerful Dry & Care

Comments

The result of the applied calculation method according to the

Trade name: Powerful Dry & Care Product no.: 451999 Current version : 1.0.0, issued: 26.04.2021 Replaced version: -, issued: -Region: IE European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg). Acute dermal toxicity No Substance name CAS no. EC no. 2-butoxyethanol 111-76-2 203-905-0 LD50 2000 mg/kg bodyweight > Species guinea pig Method **OECD 402** Source **ECHA** Acute inhalational toxicity (result of the ATE calculation for the mixture) No Product Name Powerful Dry & Care Comments The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists). Acute inhalational toxicity No Substance name CAS no. EC no. 2-butoxyethanol 111-76-2 203-905-0 1 ATE 1,5 mg/l Duration of exposure Δ h State of aggregation Dust/mist Species rat Skin corrosion/irritation CAS no. No Substance name EC no. 2-butoxyethanol 111-76-2 203-905-0 Duration of exposure Δ Species rabbit Method EU B.4 Source ECHA Evaluation irritant Serious eye damage/irritation EC no. No Substance name CAS no. 2-butoxyethanol 111-76-2 203-905-0 1 Duration of exposure 24 Species rabbit Method **OECD 405** Source ECHA Evaluation Irritating to eyes Respiratory or skin sensitisation No Substance name CAS no. EC no. 203-905-0 2-butoxyethanol 111-76-2 Route of exposure Skin Species guinea pig OECD 406 Method ECHA Source Evaluation non-sensitizing Germ cell mutagenicity CAS no. No Substance name EC no.

#### Product no.: 451999 Current version : 1.0.0, issued: 26.04.2021 Replaced version: -, issued: -Region: IE 2-butoxyethanol 111-76-2 203-905-0 1 OECD 471 Method **ECHA** Source Evaluation/classification Based on available data, the classification criteria are not met. **Reproduction toxicity** No data available Carcinogenicity No Substance name CAS no. EC no. 2-butoxyethanol 203-905-0 111-76-2 1 Species rat Method **OECD 451** Source **ECHA** Based on available data, the classification criteria are not met. Evaluation/classification STOT - single exposure No data available STOT - repeated exposure No data available Aspiration hazard No data available

#### 11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

Duration of exposure

Species

Method

Source

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
LC5	0	>	1474	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Oncorhynchus mykiss			
Meth	nod	OECD 203			
Sou	се	ECHA			
Taxi	aity to fich (abronia)				
	Toxicity to fish (chronic)				
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
NOE	C	>	100	mg/l	
Dura	ation of exposure		21	day(s)	
Spe	cies	Danio rerio			
Method OEC		OECD 204			
Sou	се	ECHA			
Toxicity to Daphnia (acute)					
		010		=0	
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
EC5	0		1550	mg/l	

Daphnia magna

OECD 202 ECHA 48

h

#### Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

	icity to Daphnia (chronic)			
No	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
NOE	EC		100	mg/l
Dura	ation of exposure		21	day(s)
Spe	cies	Daphnia magna		
Metl	hod	OECD 211		
Sou	rce	ECHA		
_		÷		
Tox	icity to algae (acute)			
No	Substance name	CAS no.		EC no.
1	2-butoxyethanol	111-76-2		203-905-0
EC5	0		911	mg/l
Dura	ation of exposure		72	h
Spe	cies	Pseudokirchneriella subcapit	ata	
Metl	hod	OECD 201		
Sou	rce	ECHA		
Tox	icity to algae (chronic)			
No data available				
Dee	4			
Rac	teria toxicity			
	data available			

## 12.2 Persistence and degradability

Biodegradability				
No	Substance name	CAS no.	EC no.	
1	2-butoxyethanol	111-76-2	203-905-0	
Туре	9	aerobic biodegradation		
Valu	e	ç	90,4 %	
Dura	ation	2	28 day(s)	
Meth	nod	OECD 301 B		
Source		ECHA		
Eval	uation	readily biodegradable		

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)					
No	Substance name	CAS no.		EC no.	
1	2-butoxyethanol	111-76-2		203-905-0	
log l	Pow		0,81		
Refe	erence temperature		25	°C	
Sou	rce	ECHA			

## 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

#### Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

# 12.6 Endocrine disrupting properties

No data available.

# 12.7 Other adverse effects

No data available.

#### 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

# **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

# 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information** No data available.

# 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Product no.: 451999

Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII. No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

# Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

B

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

# KochChemie<sup>°</sup> ExcellenceForExperts.

Trade name: Powerful Dry & Care Product no.: 451999 Current version : 1.0.0, issued: 26.04.2021

Replaced version: -, issued: -

Region: IE

Prod-ID 775888