Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

PreWash A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna

Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

Danger

Hazardous component(s) to be indicated on label:

potassium hydroxide

2-propylheptane-1-ol, ethoxylated

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	nal information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concen	tration		%
	REACH no					
1	potassium hydroxi	de				
	1310-58-3	Acute Tox. 4; H302	>=	5.00 - <	10.00	wt%
	215-181-3	Skin Corr. 1A; H314				
	019-002-00-8	Met. Corr. 1; H290				
	01-2119487136-33	Eye Dam. 1; H318				
2	P Tetrapotassium pyrophosphate					
	7320-34-5	Eye Irrit. 2; H319	>=	5.00 - <	10.00	wt%
	230-785-7					
	-					
	01-2119489369-18					
3	2-propylheptane-1-	ol, ethoxylated				
	160875-66-1	Eye Dam. 1; H318	<	5.00		wt%
	-	Acute Tox. 4; H302				
	-					
	-					
4	sodium p-cumenes	sulphonate				
	15763-76-5	Eye Irrit. 2; H319	<	5.00		wt%

Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

	239-854-6				
	239-034-0				
	01-2119489411-37				
5	Etidronic acid				
	2809-21-4	Eye Dam. 1; H318	<	2.50	wt%
	220-552-8	Acute Tox. 4; H302			
	-	Met. Corr. 1; H290			
	01-2119510391-53	·			
6	hexyl D-glucoside				
	54549-24-5	Eye Dam. 1; H318	<	2.50	wt%
	259-217-6				
	-				
	01-2119492545-29				
7	trisodium-nitrilotri	acetate			
	5064-31-3	Acute Tox. 4*; H302	<	2.50	wt%
	225-768-6	Carc. 2; H351			
	607-620-00-6	Eye Irrit. 2; H319			
	01-2119519239-36	•			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 0.5% Skin Irrit. 2; H315: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
7	-	Carc. 2; H351: C >= 5%	-	-

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	333 mg/kg bodyweight				
5	1878 mg/kg bodyweight				
7	1740 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Effects

After eye contact: Danger of blindness!



Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	potassium hydroxide	1310-58-3		215-181-3
	List of approved workplace exposure limits (WELs) /	EH40		
	Potassium hydroxide (as Cyanide)			
	WEL short-term (15 min reference period)	5	mg/m³	
	WEL long-term (8-hr TWA reference period)	1	mg/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	potassium hydroxide			1310-58-3	
				215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³
2	Tetrapotassium pyropho	sphate		7320-34-5	
				230-785-7	
	inhalative	Long term (chronic)	systemic	44.08	mg/m³
3	sodium p-cumenesulphonate		15763-76-	5	
				239-854-6	
	dermal	Long term (chronic)	systemic	7.6	mg/kg/day
	inhalative	Long term (chronic)	systemic	53.6	mg/m³
4	hexyl D-glucoside			54549-24-	5
				259-217-6	
	dermal	Long term (chronic)	systemic	595000	mg/kg/day
	inhalative	Long term (chronic)	systemic	420	mg/m³
5	trisodium-nitrilotriacetate		5064-31-3		
				225-768-6	
	inhalative	Short term (acut)	systemic	2.4	mg/cm²
	inhalative	Long term (chronic)	systemic	0.8	mg/cm²

DNEL value (consumer)

	DIVLE Value (Collouillei)				
No	Substance name			CAS / EC n	0
	Route of exposure	Exposure time	Effect	Value	
1	potassium hydroxide			1310-58-3	
				215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³
2	2 Tetrapotassium pyrophosphate		7320-34-5		
				230-785-7	
	inhalative	Long term (chronic)	systemic	10.87	mg/m³
3	sodium p-cumenesulpho	nate		15763-76-5	
				239-854-6	
	oral	Long term (chronic)	systemic	3.8	mg/kg/day
	dermal	Long term (chronic)	systemic	3.8	mg/kg/day
	inhalative	Long term (chronic)	systemic	13.2	mg/m³
4	Etidronic acid			2809-21-4	
				220-552-8	

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

	oral	Long term (chronic)	systemic	6.5	mg/kg/day
	oral	Short term (acut)	systemic	6.5	mg/kg/day
5	hexyl D-glucoside			54549-24-5	
				259-217-6	
	oral	Long term (chronic)	systemic	35.7	mg/kg/day
	dermal	Long term (chronic)	systemic	357000	mg/kg/day
	inhalative	Long term (chronic)	systemic	124	mg/m³
6	trisodium-nitrilotriacetate	•		5064-31-3	
				225-768-6	
	oral	Short term (acut)	systemic	0.9	mg/kg
	oral	Long term (chronic)	systemic	0.3	mg/kg
	dermal	Short term (acut)	systemic		
	inhalative	Short term (acut)	systemic	9.6	mg/cm²
	inhalative	Long term (chronic)	systemic	3.2	mg/cm ²

PNEC values

N .	PNEC values				
No		_	CAS / EC n	0	
	ecological compartment	Туре	Value		
1	Tetrapotassium pyrophosphate		7320-34-5		
			230-785-7		
	water	fresh water	0.05	mg/L	
	water	marine water	0.005	mg/L	
	water	Aqua intermittent	0.5	mg/L	
_	sewage treatment plant	-	50	mg/L	
2	sodium p-cumenesulphonate		15763-76-5 239-854-6		
	water	fresh water	0.23	mg/L	
	water	Aqua intermittent	2.3	mg/L	
	sewage treatment plant	-	100	mg/L	
3	Etidronic acid		2809-21-4		
			220-552-8		
	water	fresh water	0.136	mg/L	
	water	marine water	0.014	mg/L	
	water	fresh water sediment	59	mg/kg dry	
				weight	
	water	marine water sediment	5.9	mg/kg dry	
				weight	
	soil	-	96	mg/kg dry	
				weight	
	sewage treatment plant	-	20	mg/L	
	secondary poisoning	-	12	g/kg	
	with reference to: food				
4	hexyl D-glucoside	54549-24-5 259-217-6			
	water	fresh water	0.176	mg/L	
	water	marine water	0.018	mg/L	
	water	Aqua intermittent	4.2	mg/L	
	water	fresh water sediment	0.722	mg/kg dry	
				weight	
	water	marine water sediment	0.072	mg/kg dry	
				weight	
	soil	-	0.654	mg/kg dry weight	
	sewage treatment plant	-	100	mg/L	
	secondary poisoning	-	111.11	mg/kg	
	with reference to: food		1	ביי <i>יפ</i> ייי	
5	trisodium-nitrilotriacetate		5064-31-3		
•	and and mandal addition		225-768-6		
			225-760-6		

Trade name: PreWash A Product no.: 310999

Current version : 1.1.0, issued: 31.03.2021Replaced version: 1.0.0, issued: 12.11.2020Region: GB

water	fresh water	0.93	mg/L
water	marine water	0.093	mg/L
sewage treatment plant	-	270	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness > 0.5 mm
Breakthrough time > 480 min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form/Colour			
liquid			
green			
Odour			
characteristic			
pH value			
•		10.5	
Value	>=	13.5	
Boiling point / boiling range			
No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
No data available			

Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

Ignition temperature

No data available

Oxidising properties

not oxidizing

Explosive properties

Product does not present an explosion hazard.

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value 1.18 g/cm³
Reference temperature 20 °C

Solubility in water

Comments miscible

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

strong acids; strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	PreWash A				
Com		The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			

_					
Acu	e oral toxicity				
No	Substance name		CAS no.		EC no.
1	potassium hydroxide		1310-58-3		215-181-3
LD5				333	mg/kg bodyweight
Spec	cies	rat			
Meth	od	OECD 425			
Soul	ce	ECHA			
2	sodium p-cumenesulphonate		15763-76-5		239-854-6
LD5		>		7000	mg/kg bodyweight
Spec	cies	rat			
with	reference to	CAS 28348-5	53-0		
Meth	od	OECD 401			
Sour	ce	ECHA			
3	Etidronic acid		2809-21-4		220-552-8
LD5)			1878	mg/kg bodyweight
Spec	cies	rat			
Soul	ce	ECHA			
4	trisodium-nitrilotriacetate		5064-31-3		225-768-6
LD5)			1740	mg/kg bodyweight
Spec	cies	rat			
Meth	od	OECD 401			
Soul	ce	ECHA			

		•					
Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	Tetrapotassium pyrophosphate		7320-34-5		230-785-7		
LD5	0	>		2000	mg/kg bodyweight		
Spe	cies	rabbit					
Meth	hod	OECD 402					
Soul	rce	ECHA					
2	sodium p-cumenesulphonate		15763-76-5		239-854-6		
LD5	0	>		2000	mg/kg bodyweight		
Spe	cies	rabbit					
with	reference to	CAS 28348-	53-0				
Meth	hod	OECD 402					
Soul	rce	ECHA					

Acu	Acute inhalational toxicity						
No	Substance name		CAS no.		EC no.		
1	sodium p-cumenesulphonate		15763-76-5		239-854-6		
LC5	0	>		6.41	mg/l		
Dura	ation of exposure			4	h		

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

State of aggregation Species with reference to Source	Dust/mist rat CAS 28348- ECHA	53-0			
2 trisodium-nitrilotriacetate		5064-31-3	2	25-768-6	
LC50	>	5		mg/l	
Duration of exposure		4		h	
State of aggregation	Dust				
Species	rat				
Source	ECHA				

Skin corrosion/irritation	
No data available	

Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.	
1	potassium hydroxide		1310-58-3	215-181-3	
Spe	cies	rabbit			
Met	hod	OECD 405			
Sou	rce	ECHA			
Eva	luation	corrosive			
2	Tetrapotassium pyrophosphate		7320-34-5	230-785-7	
Spe	cies	rabbit			
Met	hod	OECD 405			
Sou	rce	ECHA			
Eva	luation	irritant			
3	sodium p-cumenesulphonate		15763-76-5	239-854-6	
Spe	cies	rabbit			
Met	hod	OECD 405			
Sou	rce	ECHA			
Eva	luation	irritant			
4	trisodium-nitrilotriacetate		5064-31-3	225-768-6	
Spe	cies	rabbit			
Met	hod	OECD 405			
Sou	rce	ECHA			
Eva	luation	irritant			

Res	Respiratory or skin sensitisation					
No	Substance name	CAS no.	EC no.			
1	potassium hydroxide	1310-58-3	215-181-3			
Rou	te of exposure	Skin				
Spe	cies	guinea pig				
Soul	rce	ECHA				
Eval	uation	non-sensitizing				
2	Tetrapotassium pyrophosphate	7320-34-5	230-785-7			
Rou	te of exposure	Skin				
Spe	cies	mouse				
Meth	nod	OECD 429				
Soul	rce	ECHA				
Eval	uation	non-sensitizing				
3	sodium p-cumenesulphonate	15763-76-5	239-854-6			
Rou	te of exposure	Skin				
Spe	cies	guinea pig				
with	reference to	CAS 28348-53-0				
Meth	nod	OECD 406				
Soul	rce	ECHA				
Eval	uation	non-sensitizing				
4	trisodium-nitrilotriacetate	5064-31-3	225-768-6			
Rou	te of exposure	Skin				

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

Species	guinea pig
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

Ger	Germ cell mutagenicity					
No	Substance name	CAS no.	EC no.			
1	potassium hydroxide	1310-58-3	215-181-3			
Туре	e of examination	Ames-Test				
Spe	cies	Bacteria - Salmonella typhimurium				
Sou	rce	ECHA				
Evaluation/classification		Based on available data, the classification	n criteria are not met.			
2	sodium p-cumenesulphonate	15763-76-5	239-854-6			
Туре	e of examination	Chromosome aberration test				
with	reference to	CAS 28348-53-0				
Met	nod	OECD 474				
Sou	rce	ECHA				
Evaluation/classification		Based on available data, the classification	n criteria are not met.			
3	trisodium-nitrilotriacetate	5064-31-3	225-768-6			
Sou	rce	ECHA				
Eva	uation/classification	Based on available data, the classification	n criteria are not met.			

Rep	Reproduction toxicity						
No	Substance name	CAS no.	EC no.				
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6				
Spe	cies	rat					
Method		OECD 416					
Source		ECHA					
Eval	uation/classification	Based on available data, the classifica	tion criteria are not met.				

Carcinogenicity	
No data available	

STOT - single exposure No data available

STO	STOT - repeated exposure					
No	Substance name	CAS no.	C no.			
1	trisodium-nitrilotriacetate	5064-31-3 22	25-768-6			
Rou	te of exposure	dermal				
Soul	rce	ECHA				
Eval	uation/classification	Based on available data, the classification criteria are not met.				
Rou	te of exposure	inhalational				
Soul	rce	ECHA				
Eval	uation/classification	Based on available data, the classification cr	riteria are not met.			
Rou	te of exposure	oral				
Soul	rce	ECHA				
Eval	uation/classification	Based on available data, the classification cr	riteria are not met.			

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

12.1 Toxicity

Toxicity to fish (acute)			
No Substance name	CAS no.		EC no.
1 potassium hydroxide	1310-58-3		215-181-3
LC50		80	mg/l
Duration of exposure		96	h
Species	Gambusia affinis		
Source	ECHA		
Evaluation/classification	Based on available data, the	e classificatio	n criteria are not met.
2 Tetrapotassium pyrophosphate	7320-34-5		230-785-7
LC50	>	100	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
3 trisodium-nitrilotriacetate	5064-31-3		225-768-6
LC50		114	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Source	ECHA		

Toxi	icity to fish (chronic)				
No	Substance name	CAS no.		EC no.	
1	trisodium-nitrilotriacetate	5064-31-3	3	225-768-6	
NOE	EC	>	54	mg/l	
Dura	ation of exposure		224	day(s)	
Spe	cies	Pimephales promelas			
Soul	rce	ECHA			

Toxi	icity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	Tetrapotassium pyrophosphate	7320-34-5		230-785-7	
EC5	0	>	100	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Meth	nod	EPA OTS 797.1300			
Soul	rce	ECHA			

Tox	icity to Daphnia (chronic)				
No	Substance name	CAS no.		EC no.	
1	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
NOE	С		9.3	mg/l	
Dura	ation of exposure		147	day(s)	
Spe	cies	Daphnia magna			
Sou	rce	ECHA			

Toxi	city to algae (acute)			
No	Substance name	CAS no.		EC no.
1	Tetrapotassium pyrophosphate	7320-34-5		230-785-7
ErC!	50	>	100	mg/l
Dura	ation of exposure		72	h
Spec	cies	Desmodesmus subspicatus		
Meth	nod	OECD 201		
Sou	rce	ECHA		
2	trisodium-nitrilotriacetate	5064-31-3		225-768-6
ErC!	50	>	91.5	mg/l
Dura	ation of exposure		72	h
Spec	cies	Desmodesmus subspicatus		

Trade name: PreWash A **Product no.:** 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

Method	OECD 201
Source	ECHA

Toxi	icity to algae (chronic)				
No	Substance name	CAS no.		EC no.	
1	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
NOE	EC		1.43	mg/l	
Dura	ation of exposure		72	h	
Spe	cies	Desmodesmus subspicatus			
Meth	hod	OECD 201			
Soul	rce	ECHA			

Bac	teria toxicity				
No	Substance name	CAS no.		EC no.	
1	Tetrapotassium pyrophosphate	7320-34-5		230-785-7	
EC5	50	>	1000	mg/l	
Dura	ation of exposure		3	h	
Spe	cies	activated sludge			
Metl	hod	OECD 209			
Sou	rce	ECHA			

12.2 Persistence and degradability

Bio	degradability				
No	Substance name	CAS no.		EC no.	
1	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
Valu	le		100	%	
Dura	ation		14	d	
Met	hod	OECD 301 E			
Sou	rce	ECHA			
Eva	luation	readily biodegradable			

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8
Classification code C5
Packing group II
Hazard identification no. 80
UN number UN1814

Proper shipping name POTASSIUM HYDROXIDE SOLUTION

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group II
UN number UN1814

Proper shipping name POTASSIUM HYDROXIDE SOLUTION

EmS F-A, S-B Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN1814

Proper shipping name Potassium hydroxide solution

Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain

Trade name: PreWash A Product no.: 310999

Current version: 1.1.0, issued: 31.03.2021 Replaced version: 1.0.0, issued: 12.11.2020 Region: GB

any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex

No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769432