

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****PreWash express****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Car pre-cleaning in car washes

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Carc. 2; H351

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1B; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05



GHS08

Signal word

Danger

Hazardous component(s) to be indicated on label:

trisodium-nitritotriacetate

sodium hydroxide

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE**Hazard statement(s)**

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H351 Suspected of causing cancer.

Precautionary statement(s)

P201 Obtain special instructions before use.
 P260 Do not breathe vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P390 Absorb spillage to prevent material damage.

2.3 Other hazards**PBT assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	trisodium-nitritotriacetate			
	5064-31-3 225-768-6 607-620-00-6 01-2119519239-36	Acute Tox. 4*; H302 Carc. 2; H351 Eye Irrit. 2; H319	>= 10,00 - < 25,00	wt%
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			
	68891-38-3 500-234-8 - 01-2119488639-16	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	< 5,00	wt%
3	sodium hydroxide			
	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	< 5,00	wt%
4	2,2',2''-nitritotriethanol			
	102-71-6 203-049-8 -	-	>= 5,00 - < 10,00	wt%

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

-			
---	--	--	--

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*, **, ***, ****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Carc. 2; H351: C >= 5%	-	-
2	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-
3	-	Skin Irrit. 2; H315: C >= 0,5% Eye Irrit. 2; H319: C >= 0,5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
1	1740 mg/kg bodyweight		

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Sulphur oxides (S_xO_y); Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

Trade name: PreWash express

Product no.: 261999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 22.10.2020

Region: IE

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Prevent unauthorized access.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	2,2',2"-nitrilotriethanol	102-71-6	203-049-8
	List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)		
	Triethanolamine		
	WEL long-term (8-hr TWA reference period)	5	mg/m ³
2	sodium hydroxide	1310-73-2	215-185-5
	List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)		
	Sodium hydroxide		

Trade name: PreWash express

Product no.: 261999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 22.10.2020

Region: IE

WEL short-term (15 min reference period)	2	mg/m ³
--	---	-------------------

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	
				Value
1	trisodium-nitritotriacetate			5064-31-3 225-768-6
	inhalative	Short term (acut)	systemic	2,4 mg/cm ²
	inhalative	Long term (chronic)	systemic	0,8 mg/cm ²
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8
	dermal	Long term (chronic)	systemic	2750 mg/kg/day
	dermal	Long term (chronic)	local	132 µg/cm ²
	inhalative	Long term (chronic)	systemic	175 mg/m ³
3	sodium hydroxide			1310-73-2 215-185-5
	inhalative	Long term (chronic)	local	1 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	
				Value
1	trisodium-nitritotriacetate			5064-31-3 225-768-6
	oral	Short term (acut)	systemic	0,9 mg/kg
	oral	Long term (chronic)	systemic	0,3 mg/kg
	dermal	Short term (acut)	systemic	
	inhalative	Short term (acut)	systemic	9,6 mg/cm ²
	inhalative	Long term (chronic)	systemic	3,2 mg/cm ²
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8
	oral	Long term (chronic)	systemic	15 mg/kg/day
	dermal	Long term (chronic)	systemic	1650 mg/kg/day
	dermal	Long term (chronic)	local	79 µg/cm ²
	inhalative	Long term (chronic)	systemic	52 mg/m ³
3	sodium hydroxide			1310-73-2 215-185-5
	inhalative	Long term (chronic)	local	1 mg/m ³

PNEC values

No	Substance name	CAS / EC no		
	ecological compartment	Type	Value	
1	trisodium-nitritotriacetate			5064-31-3 225-768-6
	water	fresh water	0,93 mg/L	
	water	marine water	0,093 mg/L	
	sewage treatment plant	-	270 mg/L	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8
	water	fresh water	0,24 mg/L	
	water	marine water	0,024 mg/L	
	water	Aqua intermittent	0,071 mg/L	
	water	fresh water sediment	0,917 mg/kg dry weight	
	water	marine water sediment	0,092 mg/kg dry weight	
	soil	-	7,5 mg/kg dry	

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

			weight
sewage treatment plant	-	10	g/L

8.2 Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0,5	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
liquid	
Form/Colour	
liquid	
green	
Odour	
characteristic	
pH value	
Value	13
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
No data available	
Ignition temperature	

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

No data available

Flammability

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value	1,15	g/cm ³
Reference temperature	20	°C

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None known

10.5 Incompatible materials

strong acids

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity (result of the ATE calculation for the mixture)**

Trade name: PreWash express

Product no.: 261999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 22.10.2020

Region: IE

No	Product Name
1	PreWash express
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
LD50		1740	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50		4100	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	Dust		
Species	rat		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Species	rabbit		
Source	ECHA		
Evaluation	non-irritant		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		

Trade name: PreWash express

Product no.: 261999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 22.10.2020

Region: IE

2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	strongly irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
3	sodium hydroxide	1310-73-2	215-185-5
Route of exposure		Skin	
Species	Human		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No data available			

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

Route of exposure	dermal
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	oral
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard

No data available

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
LC50		114	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LC50		7,1	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitritotriacetate	5064-31-3	225-768-6
NOEC	>	54	mg/l
Duration of exposure		224	day(s)
Species	Pimephales promelas		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		7,4	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	sodium hydroxide	1310-73-2	215-185-5
EC50		40,4	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia spec		

Trade name: PreWash express

Product no.: 261999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 22.10.2020

Region: IE

Source	ECHA
--------	------

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
NOEC		9,3	mg/l
Duration of exposure		147	day(s)
Species	Daphnia magna		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
ErC50		>	91,5 mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
ErC50		27,7	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
NOEC		1,43	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
NOEC		0,95	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		>	10000 mg/l
Duration of exposure		16	h
Species	Pseudomonas putida		
Method	DIN 38412 T.8		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Value		100	%
Duration		14	d
Method	OECD 301 E		
Source	ECHA		

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

Evaluation	readily biodegradable		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Type	DOC decrease		
Value		100	%
Duration		14	day(s)
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C5
Packing group	II
Hazard identification no.	80
UN number	UN1824

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

Proper shipping name	SODIUM HYDROXIDE SOLUTION
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1824
Proper shipping name	Sodium hydroxide solution
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.
The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

Trade name: PreWash express**Product no.:** 261999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 22.10.2020**Region:** IE

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheetUMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769426