^{GB} (RL M

Page 1 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PreWash express Art.: 296999

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Motor vehicle precleaning in car washes **Uses advised against:**

No information available at present.

1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna Telefon: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26 info@koch-chemie.com www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body: $\ensuremath{\mathbb{R}}$

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.: +353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week) +353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

+1 872 5888271 (KCC)

SECTION 2: Hazards identification

	n of the substance or mix ccording to Regulation (E	
Hazard class	Hazard category	Hazard statement
Eye Dam.	1	H318-Causes serious eye damage.
Met. Corr.	1	H290-May be corrosive to metals.
Skin Corr.	1	H314-Causes severe skin burns and eye damage.
Met. Corr.	1 1 1	H290-May be corrosive to metals.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

KochChemie° ExcellenceForExperts.

(BR) (M)

Page 2 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 **PreWash express** Art.: 296999



Danger

H290-May be corrosive to metals. H314-Causes severe skin burns and eye damage.

P260-Do not breathe vapours or spray. P280-Wear protective gloves / protective clothing / eye protection / face protection. P301+P330+P331-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353-IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor. P390-Absorb spillage to prevent material damage.

Sodium hvdroxide Alcohols, C12-14, ethoxylated, sulfates, sodium salts

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS

content %

n.a.	
3.2 Mixtures	
Sodium hydroxide	
Registration number (REACH)	01-2119457892-27-XXXX
Index	011-002-00-6
EINECS, ELINCS, NLP, REACH-IT List-No.	215-185-5
CAS	1310-73-2
content %	2-<5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Met. Corr. 1, H290
factors	Skin Corr. 1A, H314
	Eye Dam. 1, H318
Specific Concentration Limits and ATE	Skin Corr. 1A, H314: >=5 %
	Skin Corr. 1B, H314: >=2 %
	Skin Irrit. 2, H315: >=0,5 %
	Eye Irrit. 2, H319: >=0,5 %
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	
Registration number (REACH)	01-2119488639-16-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	500-234-8

68891-38-3 1-<5

GBIRIM

Page 3 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
	Aquatic Chronic 3, H412
Specific Concentration Limits and ATE	Eye Dam. 1, H318: >=10 %
	Eye Irrit. 2, H319: >=5 %

Bronopol (INN)	
Registration number (REACH)	
Index	603-085-00-8
EINECS, ELINCS, NLP, REACH-IT List-No.	200-143-0
CAS	52-51-7
content %	<0,1
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Acute Tox. 4, H302
factors	Acute Tox. 4, H312
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	STOT SE 3, H335
	Aquatic Acute 1, H400 (M=10)
	Aquatic Chronic 1, H410 (M=1)
Specific Concentration Limits and ATE	ATE (oral): 305 mg/kg
	ATE (dermal): 1100 mg/kg

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

If the person is unconscious, place in a stable side position and consult a doctor.

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Cauterizations not treated lead to wounds difficult to heal.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Corrosive burns on skin as well as mucous membrane possible.

Necrosis Risk of serious damage to eyes.

Corneal damage.

Danger of blindness.

(B) (RI) (M)

Page 4 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Ingestion: Pain in the mouth and throat Gastrointestinal disturbances Oesophageal perforation Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Oxides of sulphur Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Keep unprotected persons away.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Neutralising is possible (only from a specialist). Diluting with water is possible.

Flush residue using copious water.

6.4 Reference to other sections

(BR) M

Page 5 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid contact with eyes or skin. Handle and open container with care.

There should be an eyewash station and safety shower located near the area of use.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Do not store with acids.

Do not use alkali sensitive materials.

Alkali-resistant floor necessary.

Store in a well ventilated place. Store at room temperature.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Sodium hydroxide				
WEL-STEL: 2 mg/m3				
 ISO 15202 (Workplace air - Determination of metals and metalloids in airbor particulate matter by Inductively Coupled Plasma Atomic Emission Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 2004 (Part 3) NIOSH 7401 (Alkaline dusts) - 1994 OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 				
Other information:				
Sodium hydroxide				
OELV-15min: 2 mg/m3				
particulate matter by Inductively Coupled Plasma Atomi	c Emission			
	WEL-STEL: 2 mg/m3 ISO 15202 (Workplace air - Determination of metals and particulate matter by Inductively Coupled Plasma Atomi Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 20 NIOSH 7401 (Alkaline dusts) - 1994 OSHA ID-121 (Metal and metalloid particulates in workp (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR (2004) Other information: OELV-15min: 2 mg/m3 ISO 15202 (Workplace air - Determination of metals and particulate matter by Inductively Coupled Plasma Atomi Spectrometry), Part 1-3 - 2012(Part 1), 2012(Part 2), 20			

(B) (RL) (M)

Page 6 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

OSHA ID-121 (Metal and metalloid particulates in workplace atmospheres (Atomic absorption)) - 2002 - EU project BC/CEN/ENTR/000/2002-16 card 45-5 (2004) BLV: Other information: -------- Chemical Name 2,2',2"-nitrilotriethanol OELV-8h: 5 mg/m3 OELV-15min: ------Monitoring procedures: ---Other information: BLV: -------

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	0,24	mg/l	
	Environment - periodic release		PNEC	0,13	mg/l	
	Environment - marine		PNEC	0,024	mg/l	
	Environment - sediment, marine		PNEC	0,0917	mg/kg dry weight	
	Environment - sewage treatment plant		PNEC	10000	mg/l	
	Environment - soil		PNEC	0,946	mg/kg dry weight	
	Environment - sporadic (intermittent) release		PNEC	0,071	mg/l	
	Environment - sediment, freshwater		PNEC	0,917	mg/kg	
	Environment - sediment, marine		PNEC	0,092	mg/kg	
	Environment - soil		PNEC	7,5	mg/kg	
Consumer	Human - dermal	Long term, local effects	DNEL	0,079	mg/cm2	
Consumer	Consumer Human - oral		DNEL	15	mg/kg bw/day	
Consumer Human - dermal		Long term, systemic effects	DNEL	1650	mg/kg bw/day	
Consumer Human - inhalation		Long term, systemic effects	DNEL	52	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2750	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	175	mg/m3	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,132	mg/cm2	

Sodium hydroxide Area of application Exposure route / Effect on health Descripto Value Unit Note Environmental r compartment DNEL Consumer Human - inhalation Long term, local 1 mg/m3 effects Workers / employees Human - inhalation Long term, local DNEL 1 mg/m3 effects

Bronopol (INN)

(B) (RI) (M)

Page 7 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater		PNEC	0,01	mg/l	
	Environment - marine		PNEC	0,001	mg/kg	
	Environment - sewage treatment plant		PNEC	0,43	mg/l	
	Environment - sediment, freshwater		PNEC	0,041	mg/kg dw	
	Environment - sediment, marine		PNEC	0,00328	mg/kg dw	
	Environment - soil		PNEC	0,5	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	1,2	mg/m3	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,3	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1,4	mg/kg bw/day	
Consumer Human - oral		Long term, systemic effects	DNEL	0,35	mg/kg bw/day	
Workers / employees Human - inhalation		Long term, systemic effects	DNEL	4,1	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	4,2	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2,3	mg/kg bw/day	

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,32	mg/l	
	Environment - marine		PNEC	0,032	mg/l	
	Environment - water,		PNEC	5,12	mg/l	
	sporadic (intermittent)					
	release					
	Environment - sewage		PNEC	10	mg/l	
	treatment plant				Ū	
	Environment - sediment,		PNEC	1,7	mg/kg	
	freshwater				0.0	
	Environment - sediment,		PNEC	0,17	mg/kg	
	marine				0.0	
	Environment - soil		PNEC	0,151	mg/kg dry	
					weight	
Consumer	Human - dermal	Long term, systemic	DNEL	2,66	mg/kg	
		effects			bw/day	
Consumer	Human - oral	Long term, systemic	DNEL	3	mg/kg	
		effects			bw/day	
Consumer	Human - inhalation	Long term, systemic	DNEL	1,25	mg/m3	
		effects				
Consumer	Human - inhalation	Long term, local	DNEL	0,4	mg/m3	
		effects				
Workers / employees	Human - dermal	Long term, systemic	DNEL	6,3	mg/kg	
		effects			bw/day	
Workers / employees	Human - inhalation	Long term, systemic	DNEL	5	mg/m3	
		effects			-	
Workers / employees	Human - inhalation	Long term, local	DNEL	1	mg/m3	
		effects				

Inited Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average)

GBRIM Page 8 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999 reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)). (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)). (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)). (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) | Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). - Ireland/Éire | OELV-8h = Occupational Exposure Limit Value - 8-hour reference period (Chemical Agents and Carcinogens CoP (RL) (Code of Practice) 2021, HSA (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). | OELV-15min = Occupational Exposure Limit Value - 15-minute reference period (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | | BMGV = Biological Monitoring Guidance Value (Biological Monitoring Guidelines 2011, HSA (Health and Safety Authority)): ACGIH-BEI = BMGV have been sourced from Biological Exposure Indices (BEI) as issued by the American Conference of Governmental Industrial Hygienists (ACGIH). SCOEL = BMGV have been sourced from the Scientific Committee on Occupational Exposure Limit Values (SCOEL) which was set up by a Commission Decision (95/320/EC) with the mandate to advise the European Commission on occupational exposure limits for chemicals in the workplace. HSE = BMGV have been sourced from the Health and Safety Executive (HSE), UK. (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) | Other information (Chemical Agents and Carcinogens CoP (Code of Practice) 2021, HSA (Health and Safety Authority)): Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE). | - Malta | OELV-8h = Occupational Exposure Limit Value - 8 h (8-hour reference period as a time-weighted average) [S.L.424.24, M last amended by L.N. 356 of 2021]: [9] = Inhalable fraction, [10] = Respirable fraction. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). | OELV-ST = Occupational Exposure Limit Value - Short-term (15-minute reference period) [S.L.424.24, last amended by L.N. 356 of 2021]: [8] = Short-term exposure limit value in relation to a reference period of 1 minute, [9] = Inhalable fraction, [10] = Respirable fraction. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:

(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

GB (RL M

Page 9 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020), United Kingdom). (EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |

| Other information [S.L.424.24, last amended by L.N. 356 of 2021]: Skin = Possibility of a significant uptake through the skin. [11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. [12] = The mist is defined as the thoracic fraction. [13] = Established in accordance with the Annex to Directive 91/322/EEC. [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV. (EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU: (EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (2004/37/CE), (EU14) = The substance can

cause sensitisation of the skin (2004/37/CE).

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166). If applicable Face protection (EN 166).

Skin protection - Hand protection: Use alkali resistant protective gloves (EN ISO 374). Recommended Protective gloves in butyl rubber (EN ISO 374). Minimum layer thickness in mm: > 0,5 Permeation time (penetration time) in minutes: > 480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

GB (RL M)

Page 10 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Green
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	There is no information available on this parameter.
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	13,5
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	There is no information available on this parameter.
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	1,16 g/cm3
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.
9.2 Other information	
Corrosive to metals:	Corrosive to aluminium and steel

SECTION 10: Stability and reactivity

10.1 Reactivity

Product corrodes metals.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

Avoid contact with strong acids (exothermic reaction possible).

Avoid contact with certain metals e.g. aluminium (development of hydrogen gas possible).

10.4 Conditions to avoid

See also section 7. None known

10.5 Incompatible materials

See also section 7. Avoid contact with strong acids. Avoid contact with certain metals e.g. aluminium. Avoid contact with alkali sensitive materials.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Page 11 of 23 Safety data sheet according to Revision date / version: 11.03.2 Replacing version dated / versi Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999	2024 / 0003	,	2006, Annex II			
Possibly more information on h	ealth effects,	see Section	2.1 (classificat	ion).		
PreWash express Art.: 296999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Sodium hydroxide						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by dermal route:	LD50	>2500	mg/kg	Rabbit	Regulation (EC) 440/2008 B.3 (ACUTE TOXICITY (DERMAL)	
Skin corrosion/irritation:				Rabbit		Skin Corr. 1A
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Dam. 1
Respiratory or skin sensitisation:				Human being	(Patch-Test)	Not sensitizising
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Symptoms:						breathing difficulties, coughing, abdominal pain, shock, cramps

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	2800-4100	mg/kg	Rat	OECD 401 (Acute	
					Oral Toxicity)	
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	
route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious eye		>=10	%	Rabbit	OECD 405 (Acute	Eye Dam. 1
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact)

GBRIM

Page 12 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation	-
					Test)	
Germ cell mutagenicity:				Mouse	OECD 475	Negative
					(Mammalian Bone	
					Marrow Chromosome	
<u> </u>					Aberration Test)	NI (1
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative
					Mammalian Cell Gene	
Demos de chier de ciciter		4000		Det	Mutation Test)	N
Reproductive toxicity:	NOAEL	>1000	mg/kg	Rat	OECD 414 (Prenatal	Negative,
					Developmental	References
Depreductive toxicity	NOAEL	>300		Det	Toxicity Study)	Negotivo
Reproductive toxicity:	NOAEL	>300	mg/kg	Rat	OECD 416 (Two-	Negative, References
					generation Reproduction Toxicity	References
					Study)	
Aspiration hazard:					Siddy)	No
Symptoms:						mucous
						membrane
						irritation
Specific target organ toxicity -	NOAEL	>225	mg/kg	Rat	OECD 408 (Repeated	Target
repeated exposure (STOT-					Dose 90-Day Oral	organ(s): liver,
RE), oral:					Toxicity Study in	References
					Rodents)	

Bronopol (INN) Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	305	mg/kg	Rat	OECD 401 (Acute	data of a
					Oral Toxicity)	diluted
						aequous
						solution
Acute toxicity, by oral route:	ATE	305	mg/kg			
Acute toxicity, by dermal route:	ATE	1100	mg/kg			
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	Does not
route:					Dermal Toxicity)	conform with
						EU
						classification.
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Skin Irrit. 2
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	(Draize-Test)	Eye Dam. 1
damage/irritation:						
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	
Respiratory or skin				Mouse	OECD 429 (Skin	Not sensitizising
sensitisation:					Sensitisation - Local	
0					Lymph Node Assay)	
Germ cell mutagenicity:						Negative
Carcinogenicity:						Negative
Specific target organ toxicity -						STOT SE 3,
single exposure (STOT-SE):						H335

GB (RL M)-

Page 13 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Symptoms:		eyes,
		reddened,
		drowsiness,
		coughing,
		mucous
		membrane
		irritation,
		nausea and
		vomiting.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	6400	mg/kg	Rat	OECD 401 (Acute	
····			5.5		Oral Toxicity)	
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Acute toxicity, by inhalation:	LC0	~1800	mg/m3/8	Rat	OECD 403 (Acute	Vapours
			h		Inhalation Toxicity)	, ab care
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal	Not irritant
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:				παρριτ	Eye	Not initiant
uamage/imation.					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:				Guinea pig		
					Sensitisation) OECD 474	contact)
Germ cell mutagenicity:						Negative
					(Mammalian	
					Erythrocyte	
<u> </u>					Micronucleus Test)	
Germ cell mutagenicity:				Salmonella	OECD 471 (Bacterial	Negative
				typhimurium	Reverse Mutation	
					Test)	
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro	Negative
					Mammalian Cell Gene	
					Mutation Test)	
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
					Mammalian	
					Chromosome	
					Aberration Test)	
Carcinogenicity:	NOAEL	250	mg/kg	Rat	OECD 453	
			bw/d		(Combined Chronic	
					Toxicity/Carcinogenicit	
					y Studies)	
Carcinogenicity:					OECD 451	With nitrosatin
0 2					(Carcinogenicity	agents
					Studies)	nitrosamines
					,	may form., In
						animal
						experiments
						nitrosamines
						have proved
						carcinogenic.
Reproductive toxicity:	NOAEL	300	mg/kg	Rat	OECD 421	earoniogenio.
			bw/d		(Reproduction/Develop	
			2.00		mental Toxicity	
Specific target organ toxicity -		1000	ma/ka	Rat		
	NOALL	1000		i tat		
			Dw/u			
ixe), Ulai.						
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	NOAEL	1000	mg/kg bw/d	Rat	Screening Test) OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

GBIRI

Page 14 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Specific target organ toxicity - repeated exposure (STOT- RE), dermal:	NOAEL	125	mg/kg bw/d	Rat	OECD 411 (Subchronic Dermal Toxicity - 90-day Study)	
Symptoms:						unconsciousnes s, diarrhoea, coughing, collapse, fatigue, dizziness, nausea and vomiting.
Specific target organ toxicity - repeated exposure (STOT- RE), inhalat.:	NOAEC	0,5	mg/l	Rat	OECD 412 (Subacute Inhalation Toxicity - 28-Day Study)	

11.2. Information on other hazards

PreWash express Art.: 296999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

PreWash express							
Art.: 296999							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.

GBRIM

Page 15 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

12.2. Persistence and					The
degradability:					surfactant(s)
					contained in
					this mixture
					complies(compl
					y) with the
					biodegradability
					criteria as laid
					down in
					Regulation
					(EC)
					No.648/2004
					on detergents.
					Data to support
					this assertion
					are held at the
					disposal of the
					competent
					authorities of
					the Member
					States and will
					be made
					available to
					them, at their
					direct request
					or at the
					request of a
					detergent
					manufacturer.
12.3. Bioaccumulative					n.d.a.
potential:					
12.4. Mobility in soil:					n.d.a.
12.5. Results of PBT					n.d.a.
and vPvB assessment					
12.6. Endocrine					Does not apply
disrupting properties:					to mixtures.
12.7. Other adverse					No information
effects:					available on
010010.					other adverse
					effects on the
Othern informati				 	environment.
Other information:					DOC-
					elimination
					degree(complex
					ing organic
					substance)>=
					80%/28d: Yes
Other information:	AOX		%		According to
					the recipe,
					contains no
					AOX.
	1				

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	45,4	mg/l	Oncorhynchus		
				_	mykiss		
12.1. Toxicity to fish:	LC50	96h	125	mg/l	Gambusia affinis		
12.1. Toxicity to	EC50	48h	40,4	mg/l	Ceriodaphnia		
daphnia:				_	spec.		

Page 16 of 23 Safety data sheet accor Revision date / version: Replacing version datec Valid from: 11.03.2024 PDF print date: 15.03.20 PreWash express Art.: 296999	11.03.2024 / 00 d / version: 05.07	03		6, Annex II			
12.2. Persistence and degradability:							Not relevant for inorganic substances.
12.3. Bioaccumulative potential:	Log Kow		-3,88				Negative
12.5. Results of PBT and vPvB assessment							Not relevant fo inorganic substances.
Toxicity to bacteria:	EC50	15min	22	mg/l	Photobacterium phosphoreum		
Alcohols, C12-14, etho	xvlated, sulfate	s. sodiun	n salts				
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	7,1	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	45d	1	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	7,2	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,18	mg/l	Daphnia magna	Test) OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to algae:	NOEC/NOEL	96h	0,95	mg/l		OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	27,7	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	>70	%		OECD 301 A (Ready Biodegradability - DOC Die-Away Test)	Readily biodegradable
12.2. Persistence and degradability:	DOC	28d	100	%	activated sludge	Regulation (EC) 440/2008 C.4-C (DETERMINATI ON OF 'READY' BIODEGRADABI LITY - CO2 EVOLUTION TEST)	Readily biodegradable
12.2. Persistence and degradability:			>80%			OECD 302 B (Inherent Biodegradability - Zahn- Wellens/EMPA Test)	Readily biodegradable

GBRIM

Page 17 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

12.3. Bioaccumulative potential:	Log Pow		0,3			OECD 123 (Partition Coefficient (1- Octanol / Water) - Slow-Stirring Method)	Bioaccumulatio n is unlikely (LogPow < 1).
12.3. Bioaccumulative potential:	BCF		-1,38				Low
12.4. Mobility in soil:	Koc		191				calculated value
12.5. Results of PBT							No PBT
and vPvB assessment							substance
Toxicity to bacteria:	EC50	16h	>10	g/l	Pseudomonas putida	DIN 38412 T.8	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	3	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute	
12.1. Toxicity to fish:	LC50	28d	2,61	mg/l	Oncorhynchus mykiss	Toxicity Test) OECD 210 (Fish, Early-Life Stage Toxicity	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,06	mg/l	Daphnia magna	Test) OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	EC50	48h	1,4	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	0,068	mg/l	Anabaena flos- aquae	OEĆD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,0025	mg/l	Anabaena flos- aquae	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:			>70	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.2. Persistence and degradability:			63,5	%		OECD 314 (Simulation Tests to Assess the Biodegradability of Chemicals Discharged in Wastewater)	Biodegradable
12.3. Bioaccumulative potential:	Log Kow		0,22- 0,38			OECD 107 (Partition Coefficient (n- octanol/water) - Shake Flask Method)	
12.3. Bioaccumulative potential:	BCF		3,16				

GBRIM

Page 18 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Toxicity to bacteria:	EC50	3h	43	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))
Other organisms:	LC50	14d	>500	mg/l	Eisenia foetida	OECD 207 (Earthworm, Acute Toxicity Tests)
Other information:	COD		600	mg/g		
Other information:	Koc		5			

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	48h	>10000	mg/l	Leuciscus idus	DIN 38412 T.15	
12.1. Toxicity to	EC50	48h	609,9	mg/l	Ceriodaphnia	OECD 202	
daphnia:			,		spec.	(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to	NOEC/NOEL	21d	16	mg/l	Daphnia magna	OEĆD 211	
daphnia:						(Daphnia magna	
						Reproduction	
						Test)	
12.1. Toxicity to algae:	EC50	72h	512	mg/l	Desmodesmus	DIN 38412 T.9	
, ,				Ŭ	subspicatus		
12.1. Toxicity to algae:	EC50	72h	216	mg/l	Desmodesmus	DIN 38412 T.9	
, ,				Ŭ	subspicatus		
12.2. Persistence and		5d	100	%	•	OECD 301 B	Readily
degradability:						(Ready	biodegradable
0 ,						Biodegradability -	U
						Co2 Evolution	
						Test)	
12.2. Persistence and		28d	97	%		OEĆD 301 A	Biodegradable
degradability:						(Ready	-
5 ,						Biodegradability -	
						DOC Die-Away	
						Test)	
12.2. Persistence and		19d	96	%		OECD 301 E	
degradability:						(Ready	
c						Biodegradability -	
						Modified OECD	
						Screening Test)	
12.3. Bioaccumulative	Log Pow		-2,3			OECD 107	Not accepted
potential:	_					(Partition	due to the log
						Coefficient (n-	Pow - value.
						octanol/water) -	
						Shake Flask	
						Method)	
12.3. Bioaccumulative	BCF		<3,9		Cyprinus caprio	OECD 305	
potential:						(Bioconcentration	
						- Flow-Through	
						Fish Test)	

GB (RL M)

Page 19 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

Toxicity to bacteria:	IC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))
Toxicity to bacteria:	EC50	16h	>10.000	mg/l	Pseudomonas putida	
Toxicity to insects:	LC50	3d	49,95	mg/kg	Drosophila melanogaster	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU) 20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN number or ID number: 1824 14.2. UN proper shipping name: Image: Construct of the state of the st	General statements Transport by road/by rail (ADR/RID)		
UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable Tunnel restriction code: E Classification code: C5 LQ: 5L Transport category: 3 Transport by sea (IMDG-code) 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: I824 14.2. UN proper shipping name: UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis		1824	
14.3. Transport hazard class(es):814.4. Packing group:III14.5. Environmental hazards:Not applicableTunnel restriction code:EClassification code:C5LQ:5 LTransport category:3Transport by sea (IMDG-code)182414.1. UN number or ID number:182414.2. UN proper shipping name:UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE814.4. Packing group:III14.5. Environmental hazards:Not applicableIMDG Code segregation group 18 - AlkalisNot applicable	14.2. UN proper shipping name:		
14.4. Packing group: III 14.5. Environmental hazards: Not applicable Tunnel restriction code: E Classification code: C5 LQ: 5 L Transport category: 3 Transport by sea (IMDG-code) 1824 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis Vot applicable	UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE		Â
14.5. Environmental hazards: Not applicable Tunnel restriction code: E Classification code: C5 LQ: 5 L Transport category: 3 Transport by sea (IMDG-code) 1824 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis Not applicable	14.3. Transport hazard class(es):	8	
Tunnel restriction code:EClassification code:C5LQ:5 LTransport category:3Transport by sea (IMDG-code)182414.1. UN number or ID number:182414.2. UN proper shipping name:VUN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE614.3. Transport hazard class(es):814.4. Packing group:III14.5. Environmental hazards:Not applicableIMDG Code segregation group 18 - AlkalisV	14.4. Packing group:	III	
Classification code:C5LQ:5 LTransport category:3Transport by sea (IMDG-code)182414.1. UN number or ID number:182414.2. UN proper shipping name:1824UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTUREImage: Comparing the state of th	14.5. Environmental hazards:	Not applicable	
LQ: 5 L Transport category: 3 Transport by sea (IMDG-code) 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis	Tunnel restriction code:	E	
Transport category: 3 Transport by sea (IMDG-code) 1824 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: 1824 UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE Image: Comparison of the compari	Classification code:	C5	
Transport by sea (IMDG-code) 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: 1824 UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE Image: Comparison of the state of t	LQ:	5 L	
14.1. UN number or ID number: 1824 14.2. UN proper shipping name: 1824 UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE Image: Comparison of the state of	Transport category:	3	
14.2. UN proper shipping name: Image: Construction of the second of	Transport by sea (IMDG-code)		
UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis	14.1. UN number or ID number:	1824	
14.3. Transport hazard class(es): 8 14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis	14.2. UN proper shipping name:		
14.4. Packing group: III 14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis Not applicable	UN 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE		
14.5. Environmental hazards: Not applicable IMDG Code segregation group 18 - Alkalis	14.3. Transport hazard class(es):	8	
IMDG Code segregation group 18 - Alkalis	14.4. Packing group:	III	•
	14.5. Environmental hazards:	Not applicable	
Marine Pollutant: Not applicable	IMDG Code segregation group 18 - Alkalis		
	Marine Pollutant:	Not applicable	

(B) (RL) (M)

Page 20 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

EmS: F-A. S-B Transport by air (IATA) 14.1. UN number or ID number: 1824 14.2. UN proper shipping name: UN 1824 Sodium hydroxide solution mixture 8 14.3. Transport hazard class(es): 14.4. Packing group: Ш 14.5. Environmental hazards: Not applicable 14.6. Special precautions for user Persons employed in transporting dangerous goods must be trained. All persons involved in transporting must observe safety regulations. Precautions must be taken to prevent damage. 14.7. Maritime transport in bulk according to IMO instruments Freighted as packaged goods rather than in bulk, therefore not applicable. Minimum amount regulations have not been taken into account. Danger code and packing code on request.

Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

0%

Observe restrictions: Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): **REGULATION (EC) No 648/2004** less than 5 % non-ionic surfactants anionic surfactants

2-BROMO-2-NITROPROPANE-1,3-DIOL

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2

Employee training in handling dangerous goods is required. These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Dam. 1, H318	Classification based on the pH value.
Met. Corr. 1, H290	Classification based on test data.
Skin Corr. 1, H314	Classification based on the pH value.

GBIRI

Page 21 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 **PreWash express** Art.: 296999

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals. H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Eye Dam. — Serious eye damage Met. Corr. — Substance or mixture corrosive to metals Skin Corr. — Skin corrosion Skin Irrit. — Skin irritation Aquatic Chronic — Hazardous to the aquatic environment - chronic Acute Tox. — Acute toxicity - oral Acute Tox. — Acute toxicity - dermal STOT SE - Specific target organ toxicity - single exposure - respiratory tract irritation

Aquatic Acute - Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany). German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended. National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended. Any abbreviations and acronyms used in this document: according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor**

BSEF The International Bromine Council

CAS **Chemical Abstracts Service**

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC **European Community**

(B) (RL) (M) Page 22 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 **PreWash express** Art.: 296999 ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community European Inventory of Existing Commercial Chemical Substances EINECS **ELINCS** European List of Notified Chemical Substances ΕN **European Norms** EPA United States Environmental Protection Agency (United States of America) ErCx, $E\mu Cx$, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera **European Union** FU EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities LQ MARPOL International Convention for the Prevention of Marine Pollution from Ships mg/kg bw mg/kg body weight mg/kg bw/d, mg/kg bw/day mg/kg body weight/day mg/kg dw mg/kg dry weight mg/kg wwt mg/kg wet weight n.a. not applicable n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic PF Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning REACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Telephone Tel. TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds

6B (RL M

Page 23 of 23 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 11.03.2024 / 0003 Replacing version dated / version: 05.07.2023 / 0002 Valid from: 11.03.2024 PDF print date: 15.03.2024 PreWash express Art.: 296999

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.