Trade name: PreWash express NTA-frei Product no.: 262999 Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier Trade name

# PreWash express NTA-frei

**1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture General purpose cleaner

**Uses advised against** No data available.

# 1.3 Details of the supplier of the safety data sheet

Address

Koch-Chemie GmbH Einsteinstr. 42 D-59423 Unna Telephone no. +49-2303-9 86 70-0 Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet sdb info@umco.de

# 1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1B; H314

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

# 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

# Hazard pictograms



Danger Hazardous component(s) to be indicated on label: sodium hydroxide

Hazard statement(s) H290 May be corre

May be corrosive to metals.

#### Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

H314	Causes severe skin burns and eye damage.
Precautionary statemer	nt(s)
P260	Do not breathe vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.

#### 2.3 Other hazards

#### PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

#### vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

# 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Additio	onal information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	ntration		%
	REACH no					
1	Alcohols, C12-14, e	ethoxylated, sulfates, sodium salts				
	68891-38-3	Eye Dam. 1; H318	<	5,00		wt%
	500-234-8	Skin Irrit. 2; H315				
	-	Aquatic Chronic 3; H412				
	01-2119488639-16					
2	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	<	5,00		wt%
	215-185-5	Met. Corr. 1; H290				
	011-002-00-6	Eye Dam. 1; H318				
	01-2119457892-27					
3	2,2',2"-nitrilotrietha	anol				
	102-71-6	-	>=	5,00 - <	10,00	wt%
	203-049-8					
	-					
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-
2	-	Skin Irrit. 2; H315: C >= 0,5% Eye Irrit. 2; H319: C >= 0,5% Skin Corr. 1B; H314: C >= 2%	-	-

#### Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

Skin Corr. 1A; H314: C >= 5%

# SECTION 4: First aid measures

# 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

#### After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

## After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### **4.2 Most important symptoms and effects, both acute and delayed** No data available.

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media High power water jet

# 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Phosphorus oxides; Sulphur oxides (SxOy); Nitrogen oxides (NOx); Corrosive gases/vapours

# 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

# 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

#### Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

# 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

#### Incompatible products

Substances to be avoided, see section 10.

# 7.3 Specific end use(s)

No data available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

# **Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	2,2',2"-nitrilotriethanol	102-71-6	203-049-8
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Practice)
	Triethanolamine		
	WEL long-term (8-hr TWA reference period)	5	mg/m³
2	sodium hydroxide	1310-73-2	215-185-5
	List of Chemical Agents and Occupational Exposure	Limit Values	(Code of Practice)
	Sodium hydroxide		
	WEL short-term (15 min reference period)	2	mg/m³

# DNEL, DMEL and PNEC values

#### DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8	
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm²
	inhalative	Long term (chronic)	systemic	175	mg/m³
2	sodium hydroxide			1310-73-2 215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³

Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3		
				500-234-8	
	oral	Long term (chronic)	systemic	15	mg/kg/day
	dermal	Long term (chronic)	systemic	1650	mg/kg/day
	dermal	Long term (chronic)	local	79	µg/cm²
	inhalative	Long term (chronic)	systemic	52	mg/m³
2	sodium hydroxide			1310-73-2	
	-			215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³

#### PNEC values

No	Substance name		CAS / EC no	0
	ecological compartment	Туре	Value	
1	Alcohols, C12-14, ethoxylated, sulfate	s, sodium salts	68891-38-3	
			500-234-8	
	water	fresh water	0,24	mg/L
	water	marine water	0,024	mg/L
	water	Aqua intermittent	0,071	mg/L
	water	fresh water sediment	0,917	mg/kg dry
				weight
	water	marine water sediment	0,092	mg/kg dry
				weight
	soil	-	7,5	mg/kg dry
				weight
	sewage treatment plant	-	10	g/L

## 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

# Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0,5	mm
Breakthrough time	>	480	min

#### Other

Chemical-resistant work clothes.

# Environmental exposure controls

No data available.

Trade name: PreWash express NTA-frei Product no.: 262999 Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

State of aggregation
liquid
Form/Colour
liquid
green
Odour
characteristic
pH value       Value     13
Boiling point / boiling range
No data available
Melting point/freezing point
No data available
Decomposition temperature
No data available
Flash point
No data available
Ignition temperature
No data available
Flammability No data available
Lower explosion limit
No data available
Upper explosion limit
No data available
Vapour pressure
No data available
Relative vapour density
No data available
Relative density
No data available
Density
Value 1,16 g/cm <sup>3</sup>
Reference temperature 20 °C
Solubility in water
Comments soluble
Solubility No data available
Partition coefficient n-octanol/water (log value)
No data available
Viscosity
No data available

#### Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

# Particle characteristics

No data available

# 9.2 Other information

Other information No data available.

# SECTION 10: Stability and reactivity

- 10.1 Reactivity
  - No data available.

# 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

# **10.3 Possibility of hazardous reactions** Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

- 10.4 Conditions to avoid None known
- **10.5** Incompatible materials strong acids; Corrosive to metals.

#### **10.6 Hazardous decomposition products** No hazardous decomposition products known.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity						
No	Substance name		CAS no.		EC no.		
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8		
LD5	0			4100	mg/kg bodyweight		
Spe		rat					
Met		OECD 401					
Sou	rce	ECHA					
Acu	te dermal toxicity						
No	Substance name		CAS no.		EC no.		
1			68891-38-3		500-234-8		
LD5	0	>		2000	mg/kg bodyweight		
Spe		rat					
Met	hod	OECD 402					
Sou	rce	ECHA					
Acu	te inhalational toxicity						
	data available						
Skir	corrosion/irritation						
No	Substance name		CAS no.		EC no.		
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8		
-	salts				••••		
Spe		rabbit					
		OECD 404					
Source ECHA							
Eva	luation	irritant					
Seri	Serious eye damage/irritation						

# Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

No	Substance name		CAS no.	EC no.
I	Alcohols, C12-14, ethoxylated, s	ulfates, sodium	68891-38-3	500-234-8
	salts			
Spe	cies	rabbit		
/ietl	hod	OECD 405		
Sou	rce	ECHA		
Eval	luation	strongly irri	tant	
200	nirotory or okin consistingtion			
	piratory or skin sensitisation Substance name		CAS no.	EC no.
10	Alcohols, C12-14, ethoxylated, s	ulfatos sodium	68891-38-3	500-234-8
	salts		00031-50-5	500-254-0
	te of exposure	Skin		
	cies	guinea pig		
	hod	OECD 406		
	rce	ECHA		
	luation	non-sensitiz		
<u> </u>	sodium hydroxide		1310-73-2	215-185-5
	te of exposure	Skin		
	cies	Human		
	rce	ECHA		
	luation	non-sensitiz		
Ival	luation/classification	Based on a	vailable data, the class	ification criteria are not met.
201	m cell mutagenicity			
	Substance name		CAS no.	EC no.
10	Alcohols, C12-14, ethoxylated, s	ulfataa aadium	68891-38-3	500-234-8
	salts		00031-30-3	500-254-8
Sou		ECHA		
va	luation/classification	Based on a	vailable data, the class	sification criteria are not met.
?en	roduction toxicity			
	Substance name		CAS no.	EC no.
	Alcohols, C12-14, ethoxylated, s	ulfates sodium	68891-38-3	500-234-8
	salts		00031-50-5	300-234-0
Sou		ECHA		
va	luation/classification	Based on a	vailable data, the class	sification criteria are not met.
Care	cinogenicity			
	data available			
TC	T - single exposure			
	data available			
TO	OT - repeated exposure			
	data available			
lo c	iration hazard			
10 0 <b>\sp</b>	iration hazard data available			

**Endocrine disrupting properties** No data available.

Other information No data available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish (acute)

Region: IE

rade n	ame: PreWash express NTA-frei				
roduc	t no.: 262999				
urrent v	ersion : 1.1.0, issued: 31.03.2021	Replaced	version: 1.0.0, iss	sued: 27.11.20	20
		-			
No	Substance name		CAS no.		EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8
LC50	0			7,1	mg/l
	ation of exposure			96	h
Spec		Danio rerio			
Meth Sour		OECD 203 ECHA			
		LONA			
	i <b>city to fish (chronic)</b> lata available				
Tovi	city to Daphnia (acute)				
	Substance name		CAS no.		EC no.
	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8
EC5				7,4	mg/l
	ation of exposure			48	h
Spec		Daphnia mag	na		
Meth Sour		OECD 202 ECHA			
	sodium hydroxide		1310-73-2		215-185-5
EC5			1010 /02	40,4	mg/l
	ation of exposure			48	h
Spec		Ceriodaphnia	spec		
Sour	rce	ECHA			
Toxi	city to Daphnia (chronic)				
No d	lata available				
Toxi	city to algae (acute)				
	Substance name		CAS no.		EC no.
	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8
ErC				27,7	mg/l
	ation of exposure	Description		72	h
Spec Meth		OECD 201	is subspicatus		
Sour		ECHA			
		-			
	city to algae (chronic) Substance name		CAS no.		EC no.
1	Alcohols, C12-14, ethoxylated, sulfates,	sodium	68891-38-3		500-234-8
•	salts	Souran	00001-00-0		500-254-0
NOE				0,95	mg/l
	ation of exposure			72	h
Spec			is subspicatus		
Meth		OECD 201			
Sour	rce	ECHA			
	teria toxicity				
	Substance name		CAS no.		EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8
EC5		>		10000	mg/l
	ation of exposure	Dooudomer -	o putido	16	h
Spec Meth		Pseudomona DIN 38412 T.			
Sour		ECHA	0		

# 12.2 Persistence and degradability

#### Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

Biodegradability						
No	Substance name		CAS no.		EC no.	
1	Alcohols, C12-14, ethoxylated, sulfates, salts	sodium	68891-38-3		500-234-8	
Туре		DOC decreas	e			
Value				100	%	
Duration				14	day(s)	
Source		ECHA				
Evaluation		readily biodec	gradable			

# 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

# 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

#### **12.6 Endocrine disrupting properties** No data available.

# 12.7 Other adverse effects

No data available.

# 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

# **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

Class	8
Classification code	C5
Packing group	11
Hazard identification no.	80

#### Trade name: PreWash express NTA-frei Product no.: 262999 Replaced version: 1.0.0, issued: 27.11.2020 Current version : 1.1.0, issued: 31.03.2021 Region: IE **UN** number UN1824 Proper shipping name SODIUM HYDROXIDE SOLUTION Tunnel restriction code F I abel 8 14.2 Transport IMDG Class 8 Packing group П **UN** number UN1824 Proper shipping name SODIUM HYDROXIDE SOLUTION EmS F-A, S-B Label 8 14.3 Transport ICAO-TI / IATA 8 Class Packing group п **UN number** UN1824 Proper shipping name Sodium hydroxide solution Label 8 14.4 Other information No data available. 14.5 Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3. 14.6 Special precautions for user No data available. 14.7 Maritime transport in bulk according to IMO instruments Not relevant **SECTION 15: Regulatory information** Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 EU regulations Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation) According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006. REACH candidate list of substances of very high concern (SVHC) for authorisation According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006. Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES The product is considered being subject to REACH regulation (EC) 1907/2006 annex No 3 XVII.

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product. Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed. The surfactants contained in this product comply with the DetVO 648/2004/EC.

# 15.2 Chemical safety assessment

#### Product no.: 262999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 27.11.2020

Region: IE

A chemical safety assessment has not been carried out for this mixture.

# **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H315 <sup>′</sup>	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

#### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769427