- GB (RL) M

Page 1 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner Art.: 77704999

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

ReactiveWheelCleaner

Art.: 77704999

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Vehicle cleansing

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Koch-Chemie GmbH Einsteinstrasse 42 59423 Unna

Telefon: +49 (0) 2303 / 9 86 70 - 0 Fax: +49 (0) 2303 / 9 86 70 - 26

info@koch-chemie.com www.koch-chemie.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

(RL)

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:

+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)

+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

+1 872 5888271 (KCC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class Hazard category Hazard statement

Acute Tox. 4 H302-Harmful if swallowed.

Eye Dam. 1 H318-Causes serious eye damage.

Skin Sens. 1 H317-May cause an allergic skin reaction.

Aquatic Chronic 3 H412-Harmful to aquatic life with long lasting effects.

2.2 Label elements

- GB (RL) (M)

Page 2 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner Art.: 77704999

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H302-Harmful if swallowed. H318-Causes serious eye damage. H317-May cause an allergic skin reaction. H412-Harmful to aquatic life with long lasting effects.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor.

P501-Dispose of contents / container to an approved waste disposal facility.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even-numbered)-acyl derivs., hydroxides, inner salts Reaction mass of: 2-ethylhexyl mono-D-glucopyranoside, 2-ethylhexyl di-D-glucopyranoside D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides Ammonium mercaptoacetate

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n a

3.2 Mixtures

Ammonium mercaptoacetate	
Registration number (REACH)	01-2119531489-31-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	226-540-9
CAS	5421-46-5
content %	10-<30
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Met. Corr. 1, H290
factors	Acute Tox. 3, H301
	Skin Sens. 1B, H317
	Aquatic Chronic 3, H412
Specific Concentration Limits and ATE	ATE (oral): 71 mg/kg

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even-numbered)-acyl derivs., hydroxides, inner salts	
Registration number (REACH)	01-2119488533-30-XXXX

- GB (RL M)-

Page 3 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	931-296-8
CAS	97862-59-4
content %	10-<25
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Eye Dam. 1, H318
factors	Aquatic Chronic 3, H412
Specific Concentration Limits and ATE	Eye Dam. 1, H318: >=10 %
	Eye Irrit. 2, H319: >=4 %

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides	
Registration number (REACH)	01-2119489418-23-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	600-975-8
CAS	110615-47-9
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Irrit. 2, H315
factors	Eye Dam. 1, H318
Specific Concentration Limits and ATE	Skin Irrit. 2, H315: >=30 %
	Eye Dam. 1, H318: >12 %
	Eye Irrit. 2, H319: >12 %

Reaction mass of: 2-ethylhexyl mono-D-glucopyranoside, 2-	
ethylhexyl di-D-glucopyranoside	
Registration number (REACH)	01-0000016147-72-XXXX
Index	614-028-00-1
EINECS, ELINCS, NLP, REACH-IT List-No.	414-420-0
CAS	(108081-06-7)
content %	0,3-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Eye Dam. 1, H318
factors	

alpha-hexylcinnamaldehyde	
Registration number (REACH)	01-2119533092-50-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	202-983-3
CAS	101-86-0
content %	0,01-<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-	Skin Sens. 1, H317
factors	Aquatic Acute 1, H400 (M=10)
	Aquatic Chronic 2, H411

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

KochChemie[®] ExcellenceForExperts.

- GB (RL) M

Page 4 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.

Protect uninjured eye.

Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

eyes, reddened

watering eyes

Irritation of the eyes

reddening of the skin

Allergic reaction

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Toxic gases

Nitro gases

Oxides of nitrogen

Oxides of carbon

Oxides of sulphur

Oxides of phosphorus

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

-GB (RL) (M)

Page 5 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner Art.: 77704999

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Fill the absorbed material into lockable containers.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries.

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - marine		PNEC	0,001	mg/l	
	Environment - freshwater		PNEC	0,01	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	0,049	mg/l	

- GB (RL M)

Page 6 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

	Environment - sediment, freshwater		PNEC	0,038	mg/kg dw	
	Environment - sediment, marine		PNEC	0,004	mg/kg dw	
	Environment - soil		PNEC	0,001	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,165	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,0286	mg/kg bw/d	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,095	mg/kg bw/d	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,24	mg/kg bw/d	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,004	mg/cm2	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	0,937	mg/m3	

1-Propanaminium, 3-am	ino-N-(carboxymethyl)-N,N-di	methyl-, N-C8-18(even-	numbered)-a	cyl derivs.	hydroxides	, inner salts
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,0135	mg/l	
	Environment - marine		PNEC	0,00135	mg/l	
	Environment - sewage		PNEC	3000	mg/l	
	treatment plant					
	Environment - soil		PNEC	0,8	mg/kg	
	Environment - sediment,		PNEC	1	mg/kg dw	
	freshwater					
	Environment - sediment,		PNEC	0,1	mg/kg dw	
	marine					
Consumer	Human - oral	Long term, systemic	DNEL	7,5	mg/kg	
		effects				
Consumer	Human - dermal	Long term, systemic	DNEL	7,5	mg/kg	
		effects				
Workers / employees	Human - inhalation	Long term, systemic	DNEL	44	mg/m3	
		effects				
Workers / employees	Human - dermal	Long term, systemic	DNEL	12,5	mg/kg	
		effects				

Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,176	mg/l	
	Environment - marine		PNEC	0,018	mg/l	
	Environment - water,		PNEC	0,0295	mg/l	
	sporadic (intermittent)					
	release					
	Environment - sewage		PNEC	5000	mg/l	
	treatment plant					
	Environment - sediment,		PNEC	1,516	mg/kg dw	
	freshwater					
	Environment - sediment,		PNEC	0,065	mg/kg dw	
	marine					
	Environment - soil		PNEC	0,654	mg/kg dw	
	Environment - oral (animal		PNEC	111,11	mg/kg	
	feed)				feed	

- GB (RL) (M)

Page 7 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Consumer	Human - oral	Long term, systemic effects	DNEL	35,7	mg/kg bw/day
Consumer	Human - dermal	Long term, systemic effects	DNEL	357000	mg/kg bw/day
Consumer	Human - inhalation	Long term, systemic effects	DNEL	124	mg/m3
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	595000	mg/kg bw/day
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	420	mg/kg

Reaction mass of: 2-ethylhexyl mono-D-glucopyranoside, 2-ethylhexyl di-D-glucopyranoside						
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
	Environment - freshwater		PNEC	0,098	mg/l	
	Environment - marine		PNEC	0,0098	mg/l	
	Environment - sediment, freshwater		PNEC	980	mg/kg dry weight	
	Environment - sediment, marine		PNEC	98	mg/kg dry weight	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	2,6	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	0,75	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,75	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	1,5	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	10,6	mg/m3	

8.2 Exposure controls

8.2.1 Appropriate engineering controls

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

If applicable

Protective gloves in butyl rubber (EN ISO 374).

Protective Neoprene® / polychloroprene gloves (EN ISO 374).

Protective nitrile gloves (EN ISO 374).

Protective PVC gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

- GB (RL) (M)

Page 8 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer

to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Colourless, Red

Odour: Characteristic

Melting point/freezing point: There is no information available on this parameter.

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

There is no information available on this parameter.

There is no information available on this parameter.

Lower explosion limit:

Upper explosion limit:

There is no information available on this parameter.

Auto-ignition temperature:

There is no information available on this parameter.

There is no information available on this parameter.

There is no information available on this parameter.

Kinematic viscosity:

There is no information available on this parameter.

Solubility:

There is no information available on this parameter.

Partition coefficient n-octanol/water (log value): Does not apply to mixtures.

Vapour pressure: There is no information available on this parameter.

Density and/or relative density: 1,12 g/ml

Relative vapour density:

There is no information available on this parameter.

Particle characteristics: Does not apply to liquids.

9.2 Other information

No information available at present.

SECTION 10: Stability and reactivity

10.1 Reactivity

pH:

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

- GB (RL M

Page 9 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner Art.: 77704999

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Art.: 77704999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	400	mg/kg			calculated value
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RÉ):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Ammonium mercaptoacetate										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes				
Acute toxicity, by oral route:	LD50	71	mg/kg	Rat	OECD 401 (Acute	Anhydrous				
					Oral Toxicity)	substance				
Acute toxicity, by oral route:	ATE	71	mg/kg							
Acute toxicity, by dermal	LD50	> 2000	mg/kg	Rat	OECD 402 (Acute	(71% solution)				
route:					Dermal Toxicity)					
Acute toxicity, by inhalation:	LC50	> 2,75	mg/l/1h	Rat		(71% solution)				
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Slightly irritant				
					Dermal	(71% solution)				
					Irritation/Corrosion)					
Serious eye				Rabbit	OECD 405 (Acute	Slightly irritant				
damage/irritation:					Eye	(71% solution)				
					Irritation/Corrosion)					
Respiratory or skin				Guinea pig	OECD 406 (Skin	Sensitising				
sensitisation:					Sensitisation)	(skin contact)				
Respiratory or skin				Mouse	OECD 429 (Skin	Yes (skin				
sensitisation:					Sensitisation - Local	contact) (71%				
					Lymph Node Assay)	solution)				
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative,				
					Mammalian	Analogous				
					Chromosome	conclusion				
					Aberration Test)					
Germ cell mutagenicity:					OECD 474	Negative,				
					(Mammalian	Analogous				
					Erythrocyte	conclusion				
					Micronucleus Test)					

- GB (RL M)-

Page 10 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

	I		
		OECD 471 (Bacterial	Negative
		,	NI C
			Negative
		Mutation Test)	
mg/kg	Rat	OECD 414 (Prenatal	(71% solution)
		Developmental	
		Toxicity Study)	
mg/kg/d	Rat	OECD 416 (Two-	Analogous
		generation	conclusion
		•	
		Study)	
mg/kg/d	Rat	OECD 421	Analogous
		(Reproduction/Develop	conclusion
		,	breathing
			difficulties, in
			contact:
			coughing,
			vomiting and
			nausea may
			occur.
	mg/kg mg/kg/d mg/kg/d	mg/kg/d Rat	mg/kg/d Rat Developmental Toxicity Study) mg/kg/d Rat OECD 416 (Twogeneration Reproduction Toxicity Study)

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	2335	mg/kg	Rat	OECD 401 (Acute	
					Oral Toxicity)	
Acute toxicity, by dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	
route:					Dermal Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Mild irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Risk of serious
damage/irritation:					Eye	damage to
-					Irritation/Corrosion)	eyes.
Respiratory or skin				Guinea pig	OECD 406 (Skin	Not sensitizising
sensitisation:					Sensitisation)	
Germ cell mutagenicity:				Salmonella	(Ames-Test)	Negative
				typhimurium		
Germ cell mutagenicity:					OECD 476 (In Vitro	Negative
					Mammalian Cell Gene	
					Mutation Test)	
Germ cell mutagenicity:				Mouse	OECD 474	Negative
					(Mammalian	
					Erythrocyte	
					Micronucleus Test)	
Carcinogenicity:						Negative
Reproductive toxicity:	NOEL	100	mg/kg	Rat	OECD 414 (Prenatal	
					Developmental	
					Toxicity Study)	
Specific target organ toxicity -	NOEL	247	mg/kg	Rat	OECD 408 (Repeated	
repeated exposure (STOT-					Dose 90-Day Oral	
RE), oral:					Toxicity Study in	
					Rodents)	

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides								
Toxicity / effect Endpoint Value Unit Organism Test method Notes								
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute			
					Oral Toxicity)			

- GB (RL M)-

Page 11 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Acute toxicity, by dermal	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute	
route: Skin corrosion/irritation:				Rabbit	Dermal Toxicity) OECD 404 (Acute	Skin Irrit. 2
					Dermal Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Dam. 1
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous conclusion
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:				Mammalian	OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative Chinese hamster
Reproductive toxicity:				Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative
Reproductive toxicity (Developmental toxicity):	NOAEL	1000	mg/kg bw/d	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	NOAEL	1000	mg/kg bw/d	Rat	Regulation (EC) 440/2008 B.26 (SUB- CHRONIC ORAL TOXICITY TEST REPEATED DOSE 90 - DAY (RODENTS))	
Symptoms:						eyes, reddened, watering eyes, blisters by skin- contact, reddening of the skin, stomach pain

Reaction mass of: 2-ethylhe	Reaction mass of: 2-ethylhexyl mono-D-glucopyranoside, 2-ethylhexyl di-D-glucopyranoside										
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes					
Acute toxicity, by oral route:	LD50	>2000-5000	mg/kg	Rat	Regulation (EC) 440/2008 B.1 (ACUTE ORAL TOXICITY)						
Acute toxicity, by dermal route:	LD50	>5000	mg/kg	Rat	Regulation (EC) 440/2008 B.3 (ACUTE TOXICITY (DERMAL)						
Serious eye damage/irritation:				Rabbit	Regulation (EC) 440/2008 B.5 (ACUTE EYE IRRITATION/CORRO SION)	Risk of serious damage to eyes.					
Respiratory or skin sensitisation:					OECD 406 (Skin Sensitisation)	Not sensitizising					
Germ cell mutagenicity:						Negative					

alpha-hexylcinnamaldehyde

- GB (RL) (M)

Page 12 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	~3100	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal	LD50	>3000	mg/kg	Rabbit	OECD 402 (Acute	
route: Respiratory or skin				Mouse	Dermal Toxicity) OECD 429 (Skin	Skin Sens. 1
sensitisation:				Wouse	Sensitisation - Local Lymph Node Assay)	OKIII OEIIS. I

11.2. Information on other hazards

ReactiveWheelCleaner						
Art.: 77704999						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

ReactiveWheelCleaner	•		,	,	,		
Art.: 77704999							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.

- GB (RL M)

Page 13 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

12.2. Persistence and						The
degradability:						surfactant(s)
						contained in
						this mixture
						complies(compl
						y) with the
						biodegradability
						criteria as laid
						down in
						Regulation
						(EC)
						No.648/2004
						on detergents.
						Data to support
						this assertion
						are held at the
						disposal of the
						competent
						authorities of
						the Member
						States and will
						be made
						available to
						them, at their
						direct request
						or at the
						request of a
						detergent
						manufacturer.
12.3. Bioaccumulative						n.d.a.
potential:						n.u.a.
						n d o
12.4. Mobility in soil: 12.5. Results of PBT						n.d.a.
						n.d.a.
and vPvB assessment						
12.6. Endocrine						Does not apply
disrupting properties:						to mixtures.
12.7. Other adverse						No information
effects:						available on
						other adverse
						effects on the
						environment.
Other information:						DOC-
						elimination
						degree(complex
						ing organic
						substance)>=
Other inferr	107		0/			80%/28d: No
Other information:	AOX		%			According to
						the recipe,
						contains no AOX.
	1	1	1	1	1	A (A) (

Ammonium mercaptoacetate									
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes		
12.1. Toxicity to fish:	LC50	96h	> 100	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	(71% solution)		
12.1. Toxicity to daphnia:	EC50	48h	38	mg/l	Daphnia magna	84/449/EEC C.2	Analogous conclusion		

- GB (RL M)-

Page 14 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

12.1. Toxicity to	NOEC/NOEL	21d	3,8	mg/l	Daphnia magna	OECD 211	Analogous
daphnia:						(Daphnia magna	conclusion
						Reproduction	
						Test)	
12.1. Toxicity to algae:	NOEC/NOEL	72h	0,52	mg/l			Analogous
							conclusion
12.1. Toxicity to algae:	EC50	72h	13	mg/l	Pseudokirchnerie	OECD 201	Analogous
					lla subcapitata	(Alga, Growth	conclusion
						Inhibition Test)	
12.2. Persistence and		28d	100	%		OECD 301 C	Analogous
degradability:						(Ready	conclusion
						Biodegradability -	
						Modified MITI	
						Test (I))	
12.2. Persistence and		28d	70	%		OECD 301 D	Analogous
degradability:						(Ready	conclusion
						Biodegradability -	
						Closed Bottle	
						Test)	
12.3. Bioaccumulative	Log Pow		-2,99				
potential:							
12.3. Bioaccumulative	BCF		1				Analogous
potential:							conclusion
							(71% solution)
12.4. Mobility in soil:							Not to be
							expected
12.5. Results of PBT							No PBT
and vPvB assessment							substance

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even-numbered)-acyl derivs., hydroxides, inner salts							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1,11	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/NOEL	>60d	0,135	mg/l	Oncorhynchus mykiss	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	1,9	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,32	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to daphnia:	LOEC/LOEL	21d	0,56	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to algae:	EC50	72h	~1,5	mg/l	Desmodesmus subspicatus	DIN 38412 T.9	
12.2. Persistence and degradability:		28d	91,6	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	
12.3. Bioaccumulative potential:	Log Kow		4,21			,	calculated

-GB (RL M)-

Page 15 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

12.3. Bioaccumulative	BCF	<71		
potential:				
12.5. Results of PBT				No PBT
and vPvB assessment				substance, No
				vPvB substance

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	28d	1,8	mg/l	Brachydanio rerio	OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study)	
12.1. Toxicity to fish:	LC50	96h	2,95-5,9	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	LC50	48h	7-14	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	1-4	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	5-38	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	88	%		OECD 301 D (Ready Biodegradability - Closed Bottle Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Kow		<=-0,07			,	Lowat 20 °C
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
12.6. Endocrine disrupting properties:							No

Reaction mass of: 2-et	hylhexyl mono	-D-glucop	yranoside	, 2-ethylhe	exyl di-D-glucopyran	oside	
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>310	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Selenastrum capricornutum		
12.2. Persistence and degradability:	BOD	28d	>60	%		OECD 301 D (Ready Biodegradability - Closed Bottle Test)	

oxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1,7	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	

-GB (RL M)-

Page 16 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

12.1. Toxicity to fish:	NOEC/NOEL	96h	~0,93	mg/l	Pimephales	OECD 203
·					promelas	(Fish, Acute
						Toxicity Test)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU) 20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:

Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

Tunnel restriction code:

Classification code:

Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

Mot applicable

Not applicable

Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es):Not applicable14.4. Packing group:Not applicable14.5. Environmental hazards:Not applicable

14.6. Special precautions for user

- GB (RL) (M)

Page 17 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC):

1,225 %

REGULATION (EC) No 648/2004

5 % or over but less than 15 % amphoteric surfactants less than 5 % phosphonates non-ionic surfactants

perfumes CITRONELLOL HEXYL CINNAMAL LIMONENE

National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

2, 3, 8, 11, 12, 16

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Acute Tox. 4, H302	Classification based on toxicological analyses.
Eye Dam. 1, H318	Classification according to calculation procedure.
Skin Sens. 1, H317	Classification according to calculation procedure.
Aquatic Chronic 3, H412	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents. H317 May cause an allergic skin reaction.

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

_GB (RL M)

Page 18 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Acute Tox. — Acute toxicity - oral Eye Dam. — Serious eye damage

Skin Sens. — Skin sensitization

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Met. Corr. — Substance or mixture corrosive to metals

Skin Irrit. — Skin irritation

Aquatic Acute — Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)

etc. et cetera EU European Union

- GB (RL M)-

Page 19 of 20

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 21.01.2025 / 0003

Replacing version dated / version: 26.11.2024 / 0002

Valid from: 21.01.2025 PDF print date: 21.01.2025 ReactiveWheelCleaner

Art.: 77704999

EVAL Ethylene-vinyl alcohol copolymer

Fax. Fax number gen. general

GHS Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Koc Adsorption coefficient of organic carbon in the soil

Kow octanol-water partition coefficient

IARC International Agency for Research on Cancer

IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. including, inclusive

IUCLIDInternational Uniform Chemical Information Database

IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil

Log Kow, Log Pow Logarithm of octanol-water partition coefficient

LQ Limited Quantities

MARPOL International Convention for the Prevention of Marine Pollution from Ships

mg/kg bw mg/kg body weight

mg/kg bw/d, mg/kg bw/day mg/kg body weight/day

mg/kg dw mg/kg dry weight mg/kg wwt mg/kg wet weight

n.a. not applicablen.av. not availablen.c. not checkedn.d.a. no data available

NIOSHNational Institute for Occupational Safety and Health (USA)

NLP No-longer-Polymer

NOEC, NOEL No Observed Effect Concentration/Level

OECD Organisation for Economic Co-operation and Development

org. organic

OSHA Occupational Safety and Health Administration (USA)

PBT persistent, bioaccumulative and toxic

PE Polyethylene

PNEC Predicted No Effect Concentration

ppm parts per million PVC Polyvinylchloride

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document

le 20 of 20 Union date / version: 21.01.2025 / 0003 Union 20 Union	M	
olacing version dated / version: 26.11.2024 / 0002 id from: 21.01.2025 F print date: 21.01.2025 activeWheelCleaner : 77704999	ge 20 of 20	coording to Regulation (EC) No 1907/2006, Annoy II (last amended by Regulation (ELI) 2020/279)
olacing version dated / version: 26.11.2024 / 0002 id from: 21.01.2025 F print date: 21.01.2025 activeWheelCleaner : 77704999	iety data sneet a	cording to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)
id from: 21.01.2025 F print date: 21.01.2025 activeWheelCleaner : 77704999	vision date / vers	011. 21.01.2025 / 0003 atod / varsion: 26.11.2024 / 0002
F print date: 21.01.2025 activeWheelCleaner : 77704999	placing version c	alea / Version. 20.11.2024 / 0002
: 77704999	E print data: 21.0	20 4.2025
: 77704999	r piiii uaie. 21.0 activa\MhaalClas	1.ZUZU
	· 77704999	
orbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.	11104999	
	orbidden except	vith consent of the Chemical Check GmbH Gefahrstoffberatung.