

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Reactive Rust Remover****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

rust remover

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

**1.4 Emergency telephone number**

No data available.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Acute Tox. 4; H302

Eye Irrit. 2; H319

Met. Corr. 1; H290

Skin Sens. 1; H317

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05



GHS07

**Signal word**

Warning

**Hazardous component(s) to be indicated on label:**

ammonium-mercaptoacetate

benzaldehyde

**Hazard statement(s)**

H290

May be corrosive to metals.

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT

H302 Harmful if swallowed.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.

**Precautionary statement(s)**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P261 Avoid breathing spray.  
 P280 Wear protective gloves/eye protection/face protection.  
 P314 Get medical advice/attention if you feel unwell.  
 P390 Absorb spillage to prevent material damage.  
 P405 Store locked up.  
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

**Supplemental label elements**

Regulation (EC) No 648/2004 on detergents (Annex VII):

5-15% anionic surfactants

Perfumings

ALPHA-ISOMETHYL IONONE

**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain &gt; 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain &gt; 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	<b>ammonium-mercaptoacetate</b>			
	5421-46-5 226-540-9 - 01-2119531489-31	Met. Corr. 1; H290 Acute Tox. 3; H301 Skin Sens. 1; H317	>= 10,00 - < 25,00	wt%
2	<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>			
	68891-38-3 500-234-8 - 01-2119488639-16	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	>= 5,00 - < 10,00	wt%
3	<b>sodium p-cumenesulphonate</b>			
	15763-76-5 239-854-6 - 01-2119489411-37	Eye Irrit. 2; H319	< 2,50	wt%
4	<b>benzaldehyde</b>			

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT

100-52-7 202-860-4 605-012-00-5 01-2119455540-44	Acute Tox. 4; H302	< 2,50	wt%
---	--------------------	--------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

**After skin contact**

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

**After ingestion**

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Water spray jet; Foam; Carbon dioxide; Dry chemical extinguisher

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>); Sulphur oxides (S<sub>x</sub>O<sub>y</sub>); Nitrogen oxides (NO<sub>x</sub>)

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

**For emergency responders**

Personal protective equipment (PPE) - see section 8.

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Flush away residues with water.

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed. Store in a dry place. Keep from freezing.

**Recommended storage temperature**

Value

Room temperature

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	ammonium-mercaptoacetate			5421-46-5	
				226-540-9	
	dermal	Long term (chronic)	systemic	2,06	mg/kg/day
	dermal	Long term (chronic)	local	0,004	mg/cm <sup>2</sup>
2	inhalative	Long term (chronic)	systemic	1,41	mg/m <sup>3</sup>
	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3	
				500-234-8	
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm <sup>2</sup>

Trade name: Reactive Rust Remover

Product no.: 359999

Current version : 1.0.0, issued: 01.12.2020

Replaced version: -, issued: -

Region: MT

	inhalative	Long term (chronic)	systemic	175	mg/m <sup>3</sup>
3	<b>sodium p-cumenesulphonate</b>			<b>15763-76-5</b>	
	dermal	Long term (chronic)	systemic	7,6	mg/kg/day
	inhalative	Long term (chronic)	systemic	53,6	mg/m <sup>3</sup>
4	<b>benzaldehyde</b>			<b>100-52-7</b>	
	dermal	Long term (chronic)	systemic	1,14	mg/kg/day
	dermal	Short term (acut)	local	1	% in mixture (weight basis)
	inhalative	Long term (chronic)	systemic	9,8	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	9,8	mg/m <sup>3</sup>

## DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>ammonium-mercaptoacetate</b>			<b>5421-46-5</b>	
	dermal	Long term (chronic)	systemic	0,9	mg/kg/day
2	<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>			<b>68891-38-3</b>	
	oral	Long term (chronic)	systemic	15	mg/kg/day
	dermal	Long term (chronic)	systemic	1650	mg/kg/day
	dermal	Long term (chronic)	local	79	µg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	52	mg/m <sup>3</sup>
3	<b>sodium p-cumenesulphonate</b>			<b>15763-76-5</b>	
	oral	Long term (chronic)	systemic	3,8	mg/kg/day
	dermal	Long term (chronic)	systemic	3,8	mg/kg/day
	inhalative	Long term (chronic)	systemic	13,2	mg/m <sup>3</sup>
4	<b>benzaldehyde</b>			<b>100-52-7</b>	
	oral	Long term (chronic)	systemic	0,67	mg/kg/day
	dermal	Long term (chronic)	systemic	0,67	mg/kg/day
	dermal	Short term (acut)	local	1	% in mixture (weight basis)
	inhalative	Long term (chronic)	systemic	4,9	mg/m <sup>3</sup>
	inhalative	Long term (chronic)	local	4,9	mg/m <sup>3</sup>

## PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	<b>ammonium-mercaptoacetate</b>		<b>5421-46-5</b>	
	water	fresh water	38	µg/L
	water	marine water	3,8	µg/L
	sewage treatment plant	-	3,2	mg/L
2	<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>		<b>68891-38-3</b>	
	water	fresh water	0,24	mg/L
	water	marine water	0,024	mg/L
	water	Aqua intermittent	0,071	mg/L
	water	fresh water sediment	0,917	mg/kg dry weight
	water	marine water sediment	0,092	mg/kg dry weight
	soil	-	7,5	mg/kg dry weight

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT

	sewage treatment plant	-	10	g/L
3	<b>sodium p-cumenesulphonate</b>		<b>15763-76-5</b> <b>239-854-6</b>	
	water	fresh water	0,23	mg/L
	water	Aqua intermittent	2,3	mg/L
	sewage treatment plant	-	100	mg/L
4	<b>benzaldehyde</b>		<b>100-52-7</b> <b>202-860-4</b>	
	water	fresh water	0,002	mg/L
	water	fresh water sediment	0,022	mg/kg dry weight
	water	marine water	0	mg/L
	water	marine water sediment	0,022	mg/kg dry weight
	water	Aqua intermittent	0,011	mg/L
	soil	-	0,003	mg/kg dry weight
	sewage treatment plant	-	7,59	mg/L

## 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respiratory protection mask with combination filter.

Respirator A P2

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber  
Appropriate Material neoprene  
Appropriate Material Polychloroprene  
Appropriate Material nitrile

Material thickness >= 0,5 mm  
Breakthrough time > 480 min

#### Other

Chemical-resistant work clothes.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Form/Colour

liquid

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT

reddish	
<b>Odour</b>	
characteristic	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
Value	7 - 8
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	
No data available	
<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
not oxidizing	
<b>Explosive properties</b>	
The product does not have explosive properties.	
<b>Flammability (solid, gas)</b>	
No data available	
<b>Lower flammability or explosive limits</b>	
No data available	
<b>Upper flammability or explosive limits</b>	
No data available	
<b>Vapour pressure</b>	
No data available	
<b>Vapour density</b>	
No data available	
<b>Evaporation rate</b>	
No data available	
<b>Relative density</b>	
Value	1,12
<b>Density</b>	
No data available	
<b>Solubility in water</b>	
No data available	
<b>Solubility(ies)</b>	
No data available	
<b>Partition coefficient: n-octanol/water</b>	
No data available	
<b>Viscosity</b>	
No data available	

Trade name: Reactive Rust Remover

Product no.: 359999

Current version : 1.0.0, issued: 01.12.2020

Replaced version: -, issued: -

Region: MT

**9.2 Other information****Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

strong bases; strong oxidizing agents; Corrosive to metals.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute oral toxicity (result of the ATE calculation for the mixture)**

No	Product Name		
1	Reactive Rust Remover		
	ATE (Mixture)	319,96	mg/kg
	Method	Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.	

**Acute oral toxicity**

No	Substance name	CAS no.	EC no.
1	ammonium-mercaptoacetate	5421-46-5	226-540-9
	LD50	35	- 142 mg/kg bodyweight
	Species	rat	
	Method	OECD 423	
	Source	ECHA	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
	LD50		4100 mg/kg bodyweight
	Species	rat	
	Method	OECD 401	
	Source	ECHA	
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
	LD50	>	7000 mg/kg bodyweight
	Species	rat	
	with reference to	CAS 28348-53-0	
	Method	OECD 401	
	Source	ECHA	

**Acute dermal toxicity**

No	Substance name	CAS no.	EC no.
1	ammonium-mercaptoacetate	5421-46-5	226-540-9
	LD50	>	2000 mg/kg bodyweight
	Species	rat	



Trade name: Reactive Rust Remover

Product no.: 359999

Current version : 1.0.0, issued: 01.12.2020

Replaced version: -, issued: -

Region: MT

Method	OECD 402		
Source	ECHA		
<b>2</b>	<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>	<b>68891-38-3</b>	<b>500-234-8</b>
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
<b>3</b>	<b>sodium p-cumenesulphonate</b>	<b>15763-76-5</b>	<b>239-854-6</b>
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 402		
Source	ECHA		

**Acute inhalational toxicity**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>sodium p-cumenesulphonate</b>	<b>15763-76-5</b>	<b>239-854-6</b>
LC50	>	6,41	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
with reference to	CAS 28348-53-0		
Method	OECD 402		
Source	ECHA		

**Skin corrosion/irritation**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ammonium-mercaptoacetate</b>	<b>5421-46-5</b>	<b>226-540-9</b>
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	low-irritant		
<b>2</b>	<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>	<b>68891-38-3</b>	<b>500-234-8</b>
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	irritant		
<b>3</b>	<b>sodium p-cumenesulphonate</b>	<b>15763-76-5</b>	<b>239-854-6</b>
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 404		
Source	ECHA		
Evaluation	low-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Serious eye damage/irritation**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ammonium-mercaptoacetate</b>	<b>5421-46-5</b>	<b>226-540-9</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	low-irritant		
<b>2</b>	<b>Alcohols, C12-14, ethoxylated, sulfates, sodium salts</b>	<b>68891-38-3</b>	<b>500-234-8</b>
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	strongly irritant		

Trade name: Reactive Rust Remover

Product no.: 359999

Current version : 1.0.0, issued: 01.12.2020

Replaced version: -, issued: -

Region: MT

3	sodium p-cumenesulphonate	15763-76-5	239-854-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	ammonium-mercaptoacetate	5421-46-5	226-540-9
Route of exposure		Skin	
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
Route of exposure		Skin	
Species with reference to	guinea pig		
Method	CAS 28348-53-0		
Source	OECD 406		
Evaluation	ECHA		
	non-sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	ammonium-mercaptoacetate	5421-46-5	226-540-9
Type of examination		in vitro gene mutation study in bacteria	
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	sodium p-cumenesulphonate	15763-76-5	239-854-6
Type of examination with reference to		Chromosome aberration test	
Method	CAS 28348-53-0		
Source	OECD 474		
Evaluation/classification	ECHA		
	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No data available			

STOT - single exposure			
No data available			

Trade name: Reactive Rust Remover

Product no.: 359999

Current version : 1.0.0, issued: 01.12.2020

Replaced version: -, issued: -

Region: MT

**STOT - repeated exposure**

No data available

**Aspiration hazard**

No data available

**SECTION 12: Ecological information****12.1 Toxicity****Toxicity to fish (acute)**

No	Substance name	CAS no.	EC no.
1	ammonium-mercaptoacetate	5421-46-5	226-540-9
LC50	>	100	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LC50		7,1	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		

**Toxicity to fish (chronic)**

No data available

**Toxicity to Daphnia (acute)**

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		7,4	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

**Toxicity to Daphnia (chronic)**

No data available

**Toxicity to algae (acute)**

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
ErC50		27,7	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

**Toxicity to algae (chronic)**

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
NOEC		0,95	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		

Trade name: Reactive Rust Remover

Product no.: 359999

Current version : 1.0.0, issued: 01.12.2020

Replaced version: -, issued: -

Region: MT

Source	ECHA
--------	------

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50	>	10000	mg/l
Duration of exposure		16	h
Species	Pseudomonas putida		
Method	DIN 38412 T.8		
Source	ECHA		

**12.2 Persistence and degradability**

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Type	DOC decrease		
Value		100	%
Duration		14	day(s)
Source	ECHA		
Evaluation	readily biodegradable		

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**12.6 Other adverse effects**

No data available.

**12.7 Other information**

Other information
Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT

regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C9
Packing group	III
Hazard identification no.	80
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	ammonium-mercaptopacetate
Tunnel restriction code	E
Label	8

**14.2 Transport IMDG**

Class	8
Packing group	III
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	ammonium-mercaptopacetate
EmS	F-A, S-B
Label	8

**14.3 Transport ICAO-TI / IATA**

Class	8
Packing group	III
UN number	UN1760
Proper shipping name	Corrosive liquid, n.o.s.
Technical name	ammonium-mercaptopacetate
Label	8

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON**

**Trade name:** Reactive Rust Remover**Product no.:** 359999**Current version :** 1.0.0, issued: 01.12.2020**Replaced version:** -, issued: -**Region:** MT**THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.  
 Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.  
 The surfactants contained in this product comply with the DetVO 648/2004/EC.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H301	Toxic if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357,  
 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769450