

Trade name: Sanitan AC BMP**Product no.:** 57999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 11.09.2020**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Sanitan AC BMP****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

sanitary cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05

Signal word

Danger

Hazardous component(s) to be indicated on label:

phosphoric acid

methanesulphonic-acid

2-propylheptane-1-ol, ethoxylated

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

Hazard statement(s)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	phosphoric acid		
	7664-38-2 231-633-2 015-011-00-6 01-2119485924-24	Met. Corr. 1; H290 Skin Corr. 1B; H314 Acute Tox. 4; H302 Eye Dam. 1; H318	>= 10,00 - < 25,00 wt%
2	methanesulphonic-acid		
	75-75-2 200-898-6 607-145-00-4 01-2119491166-34	Skin Corr. 1B; H314 Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 4; H312 STOT SE 3; H335	>= 5,00 - < 10,00 wt%
3	2-propylheptane-1-ol, ethoxylated		
	160875-66-1 - - -	Eye Dam. 1; H318 Acute Tox. 4; H302	< 5,00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	B	Skin Irrit. 2; H315: C >= 10% Eye Irrit. 2; H319: C >= 10% Skin Corr. 1B; H314: C >= 25%	-	-

Trade name: Sanitan AC BMP**Product no.:** 57999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 11.09.2020**Region:** MT

	Eye Dam. 1; H318: C >= 25%		
--	----------------------------	--	--

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

Acute toxicity estimate (ATE) values			
No	oral	dermal	inhalative
1	500 mg/kg bodyweight		
2	649 mg/kg bodyweight	1001 mg/kg bodyweight	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Phosphorus oxides; Nitrogen oxides (NO_x); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

Trade name: Sanitan AC BMP**Product no.:** 57999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 11.09.2020**Region:** MT**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dilute with plenty of water.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
Orthophosphoricacid			
	WEL short-term (15 min reference period)	2	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³
Occupational Exposure Limit Values (Schedule V, Occupational Health and Safety Authority Act)			
Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³
2000/39/EC			
Orthophosphoric acid			
	WEL short-term (15 min reference period)	2	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	phosphoric acid			7664-38-2 231-633-2
	inhalative	Long term (chronic)	local	1 mg/m ³
	inhalative	Short term (acute)	local	2 mg/m ³
	inhalative	Long term (chronic)	systemic	10,7 mg/m ³
2	methanesulphonic-acid			75-75-2 200-898-6
	dermal	Long term (chronic)	systemic	19,44 mg/kg/day
	inhalative	Long term (chronic)	systemic	6,76 mg/m ³
	inhalative	Long term (chronic)	local	0,7 mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	phosphoric acid			7664-38-2 231-633-2
	oral	Long term (chronic)	systemic	0,1 mg/kg/day
	inhalative	Long term (chronic)	local	0,36 mg/m ³
	inhalative	Long term (chronic)	systemic	4,57 mg/m ³
2	methanesulphonic-acid			75-75-2 200-898-6
	oral	Long term (chronic)	systemic	8,33 mg/kg/day
	dermal	Long term (chronic)	systemic	8,33 mg/kg/day
	inhalative	Long term (chronic)	systemic	1,44 mg/m ³
	inhalative	Long term (chronic)	local	0,42 mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	methanesulphonic-acid		75-75-2 200-898-6
	water	fresh water	0,012 mg/L
	water	marine water	0,001 mg/L
	water	Aqua intermittent	0,12 mg/L
	water	fresh water sediment	0,044 mg/kg
	water	marine water sediment	0,004 mg/kg
	soil	-	0,002 mg/kg
	sewage treatment plant	-	100 mg/L

8.2 Exposure controls**Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Trade name: Sanitan AC BMP**Product no.:** 57999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 11.09.2020**Region:** MT**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	neoprene		
Appropriate Material	Polychloroprene		
Appropriate Material	butyl rubber		
Material thickness	>	0,5	mm
Breakthrough time	>	30	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
liquid	
Form/Colour	
liquid	
red	
Odour	
characteristic	
pH value	
Value	< 1
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Not applicable	
Ignition temperature	
No data available	
Oxidising properties	
not oxidizing	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

Relative vapour density	
No data available	
Relative density	
No data available	
Density	
Value	1,12 g/cm ³
Reference temperature	20 °C
Solubility in water	
Comments	miscible
Solubility	
No data available	
Partition coefficient n-octanol/water (log value)	
No data available	
Viscosity	
No data available	
Particle characteristics	
No data available	

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

strong bases; strong oxidizing agents

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Sanitan AC BMP
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
LD50		300 - 2000	mg/kg bodyweight
Species		rat	
Method		OECD 423	
Source		ECHA	
2	methanesulphonic-acid	75-75-2	200-898-6
LD50		649	mg/kg bodyweight
Species		rat	
Method		OECD 401	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are met.	

Acute dermal toxicity (result of the ATE calculation for the mixture)

No	Product Name
1	Sanitan AC BMP
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).

Acute dermal toxicity

No	Substance name	CAS no.	EC no.
1	methanesulphonic-acid	75-75-2	200-898-6
LD50		>= 1000	mg/kg bodyweight
Species		rabbit	
Method		OECD 402	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are met.	

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Species		rabbit	
Source		ECHA	
Evaluation		strongly corrosive	
2	methanesulphonic-acid	75-75-2	200-898-6
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		Irreversible effects on the eye	
Evaluation/classification		Based on available data, the classification criteria are met.	

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity

No	Substance name	CAS no.	EC no.
----	----------------	---------	--------

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

1	phosphoric acid	7664-38-2	231-633-2
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Carcinogenicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
Aspiration hazard			
No data available			

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	methanesulphonic-acid	75-75-2	200-898-6
LC50		73	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
Toxicity to fish (chronic)			
No data available			
Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
EC50	>	100	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	methanesulphonic-acid	75-75-2	200-898-6
EC50		260	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
Toxicity to Daphnia (chronic)			
No data available			
Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
EC50	>	100	mg/l
Duration of exposure		72	h

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
2	methanesulphonic-acid	75-75-2	200-898-6
EC50	12	- 24	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No	Substance name	CAS no.	EC no.
1	phosphoric acid	7664-38-2	231-633-2
EC50	>	1000	mg/l
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement

Trade name: Sanitan AC BMP**Product no.:** 57999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 11.09.2020**Region:** MT

with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C9
Packing group	II
Hazard identification no.	80
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	phosphoric acid methanesulphonic-acid
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Technical name	phosphoric acid methanesulphonic-acid
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1760
Proper shipping name	Corrosive liquid, n.o.s.
Technical name	phosphoric acid methanesulphonic-acid
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

Trade name: Sanitan AC BMP**Product no.:** 57999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 11.09.2020**Region:** MT**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.
The surfactants contained in this product comply with the DetVO 648/2004/EC.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

B Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO

Trade name: Sanitan AC BMP

Product no.: 57999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 11.09.2020

Region: MT

GmbH.
Prod-ID 769436