

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

Super Foam NTA-frei**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

1.4 Emergency telephone number

No data available.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Eye Dam. 1; H318

Skin Irrit. 2; H315

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05

Signal word

Danger

Hazardous component(s) to be indicated on label:

hexyl D-glucoside

Hazard statement(s)

H315

Causes skin irritation.

H318

Causes serious eye damage.

H412

Harmful to aquatic life with long lasting effects.

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT**Hazard statements (EU)**

EUH208 Contains Orange, sweet, ext., 3-p-cumenyl-2-methylpropionaldehyde, 4-tert-butylcyclohexyl acetate, (2E)-2-(phenylmethylidene)octanal. May produce an allergic reaction.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container to a facility in accordance with local and national regulations.

Supplemental label elements

Regulation (EC) No 648/2004 on detergents (Annex VII):

5-15% anionic surfactants

5-15% non-ionic surfactants

<5% Phosphonate, Phosphate

Perfumings

ALPHA-ISOMETHYL IONONE

AMYL CINNAMAL

BENZYL SALICYLATE

CITRONELLOL

COUMARIN

HEXYLCINNAMALDEHYD

LIMONENE

LINALOOL

GERANIOL

CITRAL

METHYL 2-OCTYNOATE

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	hexyl D-glucoside			
	54549-24-5 259-217-6 - 01-2119492545-29	Eye Dam. 1; H318	>= 5,00 - < 10,00	wt%
2	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l			
	85586-07-8 287-809-4 -	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 5,00 - < 10,00	wt%

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

	01-2119489463-28	Aquatic Chronic 3; H412		
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			
	68891-38-3 500-234-8 - 01-2119488639-16	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	< 5,00	wt%
4	nitrotrimethylenetris(phosphonic acid)			
	6419-19-8 229-146-5 - 01-2119487988-08	Eye Irrit. 2; H319 Met. Corr. 1; H290	< 2,50	wt%
5	sodium hydroxide			
	1310-73-2 215-185-5 011-002-00-6 01-2119457892-27	Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	< 2,50	wt%
6	Orange, sweet, ext.			
	8028-48-6 232-433-8 - 01-2119493353-35	Asp. Tox. 1; H304 Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 1; H410 Aquatic Acute 1; H400	< 0,50	wt%
7	3-p-cumenyl-2-methylpropionaldehyde			
	103-95-7 203-161-7 - 01-2119970582-32	Aquatic Chronic 3; H412 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 0,50	wt%
8	4-tert-butylcyclohexyl acetate			
	32210-23-4 250-954-9 - 01-2119976286-24	Skin Sens. 1B; H317	< 0,50	wt%
9	(2E)-2-(phenylmethylidene)octanal			
	165184-98-5 639-566-4 - 01-2119533092-50	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1; H317	< 0,50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Eye Irrit. 2; H319: C >= 10% Eye Dam. 1; H318: C >= 20%	-	-
3	-	Eye Irrit. 2; H319: C >= 5% Eye Dam. 1; H318: C >= 10%	-	-
5	-	Skin Irrit. 2; H315: C >= 0,5% Eye Irrit. 2; H319: C >= 0,5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
2	501 mg/kg bodyweight		

SECTION 4: First aid measures**4.1 Description of first aid measures**

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT**General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Ensure supply of fresh air.

After skin contact

When in contact with the skin, clean with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Call a doctor immediately. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down).

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray jet; Foam; Extinguishing powder; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

5.3 Advice for firefighters

Wear protective clothing. Use self-contained breathing apparatus. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work. Provide eye wash fountain in work area.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	hexyl D-glucoside			54549-24-5 259-217-6	
	dermal	Long term (chronic)	systemic	595000	mg/kg/day
	inhalative	Long term (chronic)	systemic	420	mg/m ³
2	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l			85586-07-8 287-809-4	
	dermal	Long term (chronic)	systemic	4060	mg/kg/day
	inhalative	Long term (chronic)	systemic	285	mg/m ³
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8	
	dermal	Long term (chronic)	systemic	2750	mg/kg/day
	dermal	Long term (chronic)	local	132	µg/cm ²
	inhalative	Long term (chronic)	systemic	175	mg/m ³
4	nitrilotrimethylenetris(phosphonic acid)			6419-19-8 229-146-5	
	dermal	Long term (chronic)	systemic	2,75	mg/kg/day
	inhalative	Long term (chronic)	systemic	9,7	mg/m ³
5	sodium hydroxide			1310-73-2 215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m ³
6	Orange, sweet, ext.			8028-48-6 232-433-8	
	dermal	Long term (chronic)		8,89	mg/kg/day
	dermal	Short term (acut)		185,8	µg/cm ²
	inhalative			31,1	mg/m ³

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

7	(2E)-2-(phenylmethylidene)octanal			165184-98-5 639-566-4	
	dermal	Long term (chronic)	systemic	18,2	mg/kg/day
	dermal	Long term (chronic)	local	525	µg/cm ²
	dermal	Short term (acut)	local	525	µg/cm ²
	inhalative	Long term (chronic)	systemic	0,078	mg/m ³
	inhalative	Short term (acut)	local	6,28	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	hexyl D-glucoside			54549-24-5 259-217-6	
	oral	Long term (chronic)	systemic	35,7	mg/kg/day
	dermal	Long term (chronic)	systemic	357000	mg/kg/day
	inhalative	Long term (chronic)	systemic	124	mg/m ³
2	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l			85586-07-8 287-809-4	
	oral	Long term (chronic)	systemic	24	mg/kg/day
	dermal	Long term (chronic)	systemic	2440	mg/kg/day
	inhalative	Long term (chronic)	systemic	85	mg/m ³
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts			68891-38-3 500-234-8	
	oral	Long term (chronic)	systemic	15	mg/kg/day
	dermal	Long term (chronic)	systemic	1650	mg/kg/day
	dermal	Long term (chronic)	local	79	µg/cm ²
	inhalative	Long term (chronic)	systemic	52	mg/m ³
4	nitrilotrimethylenetris(phosphonic acid)			6419-19-8 229-146-5	
	oral	Long term (chronic)	systemic	1,38	mg/kg/day
	oral	Short term (acut)	systemic	1,38	mg/kg/day
	dermal	Long term (chronic)	systemic	1,38	mg/kg/day
	dermal	Short term (acut)	systemic	1,38	mg/kg/day
	inhalative	Long term (chronic)	systemic	2,39	mg/m ³
	inhalative	Short term (acut)	systemic	2,39	mg/m ³
5	sodium hydroxide			1310-73-2 215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m ³
6	Orange, sweet, ext.			8028-48-6 232-433-8	
	oral	Long term (chronic)		4,44	mg/kg/day
	dermal	Long term (chronic)		4,44	mg/kg/day
	dermal	Short term (acut)		92,9	µg/cm ²
	inhalative	Long term (chronic)		7,78	mg/m ³
7	(2E)-2-(phenylmethylidene)octanal			165184-98-5 639-566-4	
	oral	Long term (chronic)	systemic	0,056	mg/kg/day
	dermal	Long term (chronic)	systemic	9,11	mg/kg/day
	dermal	Long term (chronic)	local	78,7	µg/cm ²
	dermal	Short term (acut)	local	78,7	µg/cm ²
	inhalative	Long term (chronic)	systemic	0,019	
	inhalative	Short term (acut)	local	4,71	mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	hexyl D-glucoside		54549-24-5 259-217-6

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

water	fresh water	0,176	mg/L
water	marine water	0,018	mg/L
water	Aqua intermittent	4,2	mg/L
water	fresh water sediment	0,722	mg/kg dry weight
water	marine water sediment	0,072	mg/kg dry weight
soil	-	0,654	mg/kg dry weight
sewage treatment plant	-	100	mg/L
secondary poisoning with reference to: food	-	111,11	mg/kg
2	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8 287-809-4	
water	fresh water	0,131	mg/L
water	marine water	0,0131	mg/L
water	Aqua intermittent	0,036	mg/L
water	fresh water sediment	4,61	mg/kg dry weight
water	marine water sediment	0,461	mg/kg dry weight
soil	-	0,846	mg/kg dry weight
sewage treatment plant	-	1,35	mg/L
3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8	
water	fresh water	0,24	mg/L
water	marine water	0,024	mg/L
water	Aqua intermittent	0,071	mg/L
water	fresh water sediment	0,917	mg/kg dry weight
water	marine water sediment	0,092	mg/kg dry weight
soil	-	7,5	mg/kg dry weight
sewage treatment plant	-	10	g/L
4	nitrilotrimethylenetris(phosphonic acid)	6419-19-8 229-146-5	
water	fresh water	0,46	mg/L
water	marine water	0,046	mg/L
water	fresh water sediment	150	mg/kg dry weight
water	marine water sediment	15	mg/kg dry weight
soil	-	244	mg/kg dry weight
sewage treatment plant	-	20	mg/L
secondary poisoning with reference to: food	-	0,17	g/kg
5	Orange, sweet, ext.	8028-48-6 232-433-8	
water	fresh water	5,4	mg/L
water	marine water	0,54	mg/L
water	fresh water sediment	1,3	mg/kg dry weight
water	marine water sediment	0,13	mg/kg dry weight

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT

	water	Aqua intermittent	5,77	mg/L
	soil	-	0,261	mg/kg dry weight
	sewage treatment plant	-	2,1	mg/L
	secondary poisoning	-	13,3	mg/kg
	with reference to: food			
6	(2E)-2-(phenylmethylidene)octanal		165184-98-5 639-566-4	
	water	fresh water	0,001	mg/L
	water	marine water	0	mg/L
	water	fresh water sediment	3,2	mg/kg dry weight
	water	marine water sediment	0,064	mg/kg dry weight
	soil	-	0,398	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
	secondary poisoning	-	6,6	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product.

Appropriate Material

Nitrile rubber, butyl rubber

Material thickness

min. 0,5 mm

Breakthrough time

> 480 min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation

liquid

Form/Colour

liquid

yellow

Odour

fruity; exotic

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

pH value			
Value	11,4		
Boiling point / boiling range			
not determined			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value	>	60	°C
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	1,12	g/cm ³	
Reference temperature	20	°C	
Solubility in water			
Comments	miscible		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
	log Pow	<=	-2,42
	Reference temperature		20 °C
	Method	OECD 107	
	Source	ECHA	
2	Orange, sweet, ext.	8028-48-6	232-433-8
	log Pow	>=	4
3	(2E)-2-(phenylmethyldene)octanal	165184-98-5	639-566-4
	log Pow	appr.	5,3
	Reference temperature		24 °C
	Method	OECD 117	
	Source	ECHA	
Viscosity			
Value	10	mPa*s	

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

Reference temperature	25 °C
Type	dynamic

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Super Foam NTA-frei
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
LD50		501 - 1999	mg/kg bodyweight
Species		rat	
Method		EU Method B.1	
Source		ECHA	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50		4100	mg/kg bodyweight
Species		rat	
Method		OECD 401	
Source		ECHA	
3	Orange, sweet, ext.	8028-48-6	232-433-8
LD50		> 5000	mg/kg bodyweight
Species		rat	
4	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

LD50	appr.	3100	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
2	Orange, sweet, ext.	8028-48-6	232-433-8
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
3	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
LD50	>	3000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	irritant		
3	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Species	rabbit		
Method	EU B.4		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Species	rabbit		
Method	OECD 405		
Source	ECHA		

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

Evaluation	strongly irritant		
2	Orange, sweet, ext.	8028-48-6	232-433-8
Species	rabbit		
Method	OECD 405		
Evaluation	non-irritant		
3	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Species	rabbit		
Method	EU B.5		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
Route of exposure		Skin	
Species	guinea pig		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Route of exposure		Skin	
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
3	sodium hydroxide	1310-73-2	215-185-5
Route of exposure		Skin	
Species	Human		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
4	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Route of exposure		Skin	
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typh. TA98, TA100, TA1535, TA1537, TA1538		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	in vitro gene mutation study in mammalian cells		
Species	mouse lymphoma L5178Y cells		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
Route of exposure		oral	
Type of examination		Prenatal Developmental Toxicity Study	
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
Source		ECHA / Read across	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
LC50		3,6	mg/l
Duration of exposure		96	h
Species		Oncorhynchus mykiss	
Method		OECD 203	
Source		ECHA	
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
LC50		7,1	mg/l
Duration of exposure		96	h
Species		Danio rerio	
Method		OECD 203	
Source		ECHA	
3	Orange, sweet, ext.	8028-48-6	232-433-8
LC50		0,7	mg/l

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

Duration of exposure	96	h
Species	Pimephales promelas	
Method	OECD 203	
4	(2E)-2-(phenylmethylidene)octanal	165184-98-5 639-566-4
LC50	1,7	mg/l
Duration of exposure	96	h
Species	Pimephales promelas	
Method	OECD 203	
Source	ECHA	

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
EC50		4,7	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EC 92/69		
Source	ECHA		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50		7,4	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	sodium hydroxide	1310-73-2	215-185-5
EC50		40,4	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia spec		
Source	ECHA		
4	Orange, sweet, ext.	8028-48-6	232-433-8
EC50		0,67	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Source	OECD 202		
5	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
EC50	> 0,36	- 0,58	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)

No	Substance name	CAS no.	EC no.
1	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
NOEC		0,063	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
ErC50		27,7	mg/l

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

Duration of exposure	72	h
Species	Desmodesmus subspicatus	
Method	OECD 201	
Source	ECHA	
2	Orange, sweet, ext.	8028-48-6 232-433-8
ErC50	150	mg/l
Duration of exposure	72	h
Species	Desmodesmus subspicatus	
Method	OECD 201	
3	(2E)-2-(phenylmethylidene)octanal	165184-98-5 639-566-4
EC50	>	0,065 mg/l
Duration of exposure	72	h
Species	Desmodesmus subspicatus	
Method	OECD 201	
Source	ECHA	

Toxicity to algae (chronic)

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
NOEC		0,95	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Bacteria toxicity

No	Substance name	CAS no.	EC no.
1	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
EC50	>	10000	mg/l
Duration of exposure		16	h
Species	Pseudomonas putida		
Method	DIN 38412 T.8		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
Type	aerobic biodegradation		
Value	90	- 100	%
Duration		28	day(s)
Method	OECD 301 D		
Source	ECHA		
Evaluation	readily biodegradable		
2	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	500-234-8
Type	DOC decrease		
Value		100	%
Duration		14	day(s)
Source	ECHA		
Evaluation	readily biodegradable		
3	Orange, sweet, ext.	8028-48-6	232-433-8
Value	72	- 83,4	%
Duration		28	day(s)
Method	OECD 301 B		
Evaluation	readily biodegradable		

Trade name: Super Foam NTA-frei

Product no.: 421999

Current version : 2.0.0, issued: 19.04.2021

Replaced version: 1.0.0, issued: 06.07.2020

Region: MT

4	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Value	appr.	97	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	Orange, sweet, ext.	8028-48-6	232-433-8
BCF		32	- 156

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Sulfuric acid, mono-C12-14-alkyl esters, sodium salts, bulk density >=400 g/l	85586-07-8	287-809-4
log Pow	<=	-2,42	
Reference temperature		20	°C
Method	OECD 107		
Source	ECHA		
2	Orange, sweet, ext.	8028-48-6	232-433-8
log Pow	>=	4	
3	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
log Pow	appr.	5,3	
Reference temperature		24	°C
Method	OECD 117		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT**14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

The surfactants contained in this product comply with the DetVO 648/2004/EC.
Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Trade name: Super Foam NTA-frei**Product no.:** 421999**Current version :** 2.0.0, issued: 19.04.2021**Replaced version:** 1.0.0, issued: 06.07.2020**Region:** MT

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 762665