

Trade name: Tankinnenreiniger BL**Product no.:** 258999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 30.09.2020**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name

Tankinnenreiniger BL**1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

For information in the event of an emergency during transport:

+44 1865 407333

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Met. Corr. 1; H290

Skin Corr. 1; H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05

Signal word

Trade name: Tankinnenreiniger BL**Product no.:** 258999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 30.09.2020**Region:** GB

Danger

Hazardous component(s) to be indicated on label:

potassium hydroxide

Hazard statement(s)

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

P260

Do not breathe vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

P390

Absorb spillage to prevent material damage.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	potassium hydroxide			
	1310-58-3 215-181-3 019-002-00-8 01-2119487136-33	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290 Eye Dam. 1; H318	>= 5.00 - < 10.00	wt%
2	sodium p-cumenesulphonate			
	15763-76-5 239-854-6 - 01-2119489411-37	Eye Irrit. 2; H319	>= 5.00 - < 10.00	wt%
3	2-butoxyethanol			
	111-76-2 203-905-0 603-014-00-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 5.00 - < 10.00	wt%
4	2-propylheptane-1-ol, ethoxylated			
	160875-66-1	Eye Dam. 1; H318	< 2.50	wt%

Trade name: Tankinnenreiniger BL**Product no.:** 258999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 30.09.2020**Region:** GB

-	Acute Tox. 4; H302		
-			
-			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 0.5% Skin Irrit. 2; H315: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

Acute toxicity estimate (ATE) values			
No	oral	dermal	inhalative
1	333 mg/kg bodyweight		
3	1746 mg/kg bodyweight		

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed**Effects**

After eye contact: Danger of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Water spray jet; Alcohol-resistant foam; Carbon dioxide; Dry chemical extinguisher

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO₂); Corrosive gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit.

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
List of approved workplace exposure limits (WELs) / EH40			
Potassium hydroxide (as Cyanide)			
	WEL short-term (15 min reference period)	5	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³
2	2-butoxyethanol	111-76-2	203-905-0
	2000/39/EC		

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

2-Butoxyethanol					
WEL short-term (15 min reference period)	246	mg/m ³	50	ppm	
WEL long-term (8-hr TWA reference period)	98	mg/m ³	20	ppm	
Skin resorption / sensibilisation	Skin				
List of approved workplace exposure limits (WELs) / EH40					
2-Butoxyethanol					
WEL short-term (15 min reference period)	246	mg/m ³	50	ppm	
WEL long-term (8-hr TWA reference period)	123	mg/m ³	25	ppm	
Comments	Sk, BMGV				

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	potassium hydroxide			1310-58-3 215-181-3
	inhalative	Long term (chronic)	local	1 mg/m ³
2	sodium p-cumenesulphonate			15763-76-5 239-854-6
	dermal	Long term (chronic)	systemic	7.6 mg/kg/day
	inhalative	Long term (chronic)	systemic	53.6 mg/m ³
3	2-butoxyethanol			111-76-2 203-905-0
	dermal	Long term (chronic)	systemic	125.00 mg/kg/day
	dermal	Short term (acut)	systemic	89.00 mg/kg/day
	inhalative	Long term (chronic)	systemic	98.00 mg/m ³
	inhalative	Short term (acut)	systemic	1091.00 mg/m ³
	inhalative	Long term (chronic)	local	246.00 mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	potassium hydroxide			1310-58-3 215-181-3
	inhalative	Long term (chronic)	local	1 mg/m ³
2	sodium p-cumenesulphonate			15763-76-5 239-854-6
	oral	Long term (chronic)	systemic	3.8 mg/kg/day
	dermal	Long term (chronic)	systemic	3.8 mg/kg/day
	inhalative	Long term (chronic)	systemic	13.2 mg/m ³
3	2-butoxyethanol			111-76-2 203-905-0
	oral	Long term (chronic)	systemic	6.30 mg/kg/day
	oral	Short term (acut)	systemic	26.70 mg/kg/day
	dermal	Long term (chronic)	systemic	75.00 mg/kg/day
	dermal	Short term (acut)	systemic	89.00 mg/kg/day
	inhalative	Long term (chronic)	systemic	59.00 mg/m ³
	inhalative	Short term (acut)	systemic	426.00 mg/m ³
	inhalative	Long term (chronic)	local	147.00 mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	sodium p-cumenesulphonate		15763-76-5 239-854-6
	water	fresh water	0.23 mg/L
	water	Aqua intermittent	2.3 mg/L

Trade name: Tankinnenreiniger BL**Product no.:** 258999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 30.09.2020**Region:** GB

	sewage treatment plant	-	100	mg/L
2	2-butoxyethanol		111-76-2 203-905-0	
	water	fresh water	8.80	mg/L
	water	marine water	0.88	mg/L
	water	fresh water sediment	34.60	mg/kg
	with reference to: dry weight			
	water	marine water sediment	3.46	mg/kg
	water	Aqua intermittent	26.4	mg/L
	soil	-	2.33	mg/kg dry weight
	sewage treatment plant	-	463.00	mg/L
	secondary poisoning	-	0.02	g/kg

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter A or environment-independent breathing apparatus.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>	0.5	mm
Breakthrough time	>	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
liquid	
colourless	
Odour	
characteristic	
pH value	
Value	14

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

Boiling point / boiling range			
No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Oxidising properties			
not oxidizing			
Explosive properties			
Product does not present an explosion hazard.			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	1.148	g/cm ³	
Reference temperature	20	°C	
Solubility in water			
Comments	miscible		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
log Pow		0.81	
Reference temperature		25	°C
Source	ECHA		
Viscosity			
No data available			
Particle characteristics			
No data available			

9.2 Other information

Other information
No data available.

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

10.4 Conditions to avoid

None known

10.5 Incompatible materials

strong acids

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Tankinnenreiniger BL
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
LD50		333	mg/kg bodyweight
Species	rat		
Method	OECD 425		
Source	ECHA		
2	sodium p-cumenesulphonate	15763-76-5	239-854-6
LD50		> 7000	mg/kg bodyweight
Species	rat		
with reference to	CAS 28348-53-0		
Method	OECD 401		
Source	ECHA		
3	2-butoxyethanol	111-76-2	203-905-0
LD50		1746	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Tankinnenreiniger BL
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 402		
Source	ECHA		
2	2-butoxyethanol	111-76-2	203-905-0
LD50	>	2000	mg/kg bodyweight
Species	guinea pig		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	Tankinnenreiniger BL
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
LC50	>	6.41	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
with reference to	CAS 28348-53-0		
Source	ECHA		
2	2-butoxyethanol	111-76-2	203-905-0
ATE		1.5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		

Skin corrosion/irritation	
No data available	

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	corrosive		
2	sodium p-cumenesulphonate	15763-76-5	239-854-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
3	2-butoxyethanol	111-76-2	203-905-0
Duration of exposure		24	h
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	Irritating to eyes		

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
Route of exposure		Skin	
Species		guinea pig	
Source		ECHA	
Evaluation		non-sensitizing	
2	sodium p-cumenesulphonate	15763-76-5	239-854-6
Route of exposure		Skin	
Species		guinea pig	
with reference to		CAS 28348-53-0	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
3	2-butoxyethanol	111-76-2	203-905-0
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
Type of examination		Ames-Test	
Species		Bacteria - Salmonella typhimurium	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	sodium p-cumenesulphonate	15763-76-5	239-854-6
Type of examination		Chromosome aberration test	
with reference to		CAS 28348-53-0	
Method		OECD 474	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
3	2-butoxyethanol	111-76-2	203-905-0
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Reproduction toxicity			
No data available			
Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Species		rat	
Method		OECD 451	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
Aspiration hazard			
No data available			

11.2 Information on other hazards

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	potassium hydroxide	1310-58-3	215-181-3
LC50		80	mg/l
Duration of exposure		96	h
Species	Gambusia affinis		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2-butoxyethanol	111-76-2	203-905-0
LC50	>	1474	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
NOEC	>	100	mg/l
Duration of exposure		21	day(s)
Species	Danio rerio		
Method	OECD 204		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC50		1550	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
NOEC		100	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
EC50		911	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		

Trade name: Tankinnenreiniger BL

Product no.: 258999

Current version : 1.1.0, issued: 31.03.2021

Replaced version: 1.0.0, issued: 30.09.2020

Region: GB

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability**Biodegradability**

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
Type		aerobic biodegradation	
Value		90.4	%
Duration		28	day(s)
Method		OECD 301 B	
Source		ECHA	
Evaluation		readily biodegradable	

12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log value)**

No	Substance name	CAS no.	EC no.
1	2-butoxyethanol	111-76-2	203-905-0
log Pow		0.81	
Reference temperature		25	°C
Source		ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment**Results of PBT and vPvB assessment**

PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information**Other information**

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Trade name: Tankinnenreiniger BL**Product no.:** 258999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 30.09.2020**Region:** GB**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	8
Classification code	C5
Packing group	II
Hazard identification no.	80
UN number	UN1814
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION
Tunnel restriction code	E
Label	8

14.2 Transport IMDG

Class	8
Packing group	II
UN number	UN1814
Proper shipping name	POTASSIUM HYDROXIDE SOLUTION
EmS	F-A, S-B
Label	8

14.3 Transport ICAO-TI / IATA

Class	8
Packing group	II
UN number	UN1814
Proper shipping name	Potassium hydroxide solution
Label	8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON

Trade name: Tankinnenreiniger BL**Product no.:** 258999**Current version :** 1.1.0, issued: 31.03.2021**Replaced version:** 1.0.0, issued: 30.09.2020**Region:** GB**THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357,
e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 769425