

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****Teilereiniger alkalisch****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Cleaner

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**

Koch-Chemie GmbH

Einsteinstr. 42

D-59423 Unna

Telephone no. +49-2303-9 86 70-0

Fax no. +49-2303-9 86 70-26

**1.4 Emergency telephone number**

No data available.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Dam. 1; H318

Skin Irrit. 2; H315

**Classification information**

Classification and labelling with respect to corrosivity and irritation to skin are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS05

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

sodium metasilicate, pentahydrate

**Hazard statement(s)**

H315

Causes skin irritation.

H318

Causes serious eye damage.

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT**Precautionary statement(s)**

P280 Wear protective gloves/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

**2.3 Other hazards**

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	<b>Tetrapotassium pyrophosphate</b>		
	7320-34-5 230-785-7 - 01-2119489369-18	Eye Irrit. 2; H319	>= 10,00 - < 25,00 wt%
2	<b>sodium p-cumenesulphonate</b>		
	15763-76-5 239-854-6 - 01-2119489411-37	Eye Irrit. 2; H319	>= 5,00 - < 10,00 wt%
3	<b>sodium metasilicate, pentahydrate</b>		pls. refer to footnote (2)
	10213-79-3 600-279-4 - 01-2119449811-37	Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335 Eye Dam. 1; H318	>= 5,00 - < 10,00 wt%
4	<b>Alcohols, C12-14, ethoxylated propoxylated</b>		
	68439-51-0 - - -	Aquatic Chronic 3; H412	< 5,00 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

**Trade name:** Teilereiniger alkalisch

**Product no.:** 38999

**Current version :** 1.0.0, issued: 25.11.2020

**Replaced version:** -, issued: -

**Region:** MT

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

**After skin contact**

Wash immediately with plenty of water for several minutes. Consult a doctor if skin irritation persists.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

**After ingestion**

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**Suitable extinguishing media**

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO<sub>2</sub>); Nitrogen oxides (NO<sub>x</sub>); Sulphur oxides (S<sub>x</sub>O<sub>y</sub>); Corrosive gases/vapours

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing.

**For emergency responders**

Personal protective equipment (PPE) - see section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT**Advice on safe handling**

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

**Storage stability**

Value >= 36 months

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Tetrapotassium pyrophosphate			7320-34-5 230-785-7	
	inhalative	Long term (chronic)	systemic	44,08	mg/m <sup>3</sup>
2	sodium p-cumenesulphonate			15763-76-5 239-854-6	
	dermal	Long term (chronic)	systemic	7,6	mg/kg/day
	inhalative	Long term (chronic)	systemic	53,6	mg/m <sup>3</sup>
3	sodium metasilicate, pentahydrate			10213-79-3 600-279-4	
	dermal	Long term (chronic)	systemic	1,49	mg/kg/day
	inhalative	Long term (chronic)	systemic	6,22	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Tetrapotassium pyrophosphate			7320-34-5 230-785-7	
	inhalative	Long term (chronic)	systemic	10,87	mg/m <sup>3</sup>
2	sodium p-cumenesulphonate			15763-76-5 239-854-6	
	oral	Long term (chronic)	systemic	3,8	mg/kg/day
	dermal	Long term (chronic)	systemic	3,8	mg/kg/day
	inhalative	Long term (chronic)	systemic	13,2	mg/m <sup>3</sup>
3	sodium metasilicate, pentahydrate			10213-79-3 600-279-4	

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT

oral	Long term (chronic)	systemic	0,74	mg/kg/day
dermal	Long term (chronic)	systemic	0,74	mg/kg/day
inhalative	Long term (chronic)	systemic	1,55	mg/m <sup>3</sup>

**PNEC values**

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	<b>Tetrapotassium pyrophosphate</b>	<b>7320-34-5</b> <b>230-785-7</b>	
	water	fresh water	0,05 mg/L
	water	marine water	0,005 mg/L
	water	Aqua intermittent	0,5 mg/L
	sewage treatment plant	-	50 mg/L
2	<b>sodium p-cumenesulphonate</b>	<b>15763-76-5</b> <b>239-854-6</b>	
	water	fresh water	0,23 mg/L
	water	Aqua intermittent	2,3 mg/L
	sewage treatment plant	-	100 mg/L
3	<b>sodium metasilicate, pentahydrate</b>	<b>10213-79-3</b> <b>600-279-4</b>	
	water	fresh water	7,5 mg/L
	water	Aqua intermittent	7,5 mg/L
	water	marine water	1 mg/L
	sewage treatment plant	-	1000 mg/L

**8.2 Exposure controls****Appropriate engineering controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Tightly fitting safety glasses (EN 166).

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>=	0,5	mm
Breakthrough time	>	120	min

**Other**

Chemical-resistant work clothes.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Form/Colour
-------------

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT

liquid	
colourless	
<b>Odour</b>	
characteristic	
<b>Odour threshold</b>	
No data available	
<b>pH value</b>	
Value	13,5
<b>Boiling point / boiling range</b>	
No data available	
<b>Melting point / melting range</b>	
No data available	
<b>Decomposition point / decomposition range</b>	
No data available	
<b>Flash point</b>	
Not applicable	
<b>Auto-ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
not oxidizing	
<b>Explosive properties</b>	
The product does not have explosive properties.	
<b>Flammability (solid, gas)</b>	
No data available	
<b>Lower flammability or explosive limits</b>	
No data available	
<b>Upper flammability or explosive limits</b>	
No data available	
<b>Vapour pressure</b>	
No data available	
<b>Vapour density</b>	
No data available	
<b>Evaporation rate</b>	
No data available	
<b>Relative density</b>	
No data available	
<b>Density</b>	
Value	1,25 g/cm <sup>3</sup>
Reference temperature	20 °C
<b>Solubility in water</b>	
Comments	miscible
<b>Solubility(ies)</b>	
No data available	
<b>Partition coefficient: n-octanol/water</b>	
No data available	

Trade name: Teilereiniger alkalisch

Product no.: 38999

Current version : 1.0.0, issued: 25.11.2020

Replaced version: -, issued: -

Region: MT

**Viscosity**

No data available

**9.2 Other information****Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Formation of hydrogen gas possible on contact with certain metals (f.e. aluminium)

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

Oxidizing agents; strong acids

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

<b>Acute oral toxicity</b>			
No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
LD50	>	7000	mg/kg bodyweight
Species	rat		
with reference to	CAS 28348-53-0		
Method	OECD 401		
Source	ECHA		
<b>Acute dermal toxicity</b>			
No	Substance name	CAS no.	EC no.
1	Tetrapotassium pyrophosphate	7320-34-5	230-785-7
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	sodium p-cumenesulphonate	15763-76-5	239-854-6
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
with reference to	CAS 28348-53-0		
Method	OECD 402		
Source	ECHA		
3	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	EPA OPPTS 870.1200		
Source	ECHA		
<b>Acute inhalational toxicity</b>			
No	Substance name	CAS no.	EC no.

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT

1	sodium p-cumenesulphonate	15763-76-5	239-854-6
LC50	>	6,41	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
with reference to	CAS 28348-53-0		
Source	ECHA		
2	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
LC50	>	2,06	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	EPA OPPTS 830.1300		
Source	ECHA		

**Skin corrosion/irritation****No Product Name****1 Teilereiniger alkalisch**

Species	Human
Method	OECD 431
Evaluation	non-corrosive

**Serious eye damage/irritation****No Substance name****CAS no.****EC no.****1 Tetrapotassium pyrophosphate****7320-34-5****230-785-7**

Species	rabbit
Method	OECD 405
Source	ECHA
Evaluation	irritant

**2 sodium p-cumenesulphonate****15763-76-5****239-854-6**

Species	rabbit
Method	OECD 405
Source	ECHA
Evaluation	irritant

**Respiratory or skin sensitisation****No Substance name****CAS no.****EC no.****1 Tetrapotassium pyrophosphate****7320-34-5****230-785-7**

Route of exposure	Skin
Species	mouse
Method	OECD 429
Source	ECHA
Evaluation	non-sensitizing

**2 sodium p-cumenesulphonate****15763-76-5****239-854-6**

Route of exposure	Skin
Species	guinea pig
with reference to	CAS 28348-53-0
Method	OECD 406
Source	ECHA
Evaluation	non-sensitizing

**3 sodium metasilicate, pentahydrate****10213-79-3****600-279-4**

Route of exposure	Skin
Species	mouse
Method	OECD 429
Source	ECHA
Evaluation	non-sensitizing
Evaluation/classification	Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**



Trade name: Teilereiniger alkalisch

Product no.: 38999

Current version : 1.0.0, issued: 25.11.2020

Replaced version: -, issued: -

Region: MT

No	Substance name	CAS no.	EC no.
1	sodium p-cumenesulphonate	15763-76-5	239-854-6
Type of examination with reference to Method		Chromosome aberration test CAS 28348-53-0 OECD 474	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
Type of examination		in vitro gene mutation study in bacteria	
Species		Salmonella typhimurium / Escherichia coli	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		oral	
Type of examination		Mammalian bone marrow micronucleus (in vivo)	
Species		mouse	
Method		OECD 475	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

**Reproduction toxicity**

No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

**Carcinogenicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No	Substance name	CAS no.	EC no.
1	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
Route of exposure		oral	
Species		rat	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

**Aspiration hazard**

No data available

**SECTION 12: Ecological information****12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
1	Tetrapotassium pyrophosphate	7320-34-5	230-785-7
LC50		>	100 mg/l
Duration of exposure			96 h
Species		Oncorhynchus mykiss	
Method		OECD 203	
Source		ECHA	
2	sodium metasilicate, pentahydrate	10213-79-3	600-279-4
LC50			210 mg/l
Duration of exposure			96 h
Species		Danio rerio	

Trade name: Teilereiniger alkalisch

Product no.: 38999

Current version : 1.0.0, issued: 25.11.2020

Replaced version: -, issued: -

Region: MT

Method	ISO 7346-1
Source	ECHA

<b>Toxicity to fish (chronic)</b>
No data available

<b>Toxicity to Daphnia (acute)</b>			
No	Substance name	CAS no.	EC no.
1	<b>Tetrapotassium pyrophosphate</b>	<b>7320-34-5</b>	<b>230-785-7</b>
EC50	>	100	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EPA OTS 797.1300		
Source	ECHA		
2	<b>sodium metasilicate, pentahydrate</b>	<b>10213-79-3</b>	<b>600-279-4</b>
EC50		1700	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU Method C.2		
Source	ECHA		

<b>Toxicity to Daphnia (chronic)</b>
No data available

<b>Toxicity to algae (acute)</b>			
No	Substance name	CAS no.	EC no.
1	<b>Tetrapotassium pyrophosphate</b>	<b>7320-34-5</b>	<b>230-785-7</b>
ErC50	>	100	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
2	<b>sodium metasilicate, pentahydrate</b>	<b>10213-79-3</b>	<b>600-279-4</b>
EC50		207	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	DIN 38412		
Source	ECHA		

<b>Toxicity to algae (chronic)</b>
No data available

<b>Bacteria toxicity</b>			
No	Substance name	CAS no.	EC no.
1	<b>Tetrapotassium pyrophosphate</b>	<b>7320-34-5</b>	<b>230-785-7</b>
EC50	>	1000	mg/l
Duration of exposure		3	h
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

<b>Results of PBT and vPvB assessment</b>
---

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT

PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**12.6 Other adverse effects**

No data available.

**12.7 Other information****Other information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

**Trade name:** Teilereiniger alkalisch**Product no.:** 38999**Current version :** 1.0.0, issued: 25.11.2020**Replaced version:** -, issued: -**Region:** MT

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3
--	------

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

Adhere to the national sanitary and occupational safety regulations when using this product.  
Employment restrictions, according to the regulations for protection of expectant and nursing mothers and the youth health and safety regulations, serving to protect against hazardous materials, should be observed.  
The surfactants contained in this product comply with the DetVO 648/2004/EC.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 763186